

Water Management Plan 90-Day Review Draft | July 19, 2017







Prepared in accordance with the Metropolitan Surface Water Management Act and Watershed Law Minnesota Statutes, Chapters 103B and 103D

960-Day Review Draft

Nine Mile Creek Watershed District

Water Management Plan

Prepared in accordance with the Metropolitan Surface Water Management Act and Watershed Law Minnesota Statutes, Chapters 103B and 103D

960-Day Review Draft—March 15 July 19, 2017

Front cover photo credits:

Top photo: John Albers

Bottom right photo: Dana Wheelock Photography

Bottom left photo: Steve Byrnes

Nine Mile Creek Watershed District Water Management Plan

960-Day Review Draft—March 15 July 19, 2017

Contents

List	of Abb	reviation	ns and Acronyms	VIII
Glos	sary			xi
Ackn	owled	lgement		xvii
1.0	Exec	utive Su	mmary	1-1
	1.1	Backgı	round and Purpose	1-1
		1.1.1	Background	1-1
	1.2	Waters	shed District Purposes	1-2
		1.2.1	General Watershed District Purposes	1-2
		1.2.2	NMCWD Past Successes	1-3
			1.2.2.1 Flood Protection	1-3
			1.2.2.2 NMCWD Regulatory Program	1-4
			1.2.2.3 Water Quality	1-5
			1.2.2.4 Education and Outreach	1-7
	1.3	NMCV	VD Goals, Policies, and Actions	1-7
		1.3.1	Goals	1-8
		1.3.2	Issue Identification and Actions	1-8
	1.4	NMCV	VD Plan Implementation	1-11
2.0	Land	l and Wa	ater Resource Inventory	2-1
	2.1	Climat	e and Precipitation	2-1
		2.1.1	Precipitation-Frequency Data (Atlas 14)	2-2
		2.1.2	Climate Trends	2-3
	2.2	Topog	raphy	2-4
	2.3	Surfac	e Water Resources	2-4
		2.3.1	Lakes and Streams	2-4
		2.3.2	Wetlands	2-10
		2.3.3	Hydrologic System Characteristics	2-11
		2.3.4	Shoreland Ordinances	2-13
		2.3.5	Water Appropriations	2-14

	2.4	Geology and Groundwater Resources		2-14
		2.4.1	Geology	2-14
		2.4.2	Groundwater	2-14
			2.4.2.1 Surficial (Quaternary) Aquifers	2-14
			2.4.2.2 Bedrock Aquifers	2-15
		2.4.3	Wellhead Protection Areas	2-16
	2.5	Soil Da	ata	2-16
		2.5.1	Hydrologic Soil Group and Infiltration	2-17
	2.6	Land U	Jse and Public Utility Services	2-18
	2.7	Water-	-Based Recreation Areas and Land Ownership	2-18
	2.8	Fish ar	nd Wildlife Habitat	2-19
		2.8.1	Aquatic Invasive Species	2-19
	2.9	Land C	Cover, Natural Communities, Rare Features, and Scenic Areas	2-20
	2.10	Polluta	ant Sources	2-21
3.0	Roles	and Re	esponsibilities	3-1
	3.1	Distric	t Roles and Responsibilities	3-1
	3.2	City Re	esponsibilities	3-5
	3.3	County	y Responsibilities	3-5
	3.4	Other	Agency Responsibilities	3-5
		3.4.1	Minnesota Department of Natural Resources (MDNR)	3-5
		3.4.2	Minnesota Board of Water and Soil Resources (BWSR)	3-7
		3.4.3	Minnesota Pollution Control Agency (MPCA)	3-7
		3.4.4	Minnesota Department of Health (MDH)	3-10
		3.4.5	Minnesota Department of Agriculture (MDA)	3-11
		3.4.6	Minnesota Environmental Quality Board (EQB)	3-12
		3.4.7	Minnesota Department of Transportation (MnDOT)	3-12
		3.4.8	Minnesota State Historic Preservation Office (SHPO)	3-12
		3.4.9	U.S. Army Corps of Engineers (USACE)	3-13
		3.4.10	The Metropolitan Council	3-14
4.0	Issue	Identifi	ication	4-1
	4.1	Water	Quantity and Flood Control	4-1
		4.1.1	Background	4-1
		4.1.2	Flood Control Challenges	4-2
		4.1.3	Priority Issues/Opportunities	4-2

4.2	Stormwater Management			
	4.2.1	Background	4-3	
	4.2.2	Balancing Stormwater Management Priorities	4-4	
	4.2.3	Priority Issues/Opportunities	4-5	
4.3	Lake N	1anagement	4-6	
	4.3.1	Water Levels	4-6	
	4.3.2	Water Quality	4-7	
	4.3.3	Priority Issues/Opportunities	4-15	
4.4	Stream	n Management	4-16	
	4.4.1	Background	4-16	
	4.4.2	Past Stream Monitoring and Management	4-17	
	4.4.3	Chlorides	4-18	
	4.4.4	Biological Impairment – Fish	4-19	
	4.4.5	Stream Bank Erosion/Stream Instability	4-21	
	4.4.6	Priority Issues/Opportunities	4-22	
4.5	Open S	Spaces and Recreational Uses	4-22	
	4.5.1	Priority Issues/Opportunities	4-22	
4.6	Wetlar	nd Management	4-22	
	4.6.1	Wetland Buffers	4-23	
	4.6.2	Priority Issues/Opportunities	4-24	
4.7	Aquati	c Invasive Species (AIS)	4-24	
	4.7.1	Priority Issues/Opportunities	4-25	
4.8	Ground	dwater Management	4-26	
	4.8.1	Priority Issues/Opportunities	4-27	
4.9	Climat	e Change Adaptation	4-27	
	4.9.1	Priority Issues/Opportunities	4-28	
4.10	Land U	Jse Management	4-28	
	4.10.1	Priority Issues/Opportunities	4-28	
4.11	Educat	ion and Outreach	4-29	
	4.11.1	Priority Issues/Opportunities	4-30	
4.12	Organizational Management			
	4.12.1	Maintenance of Stormwater Systems and Projects	4-30	
	4.12.2	Management of County Ditches	4-31	
	4.12.3	Funding	4-31	

		4.12.4	Organiza	ational Capacity	4-32	
		4.12.5	Leveragi	ing Partnerships	4-32	
		4.12.6	Prioritiza	ation	4-32	
		4.12.7	Priority I	Issues/Opportunities	4-32	
5.0	Gene	eral State	ement of 0	Goals and Policies	5-1	
	5.1	Storm	water Mar	nagement	5-2	
	5.2	Surface	e Water M	1anagement	5-5	
	5.3	Open S	Spaces an	d Recreational Uses	5-10	
	5.4	Wetlar	nd Manag	ement	5-12	
	5.5	Ground	dwater Ma	anagement	5-14	
	5.6	Land U	Jse Manag	gement	5-17	
	5.7	Flood	Managem	ent	5-19	
	5.8	Climat	e Change	Adaptation	5-21	
	5.9	Educat	ion and C	Outreach	5-22	
	5.10	Organi	izational N	Management	5-28	
6.0	Impl	Implementation Program				
	6.1	Implen	nentation	Program	6-1	
	6.2	Regula	itory Cont	rols and Permitting Program	6-2	
		6.2.1	Permit P	Program	6-5	
		6.2.2	Wetland	ls Management	6-6	
		6.2.3	Erosion	and Sediment Control	6-6	
		6.2.4	Stormwa	ater Management	6-6	
		6.2.5	Floodpla	ain Management	6-6	
		6.2.6	Variance	es & Exceptions	6-7	
		6.2.7	Enforcer	ment	6-7	
	6.3	Data C	ollection,	Assessment and Management	6-8	
		6.3.1	Data Co	llection	6-8	
			6.3.1.1	Lakes	6-8	
			6.3.1.2	Streams	6-9	
			6.3.1.3	Wetlands	6-10	
			6.3.1.4	Groundwater	6-10	
		6.3.2	Resource	e Assessment and Management	6-11	
			6.3.2.1	Lakes and Streams	6-11	
			6.3.2.2	Wetlands	6-17	

			6.3.2.3	Groundwater	6-17	
			6.3.2.4	Flood Management	6-18	
	6.4	Educa	tion and O	utreach Program	6-19	
		6.4.1	Outreach	n Programs	6-19	
		6.4.2	Commur	nications	6-20	
		6.4.3	Advisory	Committees	6-21	
	6.5	Admin	istrative P	rograms	6-21	
		6.5.1	District F	iscal Management	6-21	
		6.5.2	Staffing	Plan	6-23	
		6.5.3	Office Sp	pace and Equipment	6-23	
	6.6	Projec	ts and Cap	oital Improvements	6-23	
		6.6.1	Complet	ed Projects	6-24	
		6.6.2	Current a	and Future Project Prioritization	6-25	
		6.6.3	Cost Sha	re and Grant Program	6-28	
			6.6.3.1	Competitive Cost Share Program	6-28	
			6.6.3.2	Planning Grants	6-29	
			6.6.3.3	Special Cost Share Projects	6-29	
7.0	Loca	Local (City) Water Management				
	7.1	City Re	esponsibili	ties	7-1	
		7.1.1	Requirer	ments for Local Water Management Plans	7-1	
		7.1.2	Permittir	ng Authority	7-2	
	7.2	Impac	t on Local	Governments	7-3	
8.0	Plan	Plan Development, Review, and Amendment				
	8.1	Plan D	evelopme	nt and Public Input	8-1	
	8.2	Plan R	eview and	Approval	8-1	
	8.3	Plan A	mendmen	ts	8-2	
		8.3.1	Amendn	nent Format and Distribution	8-3	
		8.3.2	Local Wa	ater Management Plan Amendment Format and Distribution	8-3	
9.0	Refe	rences			9-1	
100	Website Deferences			10 1		

List of Tables

Table 2-1	Selected Rainfall and Snowmelt Runoff Design Events	2-3
Table 2-2	NMCWD Water Quality Goals	2-6
Table 2-3	Summary of MPCA Impaired Waters within the District	2-8
Table 2-4	Pollutants Commonly Found in Stormwater Runoff	2-23
Table 3-1	Summary of Regulatory Authorities within the NMCWD	3-15
Table 4-1	Lake Level Management	4-6
Table 4-2	Summary of Use Attainability Analyses Management Strategies and Assessment	of
	Attainment of State Lake Eutrophication Standards	4-10
Table 5-1	Stormwater Management Goals, Policies, and Actions	5-2
Table 5-2	Surface Water Management Goals, Objectives, Policies, and Actions	5-5
Table 5-3	Open Spaces and Recreational Uses Goals, Objectives, Policies, and Actions	5-10
Table 5-4	Wetland Management Goals, Objectives, Policies, and Actions	5-12
Table 5-5	Groundwater Management Goals, Objectives, Policies, and Actions	5-14
Table 5-6	Land Use Management Goals, Objective, Policies, and Actions	5-17
Table 5-7	Flood Management Goals, Objective, Policies, and Actions	5-19
Table 5-8	Climate Change Adaptation Goals, Objective, Policies, and Actions	5-21
Table 5-9	Education and Outreach Goals, Objective, Policies, and Actions	5-22
Table 5-10	Organizational Management Goals, Objectives, Policies, and Actions	5-28
Table 6-1*	District Implementation Programs and Projects during 10 year Plan Cycle	6-31
Table 6-2*	District Capital Improvement Projects during 10-year Plan Cycle	6-38
Table 6-3	Summary of Evaluation Factors for Holistic Lake Health Assessment	6-15

^{*} Table is included at the end of Section 6.

List of Figures

Figure 1-1	District Location and Municipal Boundaries	1-13
Figure 1-2	Map of Basic Water Management Projects	1-14
Figure 2-1	Monthly Climate Averages for Minneapolis-St. Paul International Airport (1981-	2010) 2-24
Figure 2-2	Topography	2-25
Figure 2-3	Drainage Divides and Major Subwatersheds	2-26
Figure 2-4	Public Waters and Drainage Ditches	2-27
Figure 2-5	Impaired Waters	2-28
Figure 2-6	Surface Water Quality Monitoring Locations	2-29
Figure 2-7	Map of the National Wetland Inventory (NWI)	2-30
Figure 2-8	Nine Mile Creek 100-Year Floodplain	2-31
Figure 2-9	Nine Mile Creek 100-Year Floodplain Management Profile (Atlas 14)	2-32
Figure 2-10	Lake Level and Groundwater Well Locations	2-37
Figure 2-11	Hydrologic Soil Groups	2-38
Figure 2-12	Metropolitan Council 2010 Land Use	2-39
Figure 2-13	Metropolitan Council 2030 Land Use	2-40
Figure 2-14	Recreation Areas	2-41
Figure 2-15	Sites of Biodiversity Significance	2-42
Figure 2-16	Potential Pollutant Sources	2-43
	List of Appendices	
Appendix A	Project Synopses of Lake Use Attainability Analyses	
Appendix B	Summary Memo of May 4, 2016 Community Input Forum	
Appendix C	Summary of Online Public Input Survey	
Appendix D	Relationship between topic categories from issue identification and prioritization (Section 4) and the goal/policy topic categories (Section 5)	n

List of Abbreviations and Acronyms

AIS Aquatic Invasive Species

AUAR Alternative Urban Area-wide Review

BMP Best Management Practices

BWSR Minnesota Board of Water and Soil Resources

CAC Citizens Advisory Committee

CAMP Citizen Assisted Monitoring Program

CIP Capital Improvement Program

CWA Clean Water Act
CWF Clean Water Fund

District Nine Mile Creek Watershed District

DWSMA Drinking Water Supply Management AreaEAW Environmental Assessment WorksheetEIS Environmental Impact Statements

EQB Environmental Quality Board
ESC Erosion and Sediment Control

FEMA Federal Emergency Management Agency

HBI Hilsenhoff Biotic IndexIBI Index of Biotic Integrity

IC Impervious Cover

ICI Invertebrate Community Index

LGU Local Government Unit
MC Metropolitan Council

MCES Metropolitan Council Environmental Services

MDIF Metropolitan Development and Investment Framework

MDH Minnesota Department of Health

MDNR Minnesota Department of Natural Resources
 MnDOT Minnesota Department of Transportation
 MLCCS Minnesota Land Cover Classification System

MOU Memorandum of Understanding
 MPCA Minnesota Pollution Control Agency
 MRAP Minnesota River Assessment Project
 MRCC Midwestern Regional Climate Center
 MRIP Minnesota River Implementation Project
 MS4 Municipal Separate Storm Sewer System

MSL Mean Sea Level

MSP Minneapolis-St. Paul International Airport

MUSA Metropolitan Urban Service Area
NFIP National Flood Insurance Program

NEMO Nonpoint Education for Municipal Officials

NHIS Natural Heritage Information System

NHNRP Natural Heritage and Nongame Research Program

NMCWD Nine Mile Creek Watershed District

NPDES National Pollution Discharge Elimination System
NOAA National Oceanic and Atmospheric Administration

NRCS Natural Resources Conservation Service
NRHP National Register of Historic Places

NRI Natural Resources Inventory

NURP Nationwide Urban Runoff Program

NWI National Wetland Inventory
OHWL Ordinary High Water Level

ORVW Outstanding Resource Value Waters
PAH Polycyclic Aromatic Hydrocarbon

Plan Nine Mile Creek Watershed District Water Management Plan

PWI Public Waters Inventory

QHEI Qualitative Habitat Evaluation Index
RSEA Regionally Significant Ecological Area
SHPO State Historic Preservation Office

SRVs Soil Reference Values

SSTS Subsurface Sewage Treatment System

SSURGO Soil Survey Geographic dataset

SWCD Soil and Water Conservation District **SWPPP** Stormwater Pollution Prevention Plan

TH Trunk Highway

TAC Technical Advisory Committee
TMDL Total Maximum Daily Load

TP Total PhosphorusTP-40 Technical Paper 40TP-49 Technical Paper 49

TSI Carlson's Trophic State Index

TSI_{SD} Trophic State Index, Secchi disc basis

TSS Total Suspended Solids
USC United States Code

UAA Use Attainability Analyses

USACE U.S. Army Corps of Engineers

USEPA United States Environmental Protection Agency

USFWS United States Fish and Wildlife Service
USDA United States Department of Agriculture

USGS United States Geologic Survey

VIC Voluntary Investigation and Cleanup Program

WBI Wetlands Biotic Index

WCA Wetlands Conservation Act

WERF Water Environment Research Foundation

WHPP Wellhead protection plan

WMO Watershed Management Organization
WOMP Watershed Outlet Monitoring Program

WRAPS Watershed Restoration and Protection Strategy

Glossary

Aerobic: describes life or process that requires the presence of molecular oxygen (see anoxic).

Algae: simple plants found in water and elsewhere, having no roots, flowers, or seeds; frequently microscopic and may grow in simple colonies, singular: *alga*

Anaerobic: describes processes that occur in the absence of molecular oxygen.

Anoxic: describes no oxygen in the water. Often occurs near the bottom of eutrophic lakes in summer and under the ice in winter.

Aquifer: saturated permeable geologic unit(s) that can transmit significant quantities of water under ordinary hydraulic gradients.

Artesian: an aquifer in which the water is under sufficient head pressure to cause it to rise above the zone of saturation at that place if opportunity were afforded to do so.

Atlas 14: the primary source of information regarding rainfall frequency estimates in the Midwest region. Published by the National Oceanic and Atmospheric Administration in 2013, Atlas 14 provides estimates of precipitation depth (i.e., total rainfall, in inches) and intensity (i.e., depth of rainfall over a specified period) for durations from 5 minutes up to 60 days. Atlas 14 supersedes publications Technical Paper 40 (TP-40) and Technical Paper 49 (TP-49) issued by the National Weather Bureau (now the National Weather Service) in 1961 and 1964.

Bathymetric map: a map showing the bottom contours and depth of a lake. Can be used to calculate lake volume.

Bedrock aquifer: one or more saturated geologic units composed of sedimentary, metamorphic, or igneous rock that can transmit significant quantities of water under ordinary hydraulic gradients.

Bed load: the part of the stream's sediment load that is rolling and sliding along because it is too heavy to be carried by suspension.

Benthic: describes stream and lake bottoms.

Benthic aquatic invertebrates: insects and simple animals that live near stream and lake bottoms.

Blooms: sudden abundant growth of algae, usually consisting of one or a few species, which has the effect of greatly reducing transparency.

Braided stream: a stream with complex, anastomosing multiple channels rather than a single larger channel.

Buffer: Buffers are upland, vegetated areas located adjacent to water resources that reduce adverse impacts from adjacent development and activities.

Chlorophyll a: green pigment in plants essential to photosynthesis.

Climate change: a change in global or regional climate patterns, in particular a change apparent from the mid to late 20th century onwards.

Conductance: conductivity, the indirect measure of electrolytes in water; the reciprocal of resistance; an electromotive force of 1 volt between two points is 1 mho (reciprocal of ohm) or 1 siemens(S); specific conductance, usually the electron flow between two cm²-electrodes, set 1 cm apart.

Deleterious: having a harmful effect.

Diel: relating to a 24-hour period or daily cycle.

Dimictic: describes lakes with two mixing periods, typically in spring and fall.

Discharge: the volume of stream flow passing a point during some period of time; often expressed as cfs or cubic feet/second.

Ecology: scientific study of relationships among animals, plants, other organisms, and their environments.

Ecoregion: an environmental area characterized by a specific land use, soil types, land surface form, and potential natural vegetation.

Ecosystem: a system of interrelated organisms and their physical-chemical environment.

Epilimnion: upper, warm layer of a lake during summer thermal stratification.

Erosion: wearing away of the lands or structures by running water, glaciers, winds, and waves.

Erosion control: the practice of preventing or controlling soil erosion from wind or water.

Euphotic zone: upper region of lake where photosynthesis occurs because of adequate amounts of light and nourishment.

Eutrophic: "well-nourished"; describes a lake with high nutrient levels that can support a dense growth of algae and other organisms, the decay of which can deplete <u>oxygen from</u> the shallow waters <u>of oxygen</u>.

Eutrophication: the process of physical, chemical, and biological changes associated with nutrient, organic matter, and silt enrichment and sediment of a lake or reservoir. If the process is accelerated by human influences, it is termed cultural eutrophication.

Export coefficient: an estimate of the expected annual amount of a nutrient transported from its source to a <u>lakewater body</u>. Expressed in terms of mass per area per unit of time.

External loading: nutrients or pollutants arriving at a body of water via eternal routes, for example, influent streams.

Flood elevation: the highest water elevation of a waterbody reached during a precipitation or runoff event of a specific recurrence interval.

Flood profile: a set of elevations established along a stream or riparian to a lake that results from the storage of surface water runoff.

Floodplain: an area defined to be used for the storage of surface water runoff.

Freeboard: a factor of safety used in flood management, usually expressed as a distance height (in feet) between a flood elevation and the lowest entry elevation of a structure.

Geology: the science <u>that studies which treats of</u> the origin, history, and structure of the earth, as recorded in the rocks; together with the forces and processes now operating to modify rocks.

Glacial drift: poorly sorted, permeable sediment which was deposited by glaciers.

Groundwater: water found beneath the soil surface and saturating the strata at which it is located; often connected to lakes.

Groundwater sensitivity: a qualitative or semiquantitative measure of the vulnerability of an aquifer to contamination.

Hydrology: the applied science concerned with the waters of the earth in all its states; their occurrences, distribution, and circulation through the unending hydrologic cycle of: precipitation; consequent runoff, stream flow, infiltration, and storage; eventual evaporation; and reprecipitation.

Hydrologic cycle: process of water falling to the earth as rain or snow, flowing across or under the ground into rivers and to the ocean, and evaporating back into the air.

Hypolimnion: lower, cooler layer of a lake during summer thermal stratification.

Infiltration: the entrance of water into the soil or other porous material through the interstices or pores of a soil or other porous medium.

Internal loading: nutrients or pollutants recycled to a body of water from its sediments.

Internal nutrient cycling: transformation of nutrients such as nitrogen or phosphorus from biological to inorganic forms through decomposition, occurring within the lake itself.

Isothermal: the same temperature throughout.

Lake management: a process that involves study, assessment of problems, and decisions decisionmaking affecting the maintenance of lakes as thriving ecosystems.

Land use: type of development and use of a land area; urban and agriculture are examples of land uses.

Land cover: undeveloped area of landscape with a distinct type of vegetation. Forests and wetlands are land covers.

Limnetic: open area of a lake, from the edge of the littoral zone to the center of the lake. Also known as pelagic.

Limnology: scientific study of fresh water, especially the history, geology, biology, physics, and chemistry of lakes.

Littoral: portion of a waterbody extending from the shoreline lakeward to the greatest depth occupied by rooted plants.

Loading rate: See export coefficient.

Macrophyte: "large plant"; rooted, seed-producing plants in lakes.

Mesotrophic: describes a lake of moderate photosynthetic productivity.

Metalimnion: thermocline; boundary layer of rapid temperature change between epilimnion and hypolimnion or a thermally-stratified lake.

No net loss: no reduction in the area and value of a wetland from existing conditions.

Nonpoint source: diffuse source of pollutants coming from contaminated underground flow, septic systems leakage, and overland runoff to streams and lakes.

Nonpoint source pollution: pollution originating at a variety of nonlocalized sources, such as street runoff, septic systems, atmospheric deposition, or groundwater.

Nutrient: element or chemical essential to life, including carbon, oxygen, nitrogen, and phosphorus.

Nutrient budget: measurement of amount of nutrients (usually phosphorus and nitrogen) coming into a lake or stream, flowing out, and staying in the water and bottom sediments.

Oligotrophic: "poorly nourished"; describes a lake of low photosynthetic productivity.

Permeability: a measure of a-the ability of rock or soils_ability to transmit water analogous to hydraulic conductivity.

Porosity: the void space in a rock or soil between fractures or grains.

pH: measure of the concentration of hydrogen ions of a substance. Specifically it is the negative logarithm of the molar concentration of hydrogen ions. It ranges from 1 = very acid (high concentration) to 14 = very alkaline (low concentration) of hydrogen ions. 7 is neutral, neither acid or alkaline.

Phosphorus load: the amount of phosphorus entering a waterbody in a given period of time, usually expressed as a mass load per time period (e.g., pounds per year).

Photosynthesis: biological process by which algae, higher plants, and some bacteria create organic matter from inorganic nutrients using energy captured from light by some pigment, e.g., chlorophyll.

Point source: well-defined source of pollutants, such as a pipe from a municipal wastewater treatment plant or industry.

Pollution: addition, by people or by their activities, of a substance or energy to the environment which causes undesirable effects.

Precipitation: the total measurable supply of water <u>fromof</u> all forms of falling moisture, including dew, rain, mist, snow, hail, and sleet; usually expressed as depth of liquid water on a horizontal surface in a day, month, or year, and designated as daily, monthly, or annual precipitation.

Recharge: the process whereby an aquifer receives water.

Secchi disc: a white disc about 20 cm in diameter, lowered into water to measure transparency on the basis of visibility.

Shoreline stabilization: restoring and protecting banks of lakes and streams against scour and erosion by using vegetative plantings, soil bioengineering, and structural systems.

Stream order: the position a section of a stream occupies in relation to the tributaries contributing to it; the higher the order the more tributaries it has.

Superstorm: a powerful and destructive storm that affects an unusually large area.

TDS: total dissolved solids; filterable residue; usually expressed as g/liter or mg/liter following evaporation of a measured sample of filtered water.

Thalweg, talweg: German for "the valley path"; the longitudinal deepest channel in a stream bed.

Thermocline: a density gradient or pycnocline owed to changing temperatures; the planar thermocline is the imaginary plane at the depth where the rate of temperature change is the greatest in a vertical temperature profile.

Topography: the physical features of a district or region, such as are represented on maps, taken collectively; especially, the relief and contour of the land.

Trophogenic zone: a region in a body of water where synthesis of organic compounds is predominant; usually refers to the photosynthetic region.

Use Attainability Analysis (UAA): a scientific study to assess a waterbody's physical, chemical, and biological conditions relative to the desired beneficial uses that can reasonably be achieved and maintained for a given waterbody and identify management recommendations. A UAA considers observed water quality, estimated water quality under fully developed conditions, and recommends management strategies to achieve water quality goals.

Wellhead protection: the process of mitigating the potential for contamination of a well or well field by instituting controls on land use in the area where the well receives its groundwater.

Wetland buffer: Buffers are upland, vegetated areas located adjacent to wetlands.

Zooplankton: the fraction of the plankton community composed of animals; the individual is a zooplankter.

Acknowledgement

The Nine Mile Creek Watershed District 2017 Water Management Plan is the result of valuable input from numerous organizations, agencies, communities, and engaged citizens. We wish to thank the following groups and individuals for their time and contributions to this plan.

Board of Managers

Steve Kloiber Louise Segreto (former Manager)

Corrine Lynch Grace Sheely
Jodi Peterson Maressia Twele

Technical Advisory Committee

Kristin Asher, City of Richfield

Ross Bintner, City of Edina

Steve Christopher, Board of Water & Soil

Joe Mulcahy, Metropolitan Council

Jeff Pearson, City of Richfield

Rod Rue, City of Eden Prairie

Tom Dietrich, City of Minnetonka Jason Spiegel, MN Dept. of Natural Resources

Kate Drewry, MN Dept. of Natural Resources

Bryan Gruidl, City of Bloomington Jim Gates, City

Karen Jensen, Metropolitan Council Bryan Gruidl,

Judy Sventek, Metropolitan Council

Rosemary Lavin, Hennepin County Karen Jensen, Nick Teideken, MN Dept. of Transportation

Will Manchester, City of Minnetonka Rosemary

Jessica Wilson, City of Edina

<u>Dave Modrow, City of Eden Prairie</u> Will Chris Zadak, MN Pollution Control Agency Dave Modrow, City of Eden Prairie

Citizens Advisory Committee

Roger Bildsten

Bob Cutshall

James Mooney

Bob Prince

John Helland

Jenifer Prince

Cal Johnson

Eric Strobel

Ember Kapitan

Craig Trenary

Scott Kerssen Maressia Twele- Board Liaison

Charlotte Lefebvre Roger Willette

Nine Mile Creek Watershed District Staff

Randy Anhorn, District Administrator Gael Zembal, Education & Outreach Specialist Erica Sniegowski, Education & Outreach Program Kevin Bigalke (former District Administrator)

Planning Consultants & Legal Advisors

Janna Kieffer, Barr Engineering Company

Bob Obermeyer, Barr Engineering Company

Greg Williams, Barr Engineering Company

Meg Rattei, Barr Engineering Company

Meg Rattei, Barr Engineering Company

1.0 Executive Summary

This Nine Mile Creek Watershed District (NMCWD or District) Water Management Plan (Plan) sets the vision, guidelines, and proposed tasks for managing surface water within the boundaries of the NMCWD. This Executive Summary <u>providessummarizes</u> highlights of the Plan, including introductory information, history, mission statement, goals, and key policies and actions that will be implemented to achieve <u>objectives</u>the District's desired outcomes.

1.1 Background and Purpose

1.1.1 Background

The NMCWD was established on September 30, 1959 in response to a citizen's petition to the State of Minnesota to address water resource management issues. Like all watershed districts in Minnesota, the NMCWD is a special purpose unit of local government that manages water resources on a watershed basis (a watershed is an area of land that drains to a given lake, river, stream or wetland). Watershed district boundaries generally follow natural watershed divides, rather than political boundaries.

The NMCWD consists of the land that drains to Nine Mile Creek in the south-central region of Hennepin County. The District encompasses approximately 50 square miles and includes portions of the cities of Bloomington, Eden Prairie, Edina, Hopkins, Minnetonka, and Richfield (see Figure 1-1).

Watershed districts are governed by a local Board of Managers who are appointed by the boards of the counties with land in the watershed district. In the NMCWD, the Board of Managers has five members appointed by the Hennepin County Board. The appointments are for staggered 3-year terms.

The NMCWD Board of Managers holds regular monthly meetings that are open to the public and are held at Discovery Point, the District's headquarters and educational facility, located at 12800 Gerard Drive in Eden Prairie, Minnesota. At the time of publication of this plan, the regular meetings are held on the third Wednesday of the month, with additional special meetings scheduled as necessary.

The NMCWD employs a full-time Administrator, an Education and Outreach Program Manager, and an Education and Outreach Specialist. Other services, including engineering, legal, accounting, and administrative assistance are provided by part-time consultants. The NMCWD has a website (9-Mile Creek Watershed District [Ref. 1]), which includes NMCWD permitting information, manager and consultant information, agendas and minutes from meetings, education and outreach programming information, and other pertinent information.

The NMCWD has established and supports two advisory committees: one is a Technical Advisory Committee (TAC) composed primarily of staff from state agencies and cities within the watershed who advise the District and offer review comments and advice; the other is a Citizens Advisory Committee

(CAC). The CAC assists in developing programs and activities that help improve and protect the water resources of the NMCWD.

<u>The Watershed districts within the Twin Cities metropolitan area comNMCWD operatese</u> under the guidance of both the Watershed Act (Minnesota Statues chapter 103D) and the Metropolitan Surface Water Management Act (Minnesota Statutes sections 103B.201-.253). Minnesota Statutes chapters 103B and 103D require watershed districts to prepare watershed management plans. In addition to the plan requirements in statute, watershed districts in the Twin Cities metropolitan area, the NMCWD must also follow the detailed plan requirements of Minnesota Rules 8410. This watershed management plan (Plan) is the fifth NMCWD Plan approved by the Minnesota Board of Water and Soil Resources (BWSR), or its predecessor. Previous plans were published in 1961, 1973, 1996, and 2007.

1.2 Watershed District Purposes

1.2.1 General Watershed District Purposes

The general purposes of a watershed district are to conserve natural resources through land use planning, flood control, and other conservation projects to protect the public health and welfare and for the wise use of the natural resources (Minnesota Statutes section 103D.201).

Watershed districts can be involved with a number of issues, including protection or enhancement of water quality, prevention and alleviation of flood damage, prevention and alleviation of soil erosion and sedimentation, regulation of streams, lakes and water courses for domestic, recreational and public use, and protection and regulation of groundwater uses. Minnesota Statutes section 103B.201 establishes the purposes of watershed management organization water management programs in the metropolitan area as:

- 1. Protect, preserve, and use natural surface and groundwater storage and retention systems.
- 2. Minimize public capital expenditures needed to correct flooding and water quality problems.
- 3. Identify and plan for means to effectively protect and improve surface and groundwater quality.
- 4. Establish more uniform local policies and official controls for surface and groundwater management.
- 5. Prevent erosion of soil into surface water systems.
- 6. Promote groundwater recharge.
- 7. Protect and enhance fish and wildlife habitat and water recreational facilities.
- 8. Secure the other benefits associated with the proper management of surface and groundwater.

1.2.2 Historical NMCWD Purpose and Past Successes

1.2.2.1 Flood Protection

For its first several decades, the NMCWD focused primarily on flood protection. The District established a floodplain management ordinance in 1961, well before the state adopted the Floodplain Management Act of 1969, which encouraged cities to adopt, enforce, and administer floodplain ordinances similar to the measure established by the District. Following passage of the Floodplain Management Act, each of the cities within the District adopted floodplain ordinances. These District and municipal regulations, in combination with several important District-led flood improvement projects, proved successful in that no significant widespread flooding has occurred in the District even during the major flooding events that occurred in 1977, 1987, and 1993. The basic water management projects completed by the District to provide flood protection and management in anticipation of ultimate watershed land use development are shown in Figure 1-2 and summarized below:

- More than 45 years ago, the NMCWD undertook flood protection and wetland and habitat preservation by implementing the Marsh Lake Basic Water Management Project. Located east of France Avenue in the vicinity of 94th Street in the City of Bloomington, the marsh was the last point to detain and store floodwaters before they entered the steep channel now stabilized and restored by the Lower Minnesota Valley Restoration Project. This first major project was completed in 1970. In addition to its function as a stormwater detention basin, the area was designated as a wildlife refuge to ensure that wildlife habitat was protected from development. Since its inception, the District has supported, promoted, and adhered to a policy of multi-benefit projects involving its water resources, wherever possible.
- The **Mount Normandale Lake Basic Water Management Project** created an artificial 135-acre lake in 1978. The lake stores floodwater during high-intensity rainstorm events, regulating the extreme fluctuations, or bounce in the flow regime-rate of the creek. Reduced peak flowrates in downstream portions of the creek results in reduced flood risk and reduced potential for erosion and sedimentation.
- The Bredesen-Mud Lake Project, completed in 1985, converted included converting a portion of a large, approximately 125-acre shallow marsh area in central Edina to an open water wetland to provide flood storage and and included constructing trails and bridges throughout the wetland area. While the primary purpose was to provide flood storage along the North Fork of Nine Mile Creek, additional benefits included stream stabilization, improved water quality, enhancement of wildlife habitat, and pedestrian access throughout Bredesen Park.
- The Anderson and Bush Lakes Project, portions of which were completed in 1978 and 2000, stabilized water levels in the lakes through construction of an outlet from Anderson Lakes and installation of a pumped outlet from Bush Lake. The project also included shoreline stabilization at Bush Lake. In addition to flood control and water quality benefits, the project created and enhanced recreation, aesthetic nature uses, and wildlife habitat.

- The Hopkins Culvert Improvements Basic Water Management Project was completed in 1993.
 These improvements substantially improved the flow of the North Fork of Nine Mile Creek
 through the City of Hopkins. The changes significantly reduced local flooding of many properties
 and streets within the city. By lowering the flood elevation, previously flooded property became
 available for new and expanded commercial uses. Flooding had endangered both people and
 property during storm events.
- The Smetana Lake Basic Water Management Project was completed in 2002. That project created additional flood storage for the South Fork of Nine Mile Creek. Besides this flood protection, the aesthetic and recreational uses of the lake were improved, as was the creek's water quality below Smetana Lake.

In 2002-2005, the District developed a detailed hydrologic and hydraulic model of the entire Nine Mile Creek watershed and calibrated the model using stream flow monitoring data collected by the NMCWD and Metropolitan Council from three locations along Nine Mile Creek. The model was developed to verify and update flood elevations along the creek based on more up-to-date information and a more sophisticated modeling method. In 2015, the District updated the model and established revised flood elevations based on NOAA's Atlas 14 precipitation frequency estimates. Since development, the hydrologic and hydraulic model has served as a valuable tool for the District, watershed cities, and other governmental entities in establishing local and regional flood elevations and evaluating potential impacts of proposed infrastructure changes.

1.2.2.2 NMCWD Regulatory Program

The Hopkins Culvert Improvements Basic Water Management Project was completed in 1993. These improvements substantially improved the flow of the North Fork of Nine Mile Creek through the City of Hopkins. The changes significantly reduced local flooding of many properties and streets within the city. By lowering the flood elevation, previously flooded property became available for new and expanded commercial uses. Flooding had endangered both people and property during storm events.

In addition to District projects, the The NMCWD rules have been an essential tool in preventing and/or minimizing flooding and water quality problems.—In 1973, the District adopted rules and began reviewing proposed developments and other projects in the watershed through its permit program, in an effort to ensure that land use and development would not degrade water quality or increase flood risk and began reviewing proposed developments and other projects in the watershed through its permit program. The NMCWD rules have always addressed the water quantity impacts of stormwater (e.g. flooding, rate control). At first, the NMCWD rules only indirectly addressed the water quality impacts of stormwater, but since 1997 they have directly addressed water quality impacts (upon implementation of the 1996 NMCWD Plan). In 2008, the District substantially revised its rules, including the following changes:

• Iincreased focus on retention of stormwater onsite to reduce discharge rates and volumes;

- <u>Fe</u>enhanced protection of wetlands within the watershed through high replacement ratios and buffer requirements;
- s, Rrequirements for compensatory storage in the floodplain;
- and <u>Aapplication</u> of erosion and sediment control regulations to single family home construction and reconstruction projects.

Additional minor A limited number of specific adjustments changes were made to the rules were made in 2012 and 2015 to streamline and improve functionality.

1.2.2.3 Water Quality

The NMCWD has been concerned about water quality since its formation. The NMCWD and other authorities have been monitoring the water quality of streams in the watershed since 1968. The District has monitored lakes periodically since 1970, with and began a more comprehensive monitoring program since in 1997. Since completion of its third generation Water Management Plan in 1996, the NMCWD has concentrated on conducting water quality studies and implementing water quality improvement projects. Between 1997 and 2010, the NMCWD conducted 15 diagnostic-feasibility studies (termed *Use Attainability Analyses*, or *UAAs*) for 21 lakes within the NMCWD (references listed in Section 9.0). Several important basic water management projects completed by the District to improve the water quality of lakes and streams within the watershed are shown in Figure 1-2 and are summarized below:

- The **Lower Valley Restoration Project**, finished in 1991, was one of the earlier District projects that focused on water quality. The project, located in Bloomington, restored and stabilized the streambank of the lower valley of Nine Mile Creek through its final steep descent to the mouth of the creek at the Minnesota River. By stabilizing the streambank, erosion was significantly reduced, as documented by the nonpoint source pollution monitoring program for the creek.
- In 2006, the NMCWD completed the Minnetonka Lakes Water Quality Improvement Project,
 which included construction or upgrade of ten stormwater ponds and four infiltration/filtration
 basins to provide water quality treatment of watershed runoff. The Minnetonka Lakes Water
 Quality Improvement Project implemented recommendations presented in the Glen Lake, Lone
 Lake, Minnetoga Lake and Shady Oak Lake Use Attainability Analyses, in addition to
 improvements in the Lake Holiday, Wing Lake, and Lake Rose watershed.
- Since the adoption of its Water Management Plan in 2007, the NMCWD has completed the **Eden Prairie Lakes Water Quality Improvement Project**, which implemented recommendations within the City of Eden Prairie that were presented in the Birch Island Lake, Bryant Lake, and Anderson Lakes Use Attainability Analyses. The project, completed from 2008-2013, included installation of a stormwater reclamation system to re-establish Birch Island Lake water levels, construction and upgrade of several stormwater treatment ponds, a wetland restoration upstream of Bryant Lake, and an alum treatment of Bryant Lake. Water quality in Bryant Lake has improved as a result of these management activities, with summer average water clarity consistently

meeting the Minnesota Pollution Control Agency (MPCA)'s criteria since project completion. The Eden Prairie Lakes Water Quality Improvement project also included curlyleaf pondweed management (lake draw-down and herbicide treatments) in Northwest and Southwest Anderson Lakes and an alum treatment in Southwest Anderson Lake. The project has resulted in improved water quality in both Northwest and Southwest Anderson Lakes and improved aquatic plant communities, especially in Southwest Anderson Lake.

- From 2009-2014, the NMCWD conducted the **Southeast Anderson Lake Water Quality Improvement Project**, which consisted of curlyleaf pondweed management (herbicide treatments) in Southeast Anderson Lake to improve water quality and improve the health of the native plant community. This management activity was recommended in the Anderson Lakes Use Attainability Analysis (UAA) and conducted by the District in response to a petition by the City of Bloomington. The Anderson Lakes UAA also recommends an alum treatment of Southeast Anderson Lake, which has not yet been undertaken by the District.
- The NMCWD completed the **Hopkins Streambank Stabilization and Restoration Project** in 2012-2014, which included stabilization of Nine Mile Creek from Excelsior Boulevard to Trunk Highway (TH) 169 and re-meandering of the creek in the wetland area upstream of TH 169. The project, which was recommended in the Nine Mile Creek Use Attainability Analysis, has resulted in reduced erosion and improved habitat in the creek, as evidenced by more abundant fish populations in recent years, in comparison to pre-project observations.

The District received a petition from the City of Edina in 2009 for streambank stabilization along the North Fork of Nine Mile Creek from TH 169 to the Bloomington border. The **Edina Streambank Restoration Project**, also recommended as part of the Nine Mile Creek Use Attainability Analysis, includes restoration of approximately 16,000 feet of Nine Mile Creek from TH 169 to West 77th Street, realignment of approximately 3,400 feet of Nine Mile Creek from Brook Drive to the SOO Line Railroad, and realignment of approximately 650 feet of Nine Mile Creek from the SOSO Line Railroad to West 70th Street in Edina. The project, which will result in reduced erosion and improved habitat along the North Fork of Nine Mile Creek, is underway and anticipated to be completed in 2017-2018.

The District received a petition from the City of Bloomington in 2008 for implementation of the water quality improvement recommendations presented in the Normandale Lake Use Attainability Analysis (2005). Normandale Lake was created in the late-1970s by constructing a dam along Nine Mile Creek in northwestern Bloomington to provide regional flood storage. The shallow lake (wetland), located within the popular Lake Normandale Park, receives phosphorus and sediment loading from a large tributary watershed (approximately 20,000 acres), resulting in reduced water clarity and frequent nuisance algal blooms. Additional analysis and discussions with the city and Army Corp of Engineers regarding watershed and in-lake management options are underway. It is anticipated that an improvement project will commence in 2018-2019.

1.2.2.4 Education and Outreach

One of the District's strengths has been building a successful education program over the past decade.

Education and outreach staff has led the development of numerous programs to reach audiences such as District residents, K12 students, elected and appointed officials, and professionals. The District has been recognized by both the Minnesota Association of Watershed Districts and the Freshwater Society for several education programs, including:

- Fighting Salt Pollution with Education
- Rain Barrel Art Program
- Summer Education Series

Another significant accomplishment since adoption of its 2007 Plan is construction of **Discovery Point**, which serves as the District headquarters and educational facility. In 2011, the NMCWD received a donation of a building and over five acres of land in a residential area in Eden Prairie. Reconstruction of the building into an office, meeting, and educational facility was completed <u>in 2014</u>. The Discovery Point site property features innovative stormwater management techniques through demonstration projects that reduce site runoff and improve water quality. The stormwater management features include porous pavers, raingardens, and a cistern to capture roof runoff. With over five acres of wooded land overlooking a wetland and adjacent to City of Eden Prairie trails, Discovery Point provides education and outreach opportunities to showcase and research good land management and natural resource conservation practices. Additional site restoration to manage invasive species (<u>particularly Buckthorn</u>) and improve habitat is ongoing.

1.3 NMCWD Goals, Policies, and Actions

The NMCWD has established goals, policies, and actions in this Plan to guide day-to-day operations of the District and long-range planning efforts (see Section 5.0). The goals aid in defininghelp fulfill the purposes of the District. To achieve these ends, the The District has identified policies and actions that guide present and future management decisions. The goals, policies, and actions of this Plan are organized in the following ten major topic areas:

Section 5.1	Stormwater Management
Section 5.2	Surface Water Management
Section 5.3	Open Spaces and Recreational Uses
Section 5.4	Wetland Management
Section 5.5	Groundwater Management
Section 5.6	Land Use Management
Section 5.7	Flood Management
Section 5.8	Climate Change Adaptation
Section 5.9	Education and Outreach

1.3.1 Goals

The NMCWD Plan establishes the following goals for the District:

- Stormwater Management- Stormwater will be managed to maintain or reduce impacts to downstream waterbodies.
- 2. **Surface Water Management-** The surface water quality of the lakes and streams of the District will be protected and enhanced.
- 3. **Open Spaces and Recreational Uses-** Recreational uses of District water resources will be improved, or at least maintained.
- 4. **Wetland Management-** The acreage, functions, and values of wetlands within the Nine Mile Creek watershed will be maintained and enhanced.
- 5. **Groundwater Management** Groundwater quality and quantity will be protected and conserved for appropriate and sustainable beneficial uses.
- 6. **Land Use Management** Water resources will be protected and enhanced by integrating water resources management with land use planning.
- 7. **Flood Management** Human life and permanent structures will be protected from damage due to flooding.
- 8. **Climate Change Adaptation** Adverse impacts of climate change on the <u>watershed District</u> and its water resources will be <u>understood and</u> minimized.
- 9. **Education and Outreach** District water resources will be protected and enhanced through effective education and outreach programs.
- 10. **Organizational Management** The organization will be managed in an efficient, effective, and responsible manner.

To achieve these goals, the District has identified policies and actions that guide present and future management decisions. Many of the policies and actions included in this Plan require collaboration with Federal, State, local governments and citizens to be effective.

1.3.2 Issue Identification and Actions

Identification of significant issues facing the NMCWD was an important task in the development of this Plan. Input on identification and prioritization of issues was solicited from the NMCWD Board of Managers, cities, counties, state agencies, residents, and District staff. The key issues are discussed in detail in Section 4.0, including identification of priority issues and opportunities. This information was used to inform policies and identify actions and inform priorities to achieve District goals.

The NMCWD identified approximately 200 action items to address the issues and goals. The action items are organized according to goal topic in Section 5.0 of this Plan. Many of the action items included in this iteration of the Plan are a continuation of existing District practices to address ongoing District responsibilities (e.g., implement stormwater volume, quality and rate-control criteria in the NMCWD's

rules). Other action items are new, reflecting emerging issues and changing priorities within the NMCWD. New or expanded action items of note in this Plan update include the following:

Stormwater Management (Table 5-1)

- Working with local governments in identifying high-priority areas, planning, and development of regional stormwater management facilities to enhance treatment and provide flexibility for stormwater management compliance as redevelopment occurs (Objective 1, Policy 5, Action A).
- Working with cities and other public or private partners to evaluate opportunities for and implement stormwater reuse projects (Objective 1, Policy 7, Actions A and B).

Surface Water Management (Table 5-2)

- Collecting, interpreting and reporting water quality and ecological indicator data annually, including additional targeted monitoring to help measure success of District management activities (Objective 1, Policy 1, Action B and Policy 3, Action A).
- Conducting periodic inventories and assessments of aquatic invasive species in District waterbodies and working with agencies and local stakeholders to manage invasive species (Objective 2, Policy 4, Actions A, B, and C).
- Conducting additional or updating prior Use Attainability Analyses for District lakes and working
 with agencies and stakeholders to establish subwatershed-based implementation programs
 (Objective 3, Policy 1, Actions A, B, and C).
- Implementing recommendations from past and/or updated Use Attainability Analyses (UAAs), Total Maximum Daily Loads (TMDLs), and Watershed Restoration and Protection Strategies (WRAPS) (Objective 3, Policy 3, Action A).

Open Spaces and Recreational Uses (Table 5-3)

• Working with cities and developers to provide access to water resources through the development/redevelopment process or in conjunction with NMCWD water management projects, while protecting and conserving natural areas (Objective 1, Policy 1, Action A).

Wetland Management (Table 5-4)

• Identifying and implementing wetland restoration and protection opportunities to address high-quality wetland areas, sensitive habitats, and sensitive, rare or endangered animal or plant species (Objective 2, Policy 1, Actions C, D, E).

Groundwater Management (Table 5-5)

• Studying the interaction of groundwater and surface water resources in the Nine Mile Creek watershed to better understand the impacts of groundwater on lake, wetland and stream hydrology and to identify areas with high aquifer recharge potential (Objective 1, Policy 1, Action C).

- Collaborating with other entities to:
 - Research infiltration impacts on groundwater and develop a consistent approach to protecting areas sensitive to groundwater contamination (Objective 1, Policy 2, Action A).
 - o Develop a regional groundwater management plan (Objective 2, Policy 1, Action B).
- Promoting groundwater conservation through:
 - Requiring cities to adopt and implement <u>a groundwater conservation policyies</u> and encouraging cities to develop groundwater sustainability goals (Objective 2, Policy 4, Actions A and C).

Land Use Management (Table 5-6)

Participating in local and regional land use planning efforts to identify opportunities to achieve
District goals, objectives and policies and provide information and analysis regarding
opportunities for improved water resources management and protection (Objective 1, Policy 1,
Actions A and B).

Flood Management (Table 5-7)

- Requiring local stormwater management plans to maintain critical 100-year flood storage volume (Objective 2, Policy 1, Action A).
- Assisting cities in addressing Atlas 14 precipitation frequency estimates increased flood potential identified using Atlas 14 precipitation frequency estimates (Objective 2, Policy 2, Actions A, B, C, and D), including:
 - o Identifying and prioritizing flooding problems. resulting from Atlas 14.
 - o Identifying improvement alternatives to address regional flooding problems.
 - o Implementing infrastructure improvements to address regional flooding problems.
 - Working with cities to incorporate flood risk information into local land use controls.

Climate Change Adaptation (Table 5-8)

- Promoting climate change adaptation to minimize property damage and impacts to District natural and water resources within the Nine Mile Creek watershed through:
 - <u>Evaluating impacts and d</u>Developing a District climate change adaptation strategy to identify natural and water resource vulnerabilities to climate change and potential adaptation strategies (Objective 1, Policy 1, Action A).
 - Working with local governments and stakeholders to educate and assist in development and implementation of city-specific climate change adaptation strategies (Objective 1, Policy 1, Actions B and C).

Education and Outreach (Table 5-9)

• Reviewing and prioritizing educational programming annually for alignment with District goals and policies (Objective 1, Policy 1, Action A).

• Fostering open communication and stakeholder participation by expanding use of the District's website to provide timely information on District policies, programs, and projects and its regular meetings (Objective 5, Policy 1, Action A).

Organizational Management (Table 5-10)

- <u>Biannually Biennually</u> reviewing the District's implementation program relative to past accomplishments, available resources, current opportunities, emerging issues, and progress towards District goals (Objective 2, Policy 1, Action A and Policy 3, Action A).
- Continuing to collect relevant monitoring and performance data to measure program and project successes and inform future decisions (Objective 2, Policies 4, Action A).

1.4 NMCWD Plan Implementation

The programs, projects, and other actions the District will seek to implement in the next 10 years to address the issues and goals identified in this Plan are summarized in Section 6.0. The implementation program plan achieves its purposes through programs and activities are organized under the following headings:

- Regulatory Controls and Permitting Program
- Data Collection, Assessment and Management
- Education and Outreach
- Project and Capital Improvements
- Administration

The District's operations and programs are summarized in Table 6-1 along with the anticipated costs and schedule. The District's anticipated capital improvement projects for the next 10 years are summarized in Table 6-2. Section 6.1 provides details on how the tables of projects provide important information for the Board of Managers' use in developing annual budgets over the life of this plan, but do not represent proposed budgets.

A critical premise for the implementation of this Plan is that, Wwhile the District assumes overall responsibility for implementing its programs and activities, and the plan is self-executing without onlywith exception of very limited contributions from watershed cities and other partners, many of the specific programs, projects, and activities described in this Plan will benefit from engagement and partnership with watershed cities, Hennepin County, and others. That broader engagement and partnership is a critical premise for the successful implementation of this Plan.

Given that the watershed is almost entirely developed, and in many areas watershed cities are putting considerable resources and time into redevelopment revitalization strategies, a critical new element to NMCWD's approach to project implementation will be the integration of water-resource management improvements into such redevelopment efforts. Early in the process of implementing this Plan, the District

will engage planning and community development staffs and boards in the watershed cities to plant seeds for the development of such collaborative approaches. Cities and others also may approach the District with ideas. The nature and extent of the District's involvement in any particular project will depend on several factors, and may evolve over time. The District will use the following prioritization framework when considering how to engage in a partnership for any particular project:

Top priority - work that will:


- Advance NMCWD's progress toward completion of a Use Attainability Analysis.
- Advance NMCWD's progress toward implementation of a completed UAA.
- Contribute to the completion of a study, data collection or assessment scope of work already identified as a NMCWD priority.
- Contribute to minimizing the risk of and mitigating potential damage from regional flooding.
- Contribute to a Total Maximum Daily Load or Watershed Restoration and Protection Strategy study or implementation of a TMDL- or WRAPS-derived project in the watershed.


Second priority - work that will:

• Enhance or improve previously completed watershed projects.

Third priority - work that will:

- Advance NMCWD's interests in a project related to water resources management in the watershed.
- Address local flooding issues.





2.0 Land and Water Resource Inventory

This section of the Nine Mile Creek Watershed District (NMCWD or District) Watershed Management Plan (Plan) summarizes the land and water resources located within the District. It contains information on climate and precipitation, topography, surface water resources, geology and groundwater resources, soils, land use, water recreation, fish and wildlife habitat, natural communities and rare plants, animals, and natural features, as well as pollutant sources. This important information describes the condition of the watershed as of 2017 and it affects decisions about infrastructure, development, and ecological preservation.

2.1 Climate and Precipitation

The climate of the Minneapolis-St. Paul area is a humid continental climate, characterized by moderate precipitation (normally sufficient for crops); wide daily temperature variations; and large seasonal variations in temperature; warm humid summers; and cold winters with moderate snowfall. Figure 2-1 summarizes monthly average precipitation data for the Minneapolis-St. Paul International Airport (MSP) station based on the most recent 30-year "climate normal" period (1981-2010). Average total annual precipitation at the MSP station is 30.6 inches (1981-2010). Snowfall averages 54.4 inches annually at the MSP station (1981-2010). The NMCWD also collects precipitation data at three continuous gaging stations, located in Bloomington, Hopkins, and Eden Prairie. This information, which has been collected since 1964, is used to record and assess local rainfall patterns within the watershed and calibrate District hydrologic models.

The amount, rate, and type of precipitation are important in determining flood levels and stormwater runoff rates, all of which impact water resources. In urbanized watersheds, shorter duration events tend to play a larger role in predicting high water levels on basins. Shorter duration events are generally used by hydrologists to study local issues (sizing catch basins, storm sewer pipes, etc.). Longer duration events are generally used by hydrologists to study regional issues, such as predicting high water levels for regional basins and basins that have no outlets (landlocked), or have small outlets relative to their watershed size.

Average weather imposes little strain on the typical drainage system. Extremes of precipitation and snowmelt are important for design of stormwater management and flood control systems. Extremes of snowmelt most often affect major rivers, the design of large stormwater storage areas, and landlocked basins. Ewhile extremes of precipitation rainfall most often affect the design of conveyance facilities. The National Oceanic and Atmospheric Administration (NOAA) has data on extreme precipitation events that can be used to aid in the design of stormwater management and flood control systems.

Additional climate information can be obtained from a number of sources, such as the following sources:

- For climate information about Hennepin County: <u>Climate Info: Hennepin Cty</u> [Ref. 2].
- For climate information about the Twin Cities metropolitan area: <u>Climate Info: Twin Cities Metro</u> [Ref. 3].

- Local data available from the Midwestern Regional Climate Center (MRCC): <u>Climate Info: Local data MRCC</u> [Ref. 4].
- For a wide range of climate information: <u>Climate Info: NOAA</u> [Ref. 5].
- For other Minnesota climate information: Climate Info: MDNR [Ref. 6].

2.1.1 Precipitation-Frequency Data (Atlas 14)

The NOAA published Atlas 14, Volume 8, in 2013. Atlas 14, Volume 8 Precipitation-Frequency Atlas of the United States, published by NOAA published Atlas 14, Volume 8, in 2013, __ is the primary source of information regarding rainfall in the region. Atlas 14 provides estimates of precipitation depth (i.e., total rainfall in inches) and intensity (i.e., depth of rainfall over a specified period) for durations from 5 minutes up to 60 days. Atlas 14 supersedes publications Technical Paper 40 (TP-40) and Technical Paper 49 (TP-49) issued by the National Weather Bureau (now the National Weather Service) in 1961 and 1964. Improvements in Atlas 14 precipitation estimates include denser data networks, longer (and more recent) periods of record, application of regional frequency analysis, and new techniques in spatial interpolation and mapping. Comparison of precipitation depths between TP-40 and Atlas 14 indicates increased precipitation depths for more extreme (i.e., less frequent) events.

Snowmelt and rainstorms that occur with snowmelt in early spring are significant in this region. The volumes of runoff generated, although they occur over a long period, can have significant impacts where the contributing drainage area to a lake or pond is large and the outlet is small. Runoff estimates from spring snowmelt areis not provided in Atlas 14. The Soil Conservation Service's (now the Natural Resources Conservation Service, or NRCS) National Engineering Handbook, Hydrology, Section 4, presents maps of regional runoff volume. Table 2-1 (below) lists selected rainfall and snowmelt runoff events used for design purposes by the NMCWD.

Table 2-1 Selected Rainfall and Snowmelt Runoff Design Events

Туре	Event Frequency ¹	Event Duration	Depth (inches)
	2-year	24 hour	2.9
	5-year	24 hour	3.6
	10-year	24 hour	4.3
Rainfall	25-year	24 hour	5.4
Rair	50-year	24 hour	6.4
	100-year	24 hour	7.5
	10-year	10 day	6.8
	100-year	10 day	10.3
	10-year	10 day	4.7
melt¹	25-year	10 day	5.7
Snowmelt ¹	50-year	10 day	6.4
<i>V</i> 3	100-year	10 day	7.1

Source: NOAA Atlas 14 – Volume 8 (data from centroid of District). Hydrology Guide for Minnesota (USDA Soil Conservation Service – NRCS)

2.1.2 Climate Trends

Even with wide variations in climate conditions, climatologists have <u>found_identified_four significant recent</u> climate trends in <u>the Upper Midwest (Minnesota_Weather Almanac, Seeley, 2006(MDNR, 2017)</u>:

- Warmer winters—decline in severity and frequency of severe cold
- Higher minimum temperatures
- Higher dew points
- Changes in precipitation trends more rainfall is coming from heavy thunderstorm events and increased snowfall Increasing temperatures, with winter temperatures warming the fastest.
- Decline in severity and frequency of extreme cold weather
- Increasing annual precipitation
- Increasing frequency and size of extreme rainfall events

¹ The period during which, on average, a single precipitation event of a given depth and duration would occur.

² Snowmelt depth reported as liquid water.

According to NOAA's 2013 assessment of climate trends for the Midwest (NOAA, 2013), annual and summer precipitation amounts in the Midwest are trending upward, as is the frequency of high intensity storms. Higher intensity precipitation events typically produce more runoff than lower intensity events with similar total precipitation amounts; higher rainfall intensities are more likely to overwhelm the capacity of the land surface to infiltrate and attenuate runoff. Precipitation records in the Twin Cities area show that the average annual precipitation has increased (Minnesota Climatology Working Group, 2016).

2.2 Topography

The topography of the District varies from relatively flat land in much of Bloomington and along the North Fork of the creek through Edina and Hopkins, to very hilly land along the west boundary of the District in Bloomington, the southwest corner of Edina, and most of Eden Prairie and Minnetonka. The remainder of the District is moderately rolling topography. Based on United States Geological Survey (USGS) Quadrangle maps, there is an elevation difference of approximately 430 feet between the creek's outlet into the Minnesota River, at Elevation 700 feet above mean sea level (MSL) and the highest point, located in the northwest corner of the District. Despite the extremesthis difference in elevation, about 90 percent of the land within the District ranges from 800 to 950 feet above MSL.

Detailed topography of the District is available through the Minnesota Department of Natural Resources' 2011 LiDAR data (MDNR, 2011). Figure 2-2 shows surface elevation based on the LiDAR data.

Local topography determines the direction of overland stormwater runoff, leading to the determination of watershed divides (see Section 2.3). The urbanization of the watershed over time has altered the natural topography of the watershed. With these alterations, drainage patterns have become more defined. Many of the wetland areas that existed prior to urbanization have been eliminated or altered, especially in the older developed areas. The presence of steep slopes within the watershed is of interest as these areas <a href="https://doi.org/10.1001/journal.org

2.3 Surface Water Resources

The drainage system throughout the District is primarily defined by Nine Mile Creek, but is also characterized by many wetlands, lakes, and conveyance systems which all eventually drain to the Minnesota River. For management purposes, the District has broken down the watershed geographically into 20 major subwatersheds. A subwatershed represents an area of land that drains directly to a common waterbody (or series of connected waterbodies). Figure 2-3 shows the major subwatersheds in the District. The major subwatersheds identified in Figure 2-3 are further broken down into minor subwatersheds (not shown) for specific management purposes (e.g., establishing 100-year flood levels, estimating pollutant loading). Information regarding minor subwatersheds is available upon request.

2.3.1 Lakes and Streams

There are numerous lakes and ponds, and many miles of streams within the NMCWD. The District considers all of these waterbodies valuable resources and manages these resources in a manner that will attain and preserve their highest and best intended beneficial uses. Additional consideration is given to

those District waterbodies with public swimming access (i.e., Bryant Lake, Bush Lake, and Shady Oak Lake). District management activities include water level and water quality monitoring, studies, and projects (see also Section 6.3). Detailed information about major District waterbodies is available from the District website at <u>9-Mile Creek Watershed District</u> [Ref. 1].

Many of the waterbodies within the District also fall under the regulatory jurisdiction of other agencies (see Section 1.0) with their own classification systems and management roles.

Public Waters (Minnesota Department of Natural Resources)

Figure 2-4 shows the MDNR public waters within District. The Minnesota Department of Natural Resources (MDNR) designates certain water resources as public waters to indicate those lakes, wetlands, and watercourses over which the MDNR has regulatory jurisdiction. Figure 2-4 shows the The MDNR public waters within District Nine Mile Creek watershed are shown in Figure 2-4. The By statute, the definition of public waters includes both "public waters" and "public waters wetlands." The NMCWD works closely with the MDNR on matters pertaining to permitting or management of public waters. The collection of public waters and public waters wetlands designated by the MDNR is generally referred to as the public waters inventory, or PWI.

Public waters are all waterbasins and watercourses that meet the criteria set forth in Minnesota Statutes section 103G.005, subdivision 15 that are identified on public water inventory maps and lists authorized by Minnesota Statutes section 103G.201. Public waters wetlands include all type 3, type 4, and type 5 wetlands, as defined in U.S. Fish and Wildlife Service Circular No. 39, 1971 edition, that are 10 acres or more in size in unincorporated areas or 2.5 acres or more in size in incorporated areas (see Minnesota Statutes section 103G.005, subdivisions 15a and 17b.)

The MDNR uses county-scale maps to show the general location of the public waters and public waters wetlands under its regulatory jurisdiction. These maps are commonly known as public waters inventory (PWI) maps. PWI maps also show public waters watercourses and ditches. The regulatory boundary of these waters and wetlands is called the ordinary high water level (OHWL). A MDNR permit is required for work within designated public waters. PWI maps are available on a county-by-county basis. Additionally, county-by-county lists of these waters are available in tabular form. The MDNR also maintains a web-based mapping tool for viewing PWI maps. The PWI maps and lists are available on the MDNR's website: PWI Maps: MDNR. {Ref. 7].

Lake and Stream Water Quality Goals

One of the primary goals of the District is to "ensure the water quality of the lakes and streams of the District is protected and enhanced" (see Section 5.2). In 1996, the District established lake water quality management goals based on designated uses for a waterbody (i.e., full-contact recreational activities such as swimming; non-full body contact recreational activities such as boating, canoeing, or water skiing; fishing and aesthetic viewing; runoff management). Through its 2007 Plan, the District managed lakes to achieve the District's water quality goals. In the time since the District established designated uses for District waterbodies, the Minnesota Pollution Control Agency (MPCA) has updated eutrophication water

quality standards for Minnesota lakes and streams. The MPCA established water quality goals and determined appropriate uses of the lakes and streams, as outlined in the guidance document *Guidance Manual for Assessing the Quality of Minnesota Surface Waters for Determination of Impairment: 305(b) Report and 303(d) List* (MPCA, 2014). Standards for lakes vary by MPCA ecoregion and whether the MPCA classifies a lake as "shallow" or "deep." The MPCA defines "shallow" lakes as having a maximum depth of 15 feet or less or having at least 80% of the lake area shallow enough to support aquatic plants (referred to as "littoral area").

In this Plan, the District adopts the MPCA water quality standards applicable to lakes and streams within the District as the District's water quality goals. These water quality goals are presented in Table 2-2. Some lakes within the District exhibit water quality better than the applicable eutrophication standards. In these cases, the District seeks to maintain or improve the existing water quality. This concept is generally known as "non-degradation" or "anti-degradation."

Table 2-2 NMCWD Water Quality Goals

	Water Quality Standard by MPCA Waterbody Type ¹			
Water Quality Parameter	Shallow Lakes ²	Deep Lakes	Stream	
Total Phosphorus (summer average, μg/L)	60	40	100	
Chlorophyll <i>a</i> (summer average, μg/L)	20	14	18	
Secchi Disc Transparency (summer average, m)	1.4	1.0	NA	
Total Suspended Solids (mg/L)	NA	NA	30	
Daily Dissolved Oxygen Flux (mg/L)	NA	NA	3.5	
Biological Oxygen Demand (5 day) (mg/L)	NA	NA	2	
Escherichia coli (# per 100 mL)	126 ³	126 ³	126 ³	
Chloride (mg/L)	230	230	230	

¹ NMCWD goals are based on MPCA standards included in MN Rules 7050. Revisions to MN Rules 7050 will supersede NMCWD standards. Note that MN Rule 7050.0220 includes standards for additional parameters that are enforced by the MPCA.

The MPCA also established water quality standards for parameters in addition to those presented in Table 2-2; these standards are published in Minnesota Rules 7050 and are applicable to NMCWD lakes,

² Shallow lakes have a maximum depth less than 15 feet or littoral area greater than 80% of the total lake surface area.

³ 126 organisms per 100 mL as a geometric mean of not less than five samples within any month, nor shall more than 10% of all samples within a month exceed 1,260 organisms per 100 mL.

ponds, and streams. Standards for several parameters included in Minnesota Rules 7050 vary according to the MPCA-determined designated use of the waterbody (e.g., drinking water, industrial use).

In addition to the water quality goals presented in Table 2-2, the District plans to establish holistic lake health targets for District-managed lakes. The holistic lake health targets will consider a wide range of factors affecting lake health, with an increased emphasis on the role of ecological factors in overall lake health and the interrelated nature of these factors (see Section 4.3.2 and Section 6.3.2).

Impaired Waters

Waterbodies not meeting standards established by the MPCA may be included on the MPCA's 303(d) impaired waters list (see Section 4.3.2). As of the writing of this Plan, Nine Mile Creek and five lakes (Bryant, Cornelia (north), Edina, Rose, and Wing) in the District watershed are included on the MPCA's 2016 draft impaired waters 303(d) list. Locations of impaired waters are shown in Figure 2-5. Table 2-3 summarizes the impaired waters within the District. See Section 4.3.2 for more detailed information about water quality issues and impaired waterbodies.

Current impaired waters listings are available from the MCPA website: <u>Impaired Waters Listings: MPCA</u> [Ref. 8].

Table 2-3 Summary of MPCA Impaired Waters (303(d) List) within the District

Waterbody	Affected Designated Use	Pollutant or Stressor	Year Listed	TMDL Study Target Start	TMDL Study Target Completion	TMDL Study Approved
Nine Mile Creek	Aquatic Life	Chloride ¹	2004			2010
	Aquatic Life	Fish Bioassessments	2004	2014	2019	
Bryant Lake ²	Aquatic Recreation	Nutrients/ Eutrophication Biological Indicators	2008	2014	2019	
	Aquatic Consumption	Mercury in Fish Tissue	2002			2008
Bush Lake ²	Aquatic Consumption	Mercury in Fish Tissue	1998			2008
Lake Cornelia (North)	Aquatic Recreation	Nutrients/ Eutrophication Biological Indicators	2008	2014	2019	
Lake Edina	Aquatic Recreation	Nutrients/ Eutrophication Biological Indicators	2008	2014	2019	
Rose Lake	Aquatic Recreation	Nutrients/ Eutrophication Biological Indicators	2010	2014	2019	
Smetana Lake ²	Aquatic Consumption	Mercury in Fish Tissue	2008			2008
Wing Lake	Aquatic Recreation	Nutrients/ Eutrophication Biological Indicators	2010	2014	2019	

Note: Data based on proposed draft 2016 MPCA Impaired Waters 303(d) List.

District Water Quality Monitoring

Annually, the District conducts water quality monitoring programs that assess the conditions of both lakes and streams. The locations of lake and stream water quality monitoring sites are shown on Figure 2-6. Hydrologic monitoring stations are also shown.

1. **Lakes.** The District samples its lakes on a rotating basis, typically sampling 4 or 5 lakes per year. A summary report on the results of the preceding year is prepared annually.

The lake water quality reports concentrate upon the three principal water quality indicators: total phosphorus, chlorophyll *a*, and Secchi disc transparency. Phosphorus is a biologically active

¹ Addressed by the Nine Mile Creek Watershed Chloride Total Maximum Daily Load Report.

² Impaired for aquatic consumption due to mercury in fish tissue; addressed by the Minnesota Statewide Mercury TMDL report (2007).

element whose concentration often determines the productivity (i.e., algae and/or weed growth) of a lake. Chlorophyll *a* is the photosynthetic pigment of phytoplanktonic algae present in a lake, and a general indicator of algal density. Secchi disc transparency is a measure of water clarity and is measured as the depth to which one can see a standard 20-centimeter-diameter white (or black and white-patterned) disc lowered into the water. More detailed information about lake water quality and lake management strategies is included in Section 4.3.2. The most recent water quality data available for District lakes are available from the District website at: 9-Mile Creek Watershed District Water Quality Data Ref. 44].

Beginning in 1997, lakes within the NMCWD were monitored more intensively in support of Use Attainability Analyses (UAAs) that diagnose water quality problems and their causes and recommend feasible alternative remedial measures. Over the 10-year period from 1997 to 2011, the District analyzed 21 lakes and their watersheds through the UAA process, beginning with headwaters lakes and generally proceeding downstream. UAAs have been completed for:

- Shady Oak Lake
- Glen Lake
- Lone Lake
- Minnetoga Lake
- Birch Island Lake
- Bush Lake
- Bryant Lake
- Smetana Lake
- Penn Lake
- Southeast, Southwest, and Northwest Anderson Lakes
- Normandale Lake
- Mirror Lake
- Lake Cornelia (North and South)
- Indianhead and Arrowhead Lakes
- Holiday, Wing, and Rose Lakes

The District has also performed (or cooperated to perform) more detailed water quality monitoring related to total maximum daily load (TMDL) studies to address impaired waters (see Section 4.3.2).

In addition to monitoring lake water chemistry, the District performs macrophyte (aquatic plant) surveys to assess the presence (frequency) and density of vegetation in each lake. Macrophyte surveys are performed in the same year as water chemistry monitoring, and typically include a survey performed in June and August. Information gathered from the macrophyte surveys can be used to assess the biologic integrity or condition of a lake through a multi-metric approach called an index of biological integrity (see Section 4.3).

2. Streams. The District also monitors Nine Mile Creek water quality each year at three watershed outlet monitoring program (WOMP) stations (see Figure 2-6). This monitoring includes assessment of chemical water quality and biological conditions. Chemical parameters monitored include a subset of the MPCA Class 2b. water quality standards (Minnesota Rules 7050) and include: chloride, total suspended solids (TSS), total phosphorus (TP), and nitrates. Continuous flow gaging is also performed as part of the annual stream water quality monitoring program. Flow gaging is conducted by continuously recording water levels in a stream, then using a site-specific mathematical relationship between water depth and stream flow (called a rating curve) to estimate the flow rate for the recorded water depths. Benthic macroinvertebrate and fish samples have also been collected from eight stream monitoring sites each year to assess stream water quality in terms of its biological diversity and health (see Figure 2-6). The biological monitoring has been performed to identify changes in stream water quality that may be caused by nonpoint source pollution. This information complements the chemical water quality sampling to provide a more complete understanding of overall stream health.

The District performs quantitative trend analysis on collected water quality data to identify waterbodies with degrading, stable, or improving water quality and uses this information to prioritize management actions (see Section 6.3.2).

Other agencies monitor lake and stream water quality within the District. The Metropolitan Council Environmental Services (MCES) monitors several District lakes through its Citizen Assisted Monitoring Program (CAMP). MCES also monitors the outlet of Nine Mile Creek for chemical and biological water quality and flow. Additional water quality information collected by MCES is available at: Water Quality Info: MCES [Ref. 9].

In addition to this District data collection, as part of the Minnesota River Assessment Program (MRAP), the Metropolitan Waste Control Commission studied the Creek from 1989-1992 and established a continuous monitoring station near the mouth of the Creek. Observations appear in the report of the Metropolitan Waste Control Commission to the MRAP, including extensive flow gaging information. The Metropolitan Waste Commission's (i.e., now Metropolitan Council Environmental Services, MCES) creek monitoring station at 106th Street in Bloomington continues to operate now as part of the MCES Watershed Outlet Monitoring Program (WOMP), and the District has supplemented this monitoring effort by establishing three additional WOMP-type stations at upstream locations, including 98th Street (Main Stem, Bloomington), West 72nd Street (North Fork, Edina), and West 78th Street (South Fork, Bloomington).

2.3.2 Wetlands

The wetlands in the District are an important community and ecological asset. These resources provide significant wildlife habitat and refuge, while also supplying aesthetic, recreational, and water quality treatment benefits. Prior to development, much of the land within the NMCWD was wetland. Many wetland areas were drained or filled as the cities developed (prior to the establishment of regulations protecting wetlands). Presently, wetlands within the District are protected by the Wetland Conservation Act (WCA, see Section 6.2.2) and District Rules (see Section 6.2.2). The District serves as the Local

Government Unit (LGU) responsible for administration of the WCA rules for portions of Edina, Eden Prairie, Hopkins, and Richfield within the District (except for on Minnesota Department of Transportation projects, see Section 6.2.2). Bloomington and Minnetonka serve as the LGUs for administering the WCA rules within those cities. More information about WCA guidance is provided at the BWSR website: <a href="https://wca.ncbi.nlm.ncbi

Historically, the U.S. Fish and Wildlife Service (USFWS) has been responsible for mapping wetlands across the country, including those in Minnesota. More recently, the MDNR has maintained and periodically updated the wetlands database within Minnesota. The most recent update to the National Wetland Inventory (NWI) for the Nine Mile Creek watershed was published in 2013. Figure 2-7 shows the location of all NWI wetlands within the NMCWD. Figure 2-4 shows waterbodies classified as public waters wetlands by the MDNR.

2.3.3 Hydrologic System Characteristics

Local Stormwater Systems

Each city maintains maps showing the extent of stormwater management facilities (e.g., pipes, ponds, outfalls), which are incorporated herein by reference and available from each city. The District requires that the maps be included in each city's local plan.

The cities within the NMCWD are responsible for maintaining stormwater systems (see also Section 7.1). Each city maintains maps showing the extent of municipal stormwater management facilities (e.g., pipes, ponds, outfalls), which are incorporated herein by reference and can be obtained at each of the municipal offices. Municipal stormwater management system information shall be incorporated in local plans (see Section 7.1).

Public Ditches

Public drainage systems (also referred to as public ditches or county ditches) are established under Chapter 103E of Minnesota Statutes. The original principal function of public ditches was to provide drainage for agricultural lands; most remaining ditches in Hennepin County now serve as urban drainage systems. Figure 2-4 identifies the public ditches within the NMCWD. The current condition of these ditches is described in this section.

Ditch 1

Ditch 1 is the main stem of the Creek from West 84th Street through Normandale Lake and Marsh Lake. Downstream of the Normandale Lake outlet structure, this is a well-defined channel that has required periodic maintenance. The maintenance has primarily been the removal of aquatic bog that has dislodged itself from the wetland complex riparian to the creek channel.

Ditch 41

Ditch 41 is located in southeast Hopkins and northwest Edina. Even though this section of the North Fork of Nine Mile Creek is primarily located in the City of Edina, the accumulation of sediment along the channel bottom has historically resulted in a "pooling" of base flows within the Creek upstream of TH 169

in Hopkins. Past clean-outs of the channel have improved the conveyance of stream base flows in the area.

Ditch 34

Ditch 34 provides the outlet conveyance from Birch Island Lake and handles the drainage from an area of primarily industrial and multi-residential land-use. This ditch is normally dry with flows typically only after intense rainstorm events. The District will work with the City of Eden Prairie to ensure that the required conveyance capacity of this ditch is maintained.

100-Year Floodplain and Profiles

The District has developed a District-wide hydrologic and hydraulic model incorporating city modeling, where available. The District uses this model to estimate 100-year flood elevations and peak discharges of existing and proposed stormwater management facilities, as well as estimate flood profile information that corresponds to the peak discharges of channelized flow passing through the watershed. Following the publication of Atlas 14 precipitation data (see Section 2.1.1), the District updated the hydrologic and hydraulic model to establish 100-year flood elevations and peak flow rates corresponding to the Atlas 14 data. The District adopted the revised 100-year flood levels and peak flow rates in 2016. The extent of the floodplain adjacent to Nine Mile Creek corresponding to the Atlas 14 100-year flood levels is shown in Figure 2-8. Figure 2-9 shows the corresponding 100-year flood profile for Nine Mile Creek and additional areas necessary to manage the floodplain as development progresses.

In accordance with the National Flood Insurance Program (NFIP), floodplain studies by other governmental agencies have been completed for Hennepin County, including the cities within the District. Each of these studies was based on existing development conditions. The Federal Emergency Management Agency (FEMA) adopted updated 100-year floodplain extents and 100-year flood elevations for Hennepin County in 2016 [Note that the 2016 Hennepin County FEMA maps are based on TP-40 precipitation data, and not Atlas 14 data, see Section 2.1.1]. Current FEMA floodplain maps are available from each municipality and online from the FEMA: Floodplain Maps: FEMA [Ref. 11].

The District modeling assumes future development conditions based on the adopted comprehensive plans of cities. District 100-year flood elevations and extents may differ from FEMA-adopted flood elevations and extents due to the use of different precipitation inputs and development conditions. As of 2017, the FEMA-adopted flood elevations and extents within the Nine Mile Creek watershed are based on TP-40 precipitation frequency estimates, whereas the NMCWD flood management elevations are based on updated Atlas 14 precipitation frequency estimates. The District modeling assumes future development conditions based on the adopted comprehensive plans of cities. Compliance with District Rules is evaluated relative to District-established 100-year flood elevations and corresponding floodplains.

Floodplain extent and elevations for hydrologic systems within each municipality may be obtained from the municipal offices and shall be incorporated in local plans (see Section 7.1).

Identified Flooding Issues

The District has not identified any known flood-prone areas outside of the established flood profile. As part of their local water management planning, cities are required to assess and report local flood-prone areas. The Hopkins Culvert Improvements Basic Water Management Project rectified a widely known local flooding problem (see Section 1.2.2).

Water Quality Modeling

In 2005, the District completed water quality models of the entire District using P8 (Program for Predicting Polluting Particle Passage through Pits, Puddles and Ponds). P8 is a model for predicting the generation and transport of stormwater runoff pollutants in urban watersheds. The P8 models are used to estimate watershed runoff and pollutant loading to lakes and Nine Mile Creek and evaluate the effectiveness of potential stormwater management practices as part of Use Attainability Analyses and other water quality studies.

2.3.4 Shoreland Ordinances

Minnesota has statewide shoreland management standards that apply to all public waters greater than 10 acres in municipalities and rivers with a drainage area greater than two square miles. The MDNR encourages cities to adopt their own shoreland management ordinances, and has published a sample shoreland ordinance for cities to use as a template. The sample ordinance regulates development and other land alterations in shoreland areas, and places special requirements on shoreland alterations, including vegetation alterations, grading, filling, and stormwater management. The sample ordinance includes stormwater management requirements such as:

- Limitations on the percentage of impervious area for each zoning designation.
- Preferred use of existing natural drainage ways, wetlands, and vegetated land for stormwater management.

- Stormwater management designs that use surface drainage, vegetation, and infiltration rather
 than buried pipes and constructed materials/facilities when existing features are not sufficient to
 adequately manage stormwater.
- Filtering or settling of suspended solids and skimming of surface debris prior to discharge for newly constructed stormwater outfalls to public waters.

The cities of Bloomington, Edina, Eden Prairie and Minnetonka have adopted shoreland management regulations (e.g., city code and/or ordinances) consistent with MDNR standards.

2.3.5 **Surface** Water Appropriations

The MDNR requires users withdrawing more than 10,000 gallons of <u>surface</u> water <u>or groundwater</u> per day or 1 million gallons per year to obtain a water appropriations permit. Additional information about water appropriation permits, including water use information reported by location or permit information, is available from the MDNR website: <u>Water Appropriation Permits: MDNR [Ref. 12]</u>.

2.4 Geology and Groundwater Resources

2.4.1 Geology

The geology of the NMCWD includes a layer of unconsolidated Quaternary deposits (glacial drift) underlain by multiple layers of bedrock. The glacial drift varies in thickness from less than 50 feet in some areas to over 400 feet in areas of Bloomington, but is between 100- and 250-feet thick throughout most of the district. The glacial drift is underlain primarily by the Prairie du Chien group (dolomite) in the southeastern part of the District and the St. Peter Sandstone unit in the northwestern part of the District. The southeastern half of the District is bisected by two buried erosional valleys below the City of Bloomington. These areas have the thickest overburden and are underlain by Jordan Sandstone and the St. Lawrence and Franconia formations.

More detailed information about the surficial and bedrock geology in the District is available in the Geologic Atlas of Hennepin County (Minnesota Geological Survey, 1989), available at: <u>Geologic Atlas: MN Geological Survey</u> [Ref. 13].

2.4.2 Groundwater

Many of the residents within the District obtain their drinking water from groundwater. The groundwater system in the District is comprised of the glacial drift water table (i.e., surficial aquifers) and the underlying bedrock aquifers that are partially in an artesian condition, meaning that water in the bedrock is maintained under pressure by confining upper layers.

2.4.2.1 Surficial (Quaternary) Aquifers

Surficial aquifers are water-bearing layers of sediment, usually sand and gravel, which lie close to the ground surface. Many private domestic wells in the watershed draw water from these aquifers. Since the surficial aquifers are more susceptible to pollution, they are generally not used for municipal or public

supply wells. In some locations in the NMCWD, the aquifer could provide sufficient water yield for some non-potable industrial uses. The depth of the water table varies across the watershed, but is on the order of tens of feet.

Recharge to the surficial aquifers is primarily through the downward percolation of local precipitation. The ponds, lakes, and wetlands scattered throughout the watershed recharge the groundwater. Some of these waterbodies are landlocked and their only outlet is to the groundwater; some landlocked lakes may be perched above the regional level of the shallow groundwater in the watershed. Some surficial aquifers may also be recharged during periods of high stream stage; this is estimated to occur in the lower valley of Nine Mile Creek. Surficial aquifers may discharge to local lakes, Nine Mile Creek, or to the underlying bedrock. The nature of surface water and groundwater interactions for specific waterbodies must be evaluated on a case-by-case basis.

The general contours of the glacial drift groundwater are shown on Figure 2-10, which also depicts the locations of lake level monitoring and precipitation gaging stations. This map was developed using data from the District's groundwater monitoring program.

2.4.2.2 Bedrock Aquifers

There are four major bedrock aquifers below the District (in order of increasing depth): (1) St. Peter Sandstone, (2) Prairie du Chien-Jordan, (3) Wonewoc Sandstone (formerly Ironton-Galesville Sandstone), and (4) Mt. Simon-Hinckley Sandstone. The Prairie du Chien-Jordan aquifer is high-yielding, more easily tapped than deeper aquifers, has very good water quality, and is continuous throughout most of the area. This is the most heavily used aquifer in Hennepin County, with yields above 2,000 gallons per minute throughout much of the District.

The groundwater level in the Prairie du Chien-Jordan aquifer varies from about 750 feet to 850 feet above mean sea level within the NMCWD, as shown in the Hennepin County Geologic Atlas (MGS, 1989). The aquifer is recharged in areas where thin permeable drift overlies the limestone layers. Some recharge of this aquifer occurs locally from percolation through the overlying glacial deposits or St. Peter sandstone. However, hydrogeologic characteristics suggest this recharge would be a minimal contribution to the aquifer flow. Regional recharge of the Prairie du Chien-Jordan aquifer occurs to the south of the Minneapolis-St. Paul metropolitan area. Groundwater movement in the aquifer is generally from west to east toward the Mississippi River.

The pressure levels in the Prairie du Chien-Jordan aquifer indicate that, in the absence of a confining layer, a groundwater flow from the glacial drift to the Prairie du Chien-Jordan aquifer exists. The MDNR closely reviews permits for groundwater withdrawals from the Prairie du Chien-Jordan aquifer to ensure that the withdrawals will not cause drawdown effects on nearby water resources of regional significance.

2.4.3 Wellhead Protection Areas

The regional aquifer with the highest water quality is the Mt. Simon-Hinckley aquifer. Is but it is more expensive to use than the Prairie du Chien-Jordan because of its greater depth. Yields from the Mt. Simon-Hinckley aquifer exceed 1,500 gallons per minute throughout the NMCWD. Minnesota statutes limit appropriations from the Mt. Simon-Hinckley aquifer to potable water uses, where there are no feasible or practical alternatives, and where a water conservation plan is incorporated with the appropriations permit. The groundwater level of the Mt. Simon-Hinckley ranges from about 600 to 650 feet above mean sea level within the NMCWD. Recharge of the Mt. Simon-Hinckley takes place far northwest of the county, where the bedrock is closer to the surface, and occurs by percolation through the overlying drift and bedrock. The pattern of flow in the Mt. Simon-Hinckley aquifer differs greatly from the pattern in the overlying Prairie du Chien-Jordan aquifer. Groundwater movement in the aquifer below the District is generally to the northeast towards a cone of depression located just north of the District and formed by major pumping centers such as public water utilities and private industrial users (groundwater levels below 600 feet above mean sea level). In general, the Mt. Simon-Hinckley aquifer has little or no hydraulic connection with the surficial groundwater system or major streams. Wellhead Protection Areas

The Minnesota Department of Health (MDH) is responsible for the protection of groundwater quality and aims to prevent contaminants from entering the recharge zones of public water supply wells through its wellhead protection program (see Section 3.4.4). This task has become complicated by the increased use of infiltration as a means to improve surface water quality and promote sustainable groundwater supplies. As part of the MDH wellhead protection program, each of the communities within the NMCWD that obtains its municipal water supply from groundwater has an MDH-approved wellhead protection plan (WHPP). Information included in a city's WHPP, including delineation of wellhead protection areas, may be obtained from each municipality.

MDH guidance for implementing infiltration projects within areas serving municipal groundwater supplies is available from the MPCA's website: MDH guidance: MPCA website [Ref. 14].

2.5 Soil Data

The distribution of soil types in the District is the direct result of glaciations. The surficial soils of the area predominately consist of till and outwash deposits from Late Wisconsinan glaciations, as well as more recent postglacial organic, lacustrine, and alluvial deposits. The currently topography and surficial geology of the area are mostly due to the last of these glacial advances, which consisted of the Des Moines Lobe and Grantsburg Sublobe advances. The Grantsburg Sublobe of the Des Moines Lobe crossed through the area and reached its furthest extent in Grantsburg, WI approximately 16,000 years ago. Near surface till deposits of the Grantsburg Sublobe, and the Des Moines Lobe appear brown due to oxidation, however, in deeper reaches the till deposits have a distinctive grey coloring. The moraine areas are typified by hummocky topography, which consists of rolling hills and depressions usually filled with lakes and marshes.

Underlying the Des Moines Lobe and Grantsburg Sublobe deposits are a series of deposits from older glaciations, including deposits from the Superior Lobe. Although the more recent Des Moines Lobe and Grantsburg Sublobe deposits account for the majority of the surficial soils in the area, there are a few outcrops of Superior Lobe deposits at the surface in the NMCWD. Till deposits from Superior Lobe are more reddish brown to brown in color, and have a different lithology than deposits from the Des Moines Lobe and Grantsburg Sublobe. During the advances of the Des Moines Lobe and Grantsburg Sublobe, some mixing of their till deposits with the underlying Superior Lobe deposits occurred to varying degrees.

During the periods when the glaciers receded, there were numerous areas where blocks of ice were left in place while adjacent ice melted or was carried away. Later, after the deposition of materials had ended, the ice blocks melted, leaving depressions in the landscape. Many of these depressions filled with water, resulting in the lakes and potholes that prevail throughout the District.

Soil boring information in the area indicates that the subsurface soils are intermixed and do not exhibit spatial continuity. Many soil borings indicate layers of sand embedded with till layers, which indicate that the area had been subjected to outwash or ice-contact depositional environments typical of stagnating or retreating glaciers.

Soils information for the District can be found in the Soil Survey of Hennepin County, Minnesota published by the Natural Resources Conservation Service (NRCS) and available online: <u>Soil Information:</u> <u>Henn Cty: NRCS [Ref. 15].</u>

The NRCS regularly updates soils data and makes this data available online: <u>Soils data updates: NRCS</u> [Ref. 16].

2.5.1 Hydrologic Soil Group and Infiltration

Soil composition, slope, and land management practices determine the impact of soils on water resource issues. Infiltration capacities of soils affect the amount of direct runoff resulting from rainfall. Higher infiltration rates result in lower potential for runoff from the land, as more precipitation is able to enter the soil. Conversely, soils with low infiltration rates produce high runoff volumes and high peak discharge rates, as most or all of the rainfall moves as overland flow.

The NRCS has established four general hydrologic soil groups based on infiltration rate:

- Group A Low runoff potential—high infiltration rate
- Group B Moderate infiltration rate
- Group C Slow infiltration rate
- Group D High runoff potential—very slow infiltration rate

Soils may also be classified as types A/D, B/D, and C/D, with the first letter describing the soil infiltration rate in drained conditions and the "D" identifying very low infiltration rates under saturated, or undrained,

conditions. Combined with land use, the hydrologic soil grouping symbols (A-D) may be used to estimate the amount of runoff that will occur over a given area for a particular rainfall amount. The most current soils data for the NMCWD watershed are based on the Soil Survey Geographic dataset (SSURGO) from the NRCS and are presented in Figure 2-11.

Fifty-three percent of the District is classified as "Not Rated/Not Available" in the SSURGO dataset, including large portions of the eastern half of the District. This classification is typically assigned to areas where development has altered the existing soil or data were unavailable prior to development; hydrologic soil groups or infiltration rates are typically not determined after development. Type C soils occupy 16 percent of the total watershed area with some additional areas of Type A soils (13 percent of the total area) in the northwest part of the watershed. Type A/D, B/D, and C/D soils occupy a total of 12 percent of the watershed and are most common adjacent to Nine Mile Creek.

Overall, infiltration rates within the district are moderately low, owing to the prevalence of type C and D soils. However, the hydrologic soil groups map (Figure 2-11) provide only general guidance about the infiltration capacity of the soils throughout the watershed. Soils should be inspected on a site-by-site basis as projects are considered.

2.6 Land Use and Public Utility Services

The entire NMCWD is within the Metropolitan Urban Service Area (MUSA) and is completely urbanized. Each of the cities within the District maintains zoning ordinances, or other regulatory controls, and comprehensive plans that include general maps of existing land uses and anticipated land uses. City zoning maps and comprehensive planning maps are incorporated by reference and can be obtained through each municipality at the respective municipal offices.

The Metropolitan Council also publishes land use data including anticipated future land use. The Metropolitan Council 2010 land use and estimated 2030 land use data are shown in Figure 2-12 and Figure 2-13, respectively. The primary land use within the District is single family residential land use, which occupies approximately 40 percent of the District. Park, recreational, or preserve land use also occupies a significant portion of the watershed (16 percent). Undeveloped areas (including areas that cannot be developed, such as wetlands) occupy less than 5 percent of the District. Redevelopment will be a major issue facing the District during the lifespan of this Plan.

2.7 Water-Based Recreation Areas and Land Ownership

Figure 2-14 shows the location and land ownership for publicly owned water-based recreation areas. Shady Oak Lake Park is a municipal beach operated by the cities of Hopkins and Minnetonka. Bryant Lake Regional Park is owned and operated by Three Rivers Park District, as is Hyland Lake Regional Park. Hyland Regional Park extends into the Riley Purgatory Bluff Creek Watershed District. Bush Lake Park is owned and operated by the City of Bloomington. Additional information is available from each city and the Three Rivers Park District at: Three Rivers Park [Ref. 17].

Figure 2-14 also identifies waterbodies within the Nine Mile Creek watershed that are part of the MnDNR's Fishing in the Neighborhood (FiN) program. Through this urban fishing program, the MnDNR works with cities and other partners to provide family-friendly shoreline fishing opportunities. The FiN program stocks fish, assesses fish populations, installs fishing piers and shore fishing structures, restores shoreline habitat and sponsors aquatic education to create quality fishing opportunities.

2.8 Fish and Wildlife Habitat

The District's lake management system considers the importance of fishery communities in District lakes and streams, including ecological and management classifications designated by the Metropolitan Council, the MPCA, the MDNR, and cities (if applicable). The MDNR manages the fishery in several lakes within the District. Management activities include performing fish surveys, fish stocking, and operating its Fishing in the Neighborhood (FiN) program. Centennial Lake and Lake Cornelia are part of the FiN program, which is intended to increase fishing opportunities, public awareness, and environmental

stewardship. Lake-specific information about fish stocking and fish surveys is available from the MDNR's "LakeFinder" website: Lakefinder: MDNR {Ref. 18]. Development and urbanization place increasing pressure on habitat areas. To protect habitat areas in the Twin Cities metropolitan area, the MDNR established "metro conservation corridors" as part of a strategy for accelerating and enhancing habitat protection by targeting specific areas. A significant area adjacent to Nine Mile Creek is included among the metro conservation corridors. Mapping and additional information about conservation corridors are available from the MDNR website at: Conservation Corridors: MDNR [Ref. 19].

In 2003, the MDNR conducted a landscape-scale assessment of the seven-county metro area to identify ecologically significant terrestrial and wetland areas, termed "regionally significant ecological areas" (RSEA). The assessment was updated in 2008. The purpose of the assessment was to provide tools to identify areas for conservation or protection and to inform regional scale land use decisions. In the Nine Mile Creek watershed, Glen Lake, Bush Lake, and the Anderson Lakes have RSEA of high rank in the vicinity, while Nine Mile Creek has RSEA of high rank in close proximity. More information about RSEA is available from the MDNR at: RSEA assessment: MDNR [Ref. 45].

2.8.1 Aquatic Invasive Species

The term "invasive species" describes plants, animals, or microorganisms that are non-native and that: (1) cause or may cause economic or environmental harm or harm to human health; or (2) threaten or may threaten natural resources or the use of natural resources in the state (Minnesota Statutes section 84D.01). Aquatic invasive species (AIS) is a term given to invasive species that inhabit lakes, wetlands, rivers, or streams and overrun or inhibit the growth of native species. Aquatic invasive species pose a threat to natural resources and local economies that depend on them.

The MDNR established the Invasive Species Program in 1991 to prevent the spread of invasive species and manage invasive aquatic plants and wild animals (Minnesota Statutes chapter 84D). As part of its Invasive

Species Program, the MDNR maintains a list of waters infested with specific AIS (MDNR Designation of Infested Waters, 2015 as amended). The MDNR list includes the following NMCWD waterbodies as infested with Eurasian watermilfoil:

- Arrowhead Lake
- Bryant Lake
- Bush Lake

The MDNR's list of AIS infested waterbodies does not include all known AIS occurrences within the District.

Common carp is also present in the District. Common carp are typically spread between lakes by the accidental inclusion and later release of live bait, but can also migrate through natural or built channels as adults. Carp feeding techniques disrupt shallow-rooted plants, which can reduce water clarity and can potentially release phosphorus bound in sediments, leading to increased algal blooms and decline in native aquatic plants.

In 2015, zebra mussels were reported in Bryant Lake. Zebra mussels can cause problems for lakeshore residents and recreationists by clogging water intakes and attaching to motors and possibly clogging cooling water areas. Zebra mussels can also attach to native mussels, killing them.

More information about aquatic and terrestrial invasive species is available from the MDNR at: <u>Invasive Species: MDNR</u> [Ref. 20].

2.9 Land Cover, Natural Communities, Rare Features, and Scenic Areas

The Minnesota Land Cover Classification System (MLCCS) is a tool developed by the MDNR that categorizes urban and built-up areas in terms of land cover rather than land use. The vegetation-oriented classification system provides site-level information on natural and cultural land cover types using a standardized methodology. More information about the MLCCS is available at: MN Land Cover Classification System: (MDNR) [Ref. 21].

Through its Natural Heritage and Nongame Research Program (NHNRP), the MDNR collects, manages, and interprets information about rare natural features, native plants and plant communities, and nongame animals, including endangered, threatened, and special concern species. As part of the NHNRP, the MDNR maintains the Natural Heritage Information System (NHIS) as a statewide database of these resources. The MDNR limits publication of spatial attributes and locations of these items to protect rare features or species from damage or collection. General information about the NHIS is available at: Natural Heritage Info System: MDNR [Ref. 22].

The MDNR publishes a Rare Species Guide which provides information on biology, habitat use, and conservation measures. Rare species information is available at: <u>Rare Species Guide: MDNR</u>. [Ref. 23].

Natural vegetation in the District has been greatly altered over time by agricultural development and, more recently, urbanization. In addition to removal of the forested areas, numerous wetlands have been drained or filled for development. The MDNR's Minnesota County Biological Survey for Hennepin County (1998) identifies pre-settlement vegetation and areas of significant biodiversity. Prior to settlement, oak openings and barrens covered most of the watershed with areas of wet prairie, marshes, and sloughs scattered throughout. Significant areas of cattail marsh remain adjacent to the main stem of Nine Mile Creek in and around Marsh Lake Park. Areas of pre-settlement vegetation also remain at Anderson Lakes Park Reserve and near the outlet of Nine Mile Creek. Data from the Minnesota County Biological Survey is presented in Figure 2-15.

Natural resources inventory (NRI) studies identifying plant species have been completed by all cities within the District. NRI studies are available from Hennepin County at: <u>Natural Resources inventory: plant species: Henn Cty</u> [Ref. 24].

2.10 Pollutant Sources

The sources of water pollution in the District are many and varied. There are many permitted sites, hazardous waste generators, and contaminated sites within the District. The MPCA maintains a database of these sites, which includes permitted sites (air, industrial stormwater, construction stormwater, wastewater discharge), hazardous waste generating sites, leak sites, petroleum brownfields, tank sites, unpermitted dump sites, and sites enrolled in the Voluntary Investigation and Cleanup (VIC) program. This information is available online through the MPCA's What's In My Neighborhood program, and is presented in Figure 2-16. The location of these potentially contaminated or hazardous waste sites should be considered as sites are redeveloped and BMPs are implemented. The presence of soil contamination at many of these sites, if not removed, may limit or prevent infiltration as a stormwater management option.

In contrast to sites with known hazards, non-point source pollution cannot be traced to a single source or pipe. Instead, pollutants are carried from land to water in stormwater or snowmelt runoff, in seepage through the soil, and in atmospheric transport. Discharge from stormwater pipes is considered a non-point source discharge as the pollutants coming from the pipe are generated across the watershed contributing to the pipe, not at a single location. Point sources frequently discharge continuously throughout the year, while non-point sources discharge in response to precipitation or snowmelt events. For most waterbodies, non-point source runoff, especially stormwater runoff, is the major contributor of pollutants. Table 2-4 summarizes the principal pollutants found in stormwater runoff and provides example sources and possible impacts of each pollutant.

Pathogens are harmful organisms such as bacteria, viruses, and protozoa that can be transported in stormwater runoff. The disease-producing organisms originate from sources such as animal waste and failing subsurface sewage treatment systems (SSTS), and can pose a public health threat when present in contact waters.

Some subsurface sewage treatment systems (SSTS) likely remain in areas of the District. Non-functioning SSTS may be a non-point source of pollutants and achieve inadequate treatment of sewage. In addition to the public health risks of untreated or inadequately treated sewage (e.g., contamination of wells),

sewage contains the nutrient phosphorus. Excess phosphorus discharged to waterbodies can cause excessive algae and aquatic plant growth leading to degradation in water quality. The MPCA implements an SSTS regulatory program to manage the environmental and public health impacts of SSTS (see Section 3.4.3).

Excessive phosphorus concentrations in lakes or ponds can lead to harmful algal blooms, which are bluegreen (cyanobacterial) algal blooms containing toxins or other noxious chemicals that can pose harmful health risks to humans and animals. Blue-green algal blooms, which can look like pea soup or green paint, typically occur in lakes with high nutrient concentrations. While not all blue-green algal blooms are toxic, there is no visual way to predict toxicity; therefore people should avoid contact with the water and should prevent animals from contact with the water, when possible.


More information about potential pollutant sources is available from the MPCA website: <u>Potential pollutant sources "Whats-in-my neighborhood": MPCA [Ref. 25].</u>

Table 2-4 Pollutants Commonly Found in Stormwater Runoff

Stormwater Pollutant	Examples of Sources	Related Impacts
Nutrients : Nitrogen, Phosphorus	Decomposing grass clippings, leaves and other organics, animal waste, fertilizers, failing septic systems, atmospheric deposition	Algal growth, reduced clarity, other problems associated with eutrophication (oxygen deficit, release of nutrients and metals from sediments)
Sediments: Suspended and Deposited	Construction sites, other disturbed and/or non-vegetated lands, eroding streambanks and shorelines, road sanding	Increased turbidity, reduced clarity, lower dissolved oxygen, deposition of sediments, smothering of aquatic habitat including spawning sites, sediment and benthic toxicity
Organic Materials	Leaves, grass clippings	Oxygen deficit in receiving waterbody, fish kill, release of nutrients.
Pathogens: Bacteria, Viruses	Domestic and wild animal waste, failing septic systems	Human health risks via drinking water supplies, contaminated swimming beaches
Hydrocarbons : Oil and Grease, PAHs (Naphthalenes, Pyrenes)	Tar-based pavement sealant, industrial processes; automobile wear, emissions & fluid leaks; waste oil	Toxicity of water column and sediment, bioaccumulation in aquatic species and through food chain
Metals: Lead, Copper, Cadmium, Zinc, Mercury, Chromium, Aluminum, others	Industrial processes, normal wear of auto brake linings and tires, automobile emissions & fluid leaks, metal roofs	Toxicity of water column and sediment, bioaccumulation in aquatic species and through the food chain, fish kill
Pesticides : PCBs, Synthetic Chemicals	Pesticides (herbicides, insecticides, fungicides, rodenticides, etc.), industrial processes	Toxicity of water column and sediment, bioaccumulation in aquatic species and through the food chain, fish kill
Chlorides	Road salting and uncovered salt storage	Toxicity of water column and sediment
Polycyclic Aromatic Hydrocarbons (PAH's)	Tar based pavement sealant	Carcinogenic to humans
Trash and Debris	Litter washed through storm drain networks	Degradation of the beauty of surface waters, threat to wildlife

Based on Minnesota Urban Small Sites BMP Manual (Barr Engineering Company Metropolitan Council, 2001).

Normal Monthly High and Low Temperatures (30-year Arithmetic Mean)











Figure 2-1 Monthly Climate Averages for Minneapolis-St. Paul International Airport) (1981-2010)

















Figure 2-9 (Page 1)






Figure 2-9 (Page 2)

SOUTH FORK OF NINE MILE CREEK 100-YEAR ELOODEL AIN MANAGEMENT PROFILE




Figure 2-9 (Page 3)

COUNTY DITCH 34 AND GLEN LAKE OUTLET NINE MILE CREEK





Figure 2-9 (Page 4)










Figure 2-9 (Page 5)


MAIN STEM OF NINE MILE CREEK 100-YEAR FLOODPLAIN MANAGEMENT PROFILE




















3.0 Roles and Responsibilities

This section summarizes the roles and responsibilities of the District, the cities and counties within its borders, and regional and state agencies with jurisdiction over its resources. Additional detail regarding the processes and programs the District uses to perform its roles and responsibilities is included in Section 6.0 (Implementation Program).

3.1 District Roles and Responsibilities

The NMCWD serves fulfills many water resource management roles in its efforts to satisfy the purposes and functions assigned to watershed management organizations (see Section 1.2.1). Some of these roles are required to satisfy rule or statute (e.g., annual reporting), while other roles are assumed by the District as a means to achieve its vision and goals. In carrying out these roles and responsibilities, the District collaborates with its cities, community groups, and others.

Major roles and responsibilities of the District generally include the following:

- Implementation of the District's rules and permitting program
- Wetland and natural resource protection and management
- Projects and studies
- Maintenance of District facilities
- Monitoring
- Reporting and evaluation
- Assistance to local governmental units
- Collaboration with other state and regional agencies and organizations
- WRAPS and TMDL Implementation
- Education

<u>TMany of these</u> roles are performed <u>in supportas part</u> of the District programs described in greater detail in Section 6.0. Enhancement of recreational opportunities (including improving/increasing public access) is not a primary goal of the District. However, the District consults with other stakeholders to consider recreational benefits when designing projects targeting the District's primary goals (e.g., flood protection, improving water quality).

NMCWD Rules and Permit Program

In accordance with Minnesota Statutes section 103D.341, the District has adopted rules, last revised in 2015, to ensure that land-disturbing activities that trigger the rules do not degrade water quality, exacerbate flooding, or otherwise negatively affect water resources. The District implements its rules through its permitting program. A District permit is required for projects meeting specific criteria related to the nature and extent of land-disturbing activity and such activity's location relative to floodplains, wetlands, or public waters.

Wetland and Natural Resource Management

The NMCWD is the Local Government Unit (LGU) responsible for administering the Wetland Conservation Act (WCA) for the cities of Eden Prairie, Edina, Hopkins, and Richfield. Under its authority as LGU and utilizing authority under watershed law, the District has taken on the responsibility of managing the wetlands within the watershed, including the permitting of projects with potential wetland impacts. The cities of Minnetonka and Bloomington act as the WCA LGU for their jurisdictions, as does the Minnesota Department of Transportation (MnDOT) for state transportation projects and the Minnesota State College and University System for projects within the Normandale Community College campus.

Projects and Capital Improvements

The District is responsible for performing studies and implementing its capital improvement program (CIP) in order to achieve its goals. The District performs studies to obtain the knowledge needed to implement effective solutions. Through previous studies (e.g., hydrologic modeling of Nine Mile Creek) and other planning efforts, the District has identified projects for the protection or enhancement of water resources to be implemented over the life of this Plan. These projects are included in the District's implementation program summarized in Section 6.0.

Maintenance of District Stormwater Facilities and Water Resources Improvements

The District is generally responsible for inspection and maintenance of District-implemented projects. In some cases, though, the District enters into agreements with other entities – principally the watershed cities – to maintain facilities and improvements constructed by the District unless otherwise specified. Such arrangements provide for the necessary costs of maintenance, and the District anticipates that it will continue to collaborate with watershed cities on cost-effective stormwater facility-management strategies on a case-by-case basis. The District continues to cooperate with the cities, counties, and other governmental units with stormwater maintenance roles within the District to clearly and effectively delineate maintenance actions. The District is in the process of transferring maintenance responsibilities for District-implemented projects to the cities in which the projects are located.

As of the writing of this Plan, tThe District is the <u>drainage</u> authority responsible for public ditches within the watershed (see Section 2.3.3). The <u>District seeks to work with the cities to transfer public ditch</u> authority to the city in which the ditch is located The District would like to abandon the public ditches in the watershed. This may not be reasonably feasible, though: The areas of the watershed that benefitted from ditches when they were first created have undergone dramatic changes as the watershed has urbanized. With the number of subdivisions of land and changes in ownership, it likely would be logistically challenging and cost-prohibitive to identify all of the landowners who would have to be part of an abandonment proceeding. More realistic, likely, is continued collaboration with watershed cities and Hennepin County to ensure that water resources projects are pursued mindful of the legal ditch status of some stretches of Nine Mile Creek and Ditch 34 (Cardinal Creek), and that the ditches are maintained in a way that ensures they continue to .-Until authority is transferred, the District will continue to manage public ditches in accordance with their current function as urban drainage ways.

Within the Districtwatershed, Hennepin County, the Minnesota Department of TransportationMnDOT and all cities and counties are subject to the MPCA's National Pollution Discharge Elimination System (NPDES) Municipal Separate Storm Sewer System (MS4)—permit program. Such entities are referred to as "MS4s_". (MPCA has not designated the District as a mandatoryis not an MS4 permittee.) Each city_MS4 must fulfill prescribed stormwater management and reporting responsibilities as required by its_MS4_the state MS4 general permit. To minimize duplication and increase efficiency, the District collaborates with MS4s in the watershed – especially the cities – to help them implement their NPDES MS4-responsibilities.

Monitoring

The District will continue to monitor water quantity and water quality of waterbodies within the District focusing on those waterbodies identified as impaired (see Section 2.3.1). The District coordinates its monitoring efforts with other programs, where possible, to avoid duplication of effort. Water quantity monitoring efforts include flow monitoring in creeks and water level monitoring in several lakes. Water quality monitoring may include detailed water chemistry monitoring performed at regular intervals, aquatic plant monitoring of lakes, and fish and invertebrate monitoring in streams. Monitoring programs are described in greater detail in Section 6.3.1.

Reporting and Evaluation

The NMCWD is responsible for evaluating progress towards achieving its goals and reporting annually to the Board of Water and Soil Resources (BWSR), per Minnesota Rules 8410.0150. Within the first 120 days of the calendar year, the District must submit to BWSR an activity report for the previous calendar year. The District must submit an audit report for the previous fiscal year within 180 days of the end of the District's fiscal year. The required contents of the annual activity report are specified in Minnesota Rules 8410. Generally, the District's annual report includes:

- An assessment of the previous year's annual work plan that indicates whether planned activities were completed, including the expenditures of each activity with respect to the approved budget (unless included in the audit report).
- A work plan and budget for the current year specifying which activities will be undertaken.
- At a minimum of every 2 years, an evaluation of progress on goals and the implementation actions, including the capital improvement program, to determine if amendments to the implementation actions are necessary.

The District has identified specific actions toward achieving its goals and objectives as identified in Tables 5-1 through 5-10 of Section 5.0. These actions serve as the basis for the District's implementation program. At a minimum of every 2 years, the District will evaluate its progress on each of the actions identified in Section 5.0 and its capital improvement program to determine if amendments to the implementation program are necessary.

The District will communicate with cities on an ongoing basis to ensure cohesive and coordinated implementation of the goals, policies, and actions in this plan and city local water management plans. The

NMCWD will work with watershed cities to review (at least every 2 years) city implementation of local water management plans as part of the NMCWD's evaluation of its own progress (fulfilling the requirements in Minn. R. 8410.0105, subp. 1C, and 8410.0150).

The District will continue to maintain its website. The website will contain the location, time, agenda, and minutes for organization meetings; contact information for the organization staff; the current watershed management plan; annual activity reports; rules; a list of the NMCWD board members; and a list of employees including postal and electronic mailing addresses and telephone numbers. The website will be kept current. The NMCWD website is located at: 9-Mile Creek Watershed District [Ref. 1].

Assistance to Local Units of Government

The NMCWD expects cities to address water resource management issues that are more local in nature. However, the District may provide assistance in solving local issues when requested by the cities. The District will work closely with the cities to continue to provide support in the areas of water quality, natural resources, and wetlands management. The District also coordinates with cities to accommodate municipal benefits beyond the charge of the NMCWD (e.g., recreational benefits) into District projects. The NMCWD reviews local water management plans for consistency with this Plan and approves the local plans. More information about local water management plan requirements is presented in Section 7.1.

Collaboration with Other Agencies and Organizations

The District will continue to assist and/or collaborate with other agencies and organizations in addressing issues of mutual interest. Cooperators may include cities, counties, adjacent watershed management organizations, and state agencies. As part of its water management role, the District shares a large amount of data, including water quality monitoring, water quality modeling, and hydrologic (e.g., flood level) data with local units of government, state agencies, and others. The District also administers a general permit from the Minnesota Department of Natural Resources (MDNR) and reviews water appropriations permits submitted to the MDNR within the District.

WRAPS and TMDL Implementation

The NMCWD has a general responsibility to improve the water quality of its waterbodies as well as stormwater runoff reaching the Minnesota River from the Districtwatershed. Several District waterbodies are included in the MPCA's impaired waters 303(d) list (see Section 2.3.1). To address impaired waters and protect designated uses, the MPCA uses processes known as a total maximum daily load (TMDL) analysis and/or a watershed restoration and protection strategy (WRAPS). Both TMDL and WRAPS studies may result in implementation plans containing specific programs or projects to improve and/or protect the water quality of assessed waterbodies. The District will continue to participate in future WRAPS and TMDL studies and may assume a lead role in carrying out the resulting TMDL implementation plans, if appropriate.

3.2 City Responsibilities

The NMCWD's intention is to work cooperatively with its cities and to limit imposition of requirements on local units of government as much as possible while still accomplishing the District's purposes and implementing the Plan. Local (city) water management responsibilities, including requirements for local water management plans, are described in Section 1.01.0.

This Plan includes only a few requirements for the cities within the NMCWD imposed by the District, but it provides many opportunities for collaboration and partnership. While the cities in the Nine Mile Creek watershed address some of the same activities governed by the NMCWD rules in the course of exercising their primary authority over land use, cities can alleviate any burden of imposing water resources protection requirements by deferring exercise of regulatory authority to NMCWD, as discussed in more detail in Section 6.2.

3.3 County Responsibilities

Counties have a wide variety of duties, including property assessment, record-keeping, road maintenance (including street sweeping, and snow/ice control), administration of election and judicial functions, social services, corrections, child protection, library services, hospitals and rest homes, public health services, planning and zoning, economic development, parks and recreation, water quality, and solid waste management and recycling (including yard waste and compost sites). As of February 12, 2014, Hennepin County assumed all duties and authorities of the Soil and Water Conservation District (SWCD). Hennepin County's responsibilities directly related to NMCWD include:

- Appointing the NMCWD Board of Managers Hennepin County appoints five managers to staggered terms.
- Administering the NMCWD tax levy.
- Groundwater management, including preparing and adopting groundwater plans (-currently Hennepin County is without an adopted groundwater plan).
- Adopting and implementing the county's MS4 stormwater pollution prevention plan (SWPPP).

3.4 Other Agency Responsibilities

Various other units of state and regional government are involved in regulating water resource related activities and have jurisdiction overlapping that of the NMCWD. The roles of these agencies are described in this section and summarized in Table 3-1.

3.4.1 Minnesota Department of Natural Resources (MDNR)

The MDNR Ecological and Water Resources Division manages water resources through a variety of programs related to lakes, rivers and streams, watersheds, wetlands, groundwater, and climate. The MDNR administers the Public Waters Work Permit Program, the Water Use (Appropriations) Permit Program, and

the Dam Safety Permit Program. MDNR Fisheries administers the Aquatic Plant Management Program and other fishery related permits. The MDNR is involved in enforcement of the WCA and is responsible for identifying, protecting, and managing calcareous fens. The MDNR also has model shoreland ordinances that cities and counties can adopt.

Public Waters

The MDNR's Public Waters Work Permit Program (Minnesota Statutes chapter 103G) requires an MDNR permit for any work below the Ordinary High Water Level (OHWL) or any work that will alter or diminish the course, current, or cross-section of any public water, including lakes, wetlands, and streams. For lakes and wetlands, the MDNR's jurisdiction extends to designated U.S. Fish and Wildlife Service Circular #39 Types 3, 4, and 5 wetlands which are 10 acres or more in size in unincorporated areas or 2.5 acres or more in size in incorporated areas. The program prohibits most filling of public waters and public waters wetlands for the purpose of creating upland areas. The Public Waters Work Permit Program was amended in 2000 to minimize overlapping jurisdiction with the WCA. Under certain conditions, work can be performed below the OHWL without a Public Waters Work Permit. Examples include docks, watercraft lifts, beach sand blankets, ice ridge removal/grading, riprap, and shoreline restoration. The MDNR public waters in the NMCWD are shown in Figure 2-4.

Water Appropriations and Transport

The MDNR regulates surface water and groundwater usage rate and volume as part of its charge to conserve and use the waters of the state. For example, suppliers of domestic water to more than 25 people or applicants proposing a use that exceeds 10,000 gallons per day or 1,000,000 gallons per year from surface water or groundwater sources must obtain a Water Appropriation Permit from the MDNR. Appropriation Permits from the MDNR are not required for domestic uses serving less than 25 persons for general residential purposes. An additional permit is required to appropriate or transport water from waters designated as infested with invasive species, regardless of the volume appropriated or transported.

Groundwater

In addition to regulating appropriations from groundwater, the MDNR is also responsible for mapping sensitive groundwater areas, conducting groundwater investigations, addressing well-interference problems, and maintaining the observation well network.

Dam Safety

The MDNR administers the state's Dam Safety Program (MN Rules 6115.0300 – 6115.0520), which applies to all impoundments that pose a potential threat to public safety or property. Dams 6 feet or lower in height and dams that impound 15 acre-feet or less of water are exempt from the rules. Dams less than 25 feet high that impound less than 50 acre-feet of water are also exempt, unless there is a potential for loss of life. The dam safety rules require that the downstream impacts of a dam failure be analyzed under high-flow conditions (i.e., greater than a 100-year flood).

Other Regulations

In addition to permit programs, the MDNR oversees the Floodplain Management Program, the Public Waters Inventory Program, the Shoreland Management Program, the Flood Damage Reduction Grant Program, the Wild and Scenic Rivers Program, various surface and groundwater monitoring programs, and the Climatology Program.

Questions concerning the MDNR's role in water resource management should be directed to the MDNR Ecological and Water Resources Division, Metro Region, 1200 Warner Road, St. Paul, MN 55106 (651-259-5774). More information is available at the MDNR website: MDNR website [Ref. 26].

3.4.2 Minnesota Board of Water and Soil Resources (BWSR)

BWSR oversees the state's watershed management organizations (joint powers, county, and watershed district organizations) and Soil and Water Conservation Districts (SWCDs), and administers the rules for the WCA and metropolitan area watershed management. BWSR also administers the Clean Water Fund (CWF) grant program, funded by the Clean Water Land and Legacy amendment passed in 2008. The purpose of the CWF is to protect, enhance, and restore water quality in lakes, rivers, and streams and to protect groundwater and drinking water sources from degradation. Applicants eligible for CWF grants include counties, watershed districts, watershed management organizations, soil and water conservation districts, and cities working under a current BWSR-approved and locally adopted local water management plan.

BWSR administers the state's buffer law (Minnesota Statutes section 103F.48). The NMCWD has deferred enforcement of the buffer law to the BWSR due to the administrative burden, lack of funding assistance offered, and the District's preference toward a role of technical assistance provider, rather than an enforcement role.

Questions concerning BWSR's role in water resource management should be directed to the Minnesota Board of Water and Soil Resources, 520 Lafayette Road North, St. Paul, MN 55107 (651-296-3767). More information is available at the BWSR website: <u>BWSR website</u> [Ref. 27].

3.4.3 Minnesota Pollution Control Agency (MPCA)

The MPCA administers the State Discharge System/National Pollutant Discharge Elimination System (NPDES) Permit program (for point source discharges of wastewater), the NPDES General Stormwater Permit for Construction Activity, the NPDES General Industrial Stormwater Permit Program, the NPDES stormwater permit program, and subsurface sewage treatment system regulations (7080 Rules). The MPCA also reports the state's "impaired waters" to the U.S. Environmental Protection Agency. Spills should be reported directly to the MPCA, including spills that may cause pollution, such as spills of toxic, flammable, corrosive, or dangerous industrial chemicals, or spills of environmentally damaging materials.

The MPCA administers and enforces laws relating to pollution of the state's waters, including groundwater. The MPCA monitors ambient groundwater quality and administers subsurface sewage

treatment system (SSTS) design and maintenance standards. The MPCA is responsible for administering the programs regulating construction and reconstruction of SSTS. The MPCA requires an inspection program for SSTS that meets MPCA standards. Minnesota Rules 7080 govern administration and enforcement of new and existing SSTS. The Tanks and Spills Section of the MPCA regulates the use, registration, and site cleanup of underground and above-ground storage tanks.

The MPCA resumed selective administration of Section 401 of the Clean Water Act Water Quality Certification program in 2007. The program is primarily administered by the U.S. Army Corps of Engineers (USACE). Section 401 Certification is required to obtain a federal permit for any activity that will result in a discharge to navigable waters of the United States. Formal applications for 401 Certification must be sent to the MPCA.

Construction Stormwater Permitting

The NPDES General Stormwater Permit for Construction Activity (construction stormwater permit), which went into effect in 2003, regulates discharges of stormwater affected by construction activity to waters of the state. The MPCA updated the construction stormwater permit in 2013. Proposers of projects equal to or larger than one acre (or projects smaller than 1 acre that are a part of a larger common plan of development or sale that is 1 acre or more) must obtain coverage under the general permit. A key permit requirement is the development and implementation of a stormwater pollution prevention plan (SWPPP) with appropriate best management practices (BMPs). The SWPPP must be a combination of narrative and plan sheets that address foreseeable conditions, include a description of the construction activity, and address design requirements including temporary and permanent BMPs to control the discharge of stormwater, sediment, and/or other potential pollutants from the site. The project's plans and specifications must incorporate the SWPPP before applying for NPDES permit coverage. The permittee must also ensure final stabilization of the site, which includes final stabilization of individual building lots.

The SWPPP must address the following construction activity requirements (from Section IV of the construction stormwater permit):

- Temporary and permanent erosion prevention practices
- Sediment control practices
- Dewatering and basin draining
- Inspections and maintenance
- Pollution prevention management measures
- Final stabilization

A significant change in the 2013 update of the construction stormwater permit is the inclusion of a volume control requirement. For projects that replace vegetation or other pervious surfaces with 1 or more acres of cumulative impervious surface, the permittee must retain on-site a volume of stormwater equal to 1 inch of runoff over the new impervious surface. In situations where infiltration is

prohibited, the construction stormwater permit requires stormwater treatment using wet ponds, filtration, regional ponding, or other equivalent methods.

Municipal Separate Storm Sewer System (MS4) Permitting

The federal Clean Water Act (CWA) established the National Pollutant Discharge Elimination System (NPDES) to regulate point sources of pollution, with the MPCA as the delegated permitting authority. This program was later expanded to include both point and non-point sources of pollution, including the regulation of stormwater runoff, and created a two-phase comprehensive national program to address stormwater runoff. Phase I of the program was implemented in 1990 and covered two general categories of stormwater discharge including 11 categories of industrial activities (including construction) and Municipal Separate Storm Sewer Systems (MS4s) serving populations of 100,000 or more (e.g., St. Paul). A few years later, Phase II of the program was implemented. Phase II was a broader program that included smaller construction sites, municipally owned or operated industrial activities, and many more municipalities (MS4s).

In 2013, the MPCA reissued the MS4 General Permit, which replaced the Phase II permit. The permit focus shifts from permit program development to increasing emphasis on measured progress and beginning some of the implementation measures. Some of the requirements of the reissued MS4 permit include:

- More stringent construction related erosion control
- Post-construction controls to reduce volume, total phosphorus, and total suspended solids
- Documented enforcement response procedures
- Submittal of additional information on all stormwater ponds and outfalls
- Inventories of municipal facilities that could contribute pollutants to stormwater discharges

All of the cities within the NMCWD are required to maintain an MS4 permit from the MPCA. As part of the permit program, each member city must annually submit an MS4 report to the MPCA. The numerous and expanded requirements of the MPCA's MS4 permit present opportunities for the NMCWD to cooperate with member cities to prevent redundancy in implementing or reporting on activities related to water quality.

More information about the MPCA's stormwater program can be found at the MPCA's website: MPCA Stormwater Program [Ref. 28].

Impaired waters, Total Maximum Daily Loads (TMDLs) and Watershed Restoration and Protection Strategy (WRAPS)

In administering the CWA in Minnesota, the MCPA also maintains a list of impaired waters (see Section 2.3.1). The CWA requires the development of a total maximum daily load (TMDL) study for impaired waterbodies. A TMDL is a threshold calculation of the amount of a pollutant that a waterbody can receive and still meet water quality standards. A TMDL establishes the pollutant loading capacity within a waterbody and develops an allocation scheme amongst the various contributors, which include point sources, non-point sources, and natural background levels, as well as a margin of safety. As a part of

the allocation scheme a waste load allocation is developed to determine allowable pollutant loadings from individual point sources (including loads from storm sewer networks). A load allocation establishes allowable pollutant loadings from non-point sources and natural background levels in a waterbody.

A watershed restoration and protection strategy (WRAPS) is similar to a TMDL and may examine other waterbodies in the watershed in addition to impaired waterbodies. Both TMDLs and WRAPSs may result in implementation plans to address water quality issues of the affected waterbodies.

Guidance for Dredged Materials

The MPCA considers material excavated below the OHW level of waterbasins, watercourses, public waters, or public waters wetlands (as defined by Minnesota Statutes section 103G.005) to be dredged material. Dredged material is defined as waste and regulated by the MPCA. The MPCA provides guidance for the management of dredged material on its website: MPCA guidance for management of dredged material [Ref. 29].

In 2012, the MPCA developed specific guidelines for the removal of sediment from stormwater ponds. Guidance for the removal of sediment from municipal stormwater ponds differs from guidance for other dredged materials in three primary ways:

- 1. Permits are not required when performing routine maintenance on stormwater conveyance and collection systems.
- 2. The MPCA does not need to be notified of sediment removal activities. The MPCA recommends that cities keep records and documentation of sediment removal projects.
- 3. Best management practices were revised to include guidance from cities that have experience performing sediment removal projects.

Disposal options for sediment dredged from municipal stormwater ponds vary according to the level of contamination present in the excavated material. The document provides guidance for collecting samples and testing sediment, and calculating chemical concentrations relative to soil reference values (SRVs). The number of samples to be collected depends on the surface area of the pond. More detailed information regarding the disposal of sediment from stormwater ponds is available from the MPCA website: <u>Guidance for disposal of sediment</u>: MPCA [Ref. 30].

Questions concerning MPCA's role in water resource management should be directed to the Minnesota Pollution Control Agency, 520 Lafayette Road, St. Paul, MN 55155-4194 (651-296-6300). More information is available at the MPCA website: MPCA website [Ref. 31].

3.4.4 Minnesota Department of Health (MDH)

The MDH is the official state agency responsible for addressing all public health matters, including drinking water protection. The MDH administers the Well Management Program, the Wellhead Protection Program, and the Safe Drinking Water Act rules. The MDH also issues fish consumption advisories. The

MDH is responsible for ensuring safe drinking water sources and limiting public exposure to contaminants. Through implementation of the federal Safe Drinking Water Act, the MDH conducts the Public Water Supply Program, which allows the MDH to monitor groundwater quality and train water supply system operators. The 1996 amendments to the federal Safe Drinking Water Act require the MDH to prepare source water assessments for all of Minnesota's public water systems and to make these assessments available to the public.

Through its Well Management Program, the MDH administers and enforces the Minnesota Water Well Code, which regulates activities such as well abandonment and installation of new wells. The MDH also administers the Wellhead Protection Program, which is aimed at preventing contaminants from entering public water supply wells.

The Wellhead Protection Program rules (Minnesota Rules 4720.5100 to 4720.5590) went into effect in 1997. These rules require all public water suppliers that obtain their water from wells to prepare, enact, and enforce wellhead protection plans (WHPPs). The MDH prepared a prioritized ranking of all such suppliers in Minnesota. Regardless of the ranking, Minnesota Rules 4720 required all public water suppliers to have initiated wellhead protection measures for the inner wellhead management zone prior to June 1, 2003. If a city with an existing WHPP drills a new well and connects it to the distribution system, the WHPP must be amended.

Wellhead protection plans include: delineation of groundwater "capture" areas (wellhead protection areas), delineation of drinking water supply management areas (DWSMA), an assessment of the water supply's susceptibility to contamination from activities on the land surface, management programs such as identification and sealing of abandoned wells, and education/public awareness programs. As part of its role in wellhead protection, the MDH developed the guidance document "Evaluating Proposed Stormwater Infiltration Projects in Drinking Water Supply Management Areas" (MDH, 2016, as amended).

Questions concerning the MDH's role in water resource management should be directed to the Minnesota Department of Health, P.O. Box 64975, St. Paul, MN (651-201-5000). See the Minnesota Department of Health website for more information about these programs: MDH role in Water Resource Management: MDH [Ref. 32].

3.4.5 Minnesota Department of Agriculture (MDA)

The MDA is the lead agency for all aspects of pesticide and fertilizer environmental and regulatory functions as directed in the Groundwater Protection Act (Minnesota Statutes chapter 103H). These include but are not limited to the following:

- Serving as lead agency for groundwater contamination from pesticide and fertilizer nonpoint source pollution.
- Conducting monitoring and assessment of agricultural chemicals (pesticides and nitrates) in ground and surface waters.
- Overseeing agricultural chemical remediation sites and incident response.
- Regulating use, storage, handling and disposal of pesticides and fertilizer.

The MDA is statutorily responsible for the management of pesticides and fertilizer other than manure to protect water resources. The MDA implements a wide range of protection and regulatory activities to ensure that pesticides and fertilizer are stored, handled, applied and disposed of in a manner that will protect human health, water resources and the environment. The MDA works with the University of Minnesota to develop pesticide and fertilizer Best Management Practices (BMPs) to protect water resources, and with farmers, crop advisors, farm organizations, other agencies and many other groups to educate, promote, demonstrate and evaluate BMPs, to test and license applicators, and to enforce rules and statutes. The MDA has broad regulatory authority for pesticides and has authority to regulate the use of fertilizer to protect groundwater.

3.4.53.4.6 Minnesota Environmental Quality Board (EQB)

The EQB administers the state's environmental review program, including Environmental Assessment Worksheets (EAW), Environmental Impact Statements (EIS), and Alternative Urban Area-wide Reviews (AUAR). EAWs and EISs prepared for projects within NMCWD or that could affect the NMCWD's resources must be submitted to the NMCWD for review and comment. With respect to water resources, the EQB is responsible for developing the state water plan, a state water monitoring plan, biennial water policy and priorities reports, and biennial reports on trends in water quality and availability and research needs. Questions concerning the EQB's role in water resource management should be directed to the Minnesota Environmental Quality Board, 520 Lafayette Road North, St. Paul, MN 55155 (651-296-9027). More information is available at the EQB website: MN Environmental Quality Board (EQB) website [Ref. 33].

3.4.63.4.7 Minnesota Department of Transportation (MnDOT)

The MnDOT is responsible for major maintenance and reconstruction of stormwater infrastructure associated with state highways. In the NMCWD, these locations include Interstate 494, Interstate 35W, US Highway 212, and Highway 62.

Questions concerning MnDOT's role in water resource management should be directed to the Minnesota Department of Transportation, 395 John Ireland Boulevard, St. Paul, MN 55101-1638 (651-296-3000). More information is available at the MnDOT website MN Department of Transportation (MnDOT) website [Ref. 34].

3.4.73.4.8 Minnesota State Historic Preservation Offices (SHPO)

Following the National Historic Preservation Act of 1966, Minnesota's State Historic Preservation Office (SHPO) was established by state statute in 1969. The director of the Minnesota Historical Society serves as State Historic Preservation Officer. The mission of the SHPO is to preserve and promote Minnesota history by identifying, evaluating, registering, and protect Minnesota's historic and archaeological properties and assisting government agencies in carrying out their historic preservation responsibilities. The SHPO maintains the National Register of Historic Places (NRHP) for the state. This includes several listed or eligible to be listed places within the NMCWD (e.g., Glen Lake Children's Camp). To ensure the protection of places eligible for listing or listed in the NRHP, SHPO review is required for all state and federally funded projects, and all United States Army Corps of Engineers (USACE)-projects.

Questions concerning SHPO's role in historical resource management should be directed to the Minnesota State Historic Preservation Office, 345 Kellogg Boulevard West, St. Paul, MN 55102-1903 (651-259-3450). More information is available at the SHPO website MN State Historic Preservation Offices (SHPO) website [Ref. 35].

3.4.83.4.9 U.S. Army Corps of Engineers (USACE)

The USACE administers several regulatory permit programs, including Section 10 of the Rivers and Harbors Act permit program, the Section 404 permit program, and Section 401 Certifications. The USACE updated Section 10 of the Rivers and Harbors Act Permit and the Section 404 Permit in March 2012 to streamline the requirements of the Clean Water Act (CWA). The updated permits provide expedited review of projects that have minimal impact on the aquatic environment. These projects may include linear transportation projects, bank stabilization activities, residential development, commercial and industrial development, aids to navigation, and some maintenance activities. Permit programs are described briefly in this section.

Through Section 10 of the Rivers and Harbors Act, the USACE is responsible for administering this program, which regulates the placement of structures and/or work in, or affecting, navigable waters of the United States.

The Federal Clean Water Act requires that anyone who wants to discharge dredged or fill material into U.S. waters, including wetlands, must first obtain a Section 404 Permit from the USACE. Examples of activities that require a Section 404 Permit include: construction of boat ramps, placement of riprap for erosion protection, placing fill in a wetland, building a wetland, construction of dams or dikes, stream channelization, and stream diversion. When Section 404 Permit applications are submitted to the USACE, the applications are typically posted for the U.S. Fish and Wildlife Service, the U.S. Forest Service, the U.S. Environmental Protection Agency (USEPA), and other federal agencies to review and provide comments. The USACE evaluates permit requests for the potential impact to various functions and values of the wetland.

Section 401 Certification is required to obtain a federal permit for any activity that will result in a discharge to navigable waters of the United States. The program is primarily administered by the USACE along with the MPCA. A Section 401 Water Quality Certification may be granted if the applicant demonstrates that the proposed activity "will not violate Minnesota's water quality standards or result in adverse long-term or short-term impacts on water quality." Greater protection is given to a category of waters designated by the MDNR as Outstanding Resource Value Waters (ORVW). These waters include such groups as scientific and natural areas, wild, scenic and recreational river segments, and calcareous fens.

Questions concerning the USACE's role in water resource management should be directed to the U.S. Army Corps of Engineers, St. Paul District, 180 East 5th Street, St. Paul, MN 55101-1678 (651-290-1678). More information is available at the USACE website: <u>U.S. Army Corps of Engineers (USACE) website</u> [Ref. 36].

3.4.93.4.10 The Metropolitan Council

The Metropolitan Council provides regional planning and wastewater services (collection and treatment) for the seven county metropolitan area. The Metropolitan Council provides review and comment on watershed management plans, local water management plans, and local comprehensive (land use) plans; conducts lake monitoring (including the Citizen Assisted Monitoring Program); and conducts river and stream monitoring.

Questions concerning the Metropolitan Council's role in water resource management should be directed to the Metropolitan Council, 390 Robert Street North, St. Paul, MN 55101 (651-602-1000). More information is available from the Metropolitan Council's website: Metropolitan Council website [Ref. 37].

Table 3-1 Summary of Regulatory Authorities within the NMCWD

Agency	Type of Approval	Description
Federal		
U.S. Army Corps of Engineers (USACE)	Section 10 of the Rivers and Harbors Act	Applies to placement of structures and/or work in, or affecting, navigable waters of the United States.
	Section 404 Permit	Applies to the discharge of dredged or fill material into waters of the United States. There are two types of Section 404 permits: regional and nationwide general permits, and individual permits.
Note: Section 401 Certification is implemented in coordination with the MPCA.	Section 401 of the Clean Water Act Water Quality Certification	Applies to activities that require a Corps of Engineers Section 10, Corps of Engineers Section 404 or Federal Energy Regulatory Commission permit. These activities must first obtain Section 401 water quality certification.
State		
	Public Waters Work Permit	Applies to any work that will alter the course, current or cross-section of any MDNR public water lake, wetland or watercourse; also applies to any work below the ordinary high water mark of MDNR public waters.
	Groundwater or Surface Water Appropriation Permit	Applies to suppliers of domestic water to more than 25 people or for any use of groundwater or surface water that exceeds 10,000 gallons/day or 1,000,000 gallons/year.
Minnesota Department of Natural Resources (MDNR)	Dam Safety Permit	Applies to impoundments that pose a potential threat to public safety or property. Dams 6 feet high or less and dams that impound 15 acre-feet of water or less are exempt from the rules. Dams less than 25 feet high that impound less than 50 acre-feet of water are also exempt unless there is a potential for loss of life.
	Riprap Shore Protection Permit	Applies to the placement of riprap shore protection or placement of fill to recover shoreland lost to erosion.
	Aquatic Plant Management Permit	Applies to chemical or mechanical removal of aquatic plants, including submerged, emergent, and floating vegetation.
	Fisheries Permit	Applies to transport and stocking of fish and the removal of rough fish.

Table 3-1 Summary of Regulatory Authorities within the NMCWD

Agency	Type of Approval	Description
Minnesota Environmental Quality Board (EQB)	Environmental Review	Broad environmental assessment required for certain proposed developments and other activities.
Minnesota Department of Health (MDH)	Well Management Program	Applies to drilling of new water wells and sealing of abandoned water wells. Includes Wellhead Protection Program.
nealth (MDn)	Safe Drinking Water Act	Applies to construction of new water wells and other public water supply systems
	State Discharge System/National Pollutant Discharge Elimination System (NPDES) Permit	Applies to all discrete sources of wastewater discharge to surface waters, including sanitary wastewater, process wastewater, etc.
	NPDES/SDS Construction Stormwater Permit	Applies to construction activities that disturb 1 or more acres of land.
Minnesota Pollution Control Agency (MPCA)	NPDES General Industrial Stormwater Permit	Applies to certain industrial/ commercial activities that come into contact with stormwater. Requires preparation of stormwater pollution prevention plan.
	NPDES General Stormwater Permit for small Municipal Separate Storm Sewer Systems (MS4s)	Applies to municipal storm sewer systems serving populations fewer than 100,000 located in urbanized areas, MnDOT, counties, and other public systems (e.g., universities). Requires permittees to implement public education programs, detect and eliminate illicit discharges, control construction site and post-construction stormwater runoff on sites that disturb 1 or more acres of land, and address pollution prevention at municipal operations.
	NPDES Phase 1 MS4 Stormwater Permit	Applies to municipal storm sewer systems serving populations over 100,000 (in Minnesota, only Minneapolis and St. Paul). Requires practices similar to permit for small MS4s, plus additional requirements.
	Permit for disposal of dredged material (permit not required for stormwater ponds)	Applies to material excavated at or below the ordinary high water level of waterbasins, watercourses, public waters, or public waters wetlands (note: specific guidance provide for material removed from stormwater ponds).
Note: Section 401 Certification is implemented in coordination with the USACE.	Section 401 of the Clean Water Act Water Quality Certification	Applies to activities that require a Corps of Engineers Section 10, Corps of Engineers Section 404 or Federal Energy Regulatory Commission permit. These activities must first obtain Section 401 water quality certification.

4.0 Issue Identification

This section of the Plan summarizes some of the key issues facing the Nine Mile Creek Watershed District. Issue identification was an important task in development of this Plan, including identification and prioritization of issues by the NMCWD Board of Managers, Technical Advisory Committee (TAC) members, and the public. The key issues identified through this process are among the following topic areas: 1) water quantity and flood control; 2) stormwater management; 3) lake management; 4) stream management; 5) open spaces and recreational uses; 6) wetland management; 7) aquatic invasive species; 8) groundwater; 9) land use management; 10) education and outreach; and 11) organizational management. The issues are discussed in the respective topical subsections below.

4.1 Water Quantity and Flood Control

4.1.1 Background

Flood control was the key issue in the formation of the Nine Mile Creek Watershed District in 1959. The protection of human life and structures at risk of damage from flooding was the first priority of the District and continues to be a primary objective.

The NMCWD developed a flood control plan in 1960 and established a 100-year frequency flood envelope (i.e., floodplain) along the creek in 1961. Since then, the District has completed several major flood control projects (see Figure 1-2) with the objective of detaining flood flows within the floodplain and reducing flowrates. The NMCWD also historically addressed flood control by assuming ultimate development conditions when originally establishing the floodplain. By doing this, sufficient flood volume capacity was provided as development occurred within the watershed. In addition, stormwater rate control requirements were implemented to mitigate the impacts of increased impervious surfaces on the overall water management system.

In 2006, for the purposes of updating the Federal Emergency Management Agency (FEMA) Flood Insurance study of the Nine Mile Creek floodplain, the District developed a hydrologic and hydraulic model using XP-SWMM software. The detailed model was used to generate revised 100-year frequency floodplain maps and revised floodplain profiles. In 2013-2015, the NMCWD updated their hydrologic and hydraulic model to reflect the increased precipitation frequency estimates for the region based on NOAA's 2013 Atlas 14 publication. A revised 100-year floodplain map and floodplain profiles were adopted by the NMCWD in January 2016.

The emphasis of the NMCWD's Atlas 14 modeling analysis was on the Nine Mile Creek system, including inline lakes and storage areas. While model updates were made throughout the entire watershed to account for increased stormwater runoff, a rigorous evaluation of flood risk in ponds, wetlands, lakes and low areas not immediately adjacent to the creek system remains to be completed.

4.1.2 Flood Control Challenges

Flooding is a concern for the Nine Mile Creek Watershed District and local cities due to the threat to public safety and potential for significant property damages and economic losses. Flooding can cause other damages that are harder to quantify, including the following:

- Flooding of roads so they are impassable to emergency vehicles and residents
- Reduced redevelopment potential
- Shoreline erosion
- Increased pollutants in stormwater discharges
- Destruction of riparian habitats and vegetation such as grass, shrubs, trees, etc.
- Unavailability of recreational facilities for use by the public (e.g., inundation of shoreline) and/or restricted recreational use of waterbodies
- More strain on budgets and personnel for repairing flood-damaged facilities and controlling public use of facilities during flooding events
- Alterations to the mix and diversity of wildlife species as a result of inundation of habitats

Updated NOAA Atlas 14 precipitation frequency depths result in increased flood risk throughout the Nine Mile Creek watershed. The Atlas 14 hydrologic and hydraulic modeling analysis and revised 100-year floodplain mapping and profiles identified several locations along Nine Mile Creek and its tributaries where increased flood elevations may impact structures. There are several known regional flooding problems upstream of the creek system, such as the Pentagon Park area within Edina and Bloomington and the Penn Avenue/American Boulevard area within Bloomington. Identification of additional localized flooding issues is anticipated as flood risk in areas upstream of the creek system is evaluated in more detail.

Beyond Atlas 14, climatologists indicate that large rainfall events are occurring more frequently and climate change predictions indicate large rainfall events will become more extreme in the future in this region. These changing rainfall patterns will pose additional flood risk for local cities, businesses and residents within the Nine Mile Creek watershed.

4.1.3 Priority Issues/Opportunities

During the development of this Plan, the Board of Managers, local cities, and other stakeholders identified flood control as a top concern, including the following specific priority issues/opportunities:

- Assisting local cities in prioritizing and addressing increased flood potential resulting from Atlas 14 precipitation frequency depths.
- Promoting stormwater volume reduction policies, programs, and implementation projects to reduce flood potential and minimize flood impacts to water resources within the watershed.

Developing a climate change adaptation strategy to understand and address potential flood risks.

4.2 Stormwater Management

The quality and quantity of surface waters within the Nine Mile Creek watershed is greatly influenced by stormwater runoff. The quality and quantity of stormwater runoff, from rainfall and snowmelt, are dependent on the hydrology and the physical conditions of the watershed. Hydrology is dependent on weather, topography, soils, land use/land cover, and other factors. Changes to any of these factors will affect the quality and quantity of stormwater runoff. While some of the factors are difficult to control, changes to land use/land cover can be regulated and/or managed. To achieve the NMCWD goals for maintaining and improving water quality, and managing water quantity, stormwater runoff must be carefully and closely managed.

4.2.1 Background

The contributing watershed to Nine Mile Creek has changed over time from a natural condition to agricultural land use, and finally to urban land use. The most significant change associated with urbanization, with regard to the downstream waterbodies, is an increase in stormwater runoff. With urbanization, the amount of impervious surface and the associated rate and volume of runoff increases. This results in more frequent bankfull flows in the creek, causing deepening and widening of the channel and increased erosion. Increased runoff also transports additional pollutants to downstream waterbodies. Wetlands can be especially susceptible to inputs from stormwater runoff, as increased runoff modifies the hydrologic regime and ecological balance, impacting water quality, wildlife habitat, and vegetation, among other functions and values.

Stormwater best management practices (BMPs) are often constructed in the upstream watershed to slow the rate of stormwater discharge to the downstream waterbodies to a more natural flow and to remove pollutants. Infiltration of stormwater runoff is the most effective means of limiting the impacts of urbanization, as these practices reduce the total volume of runoff to the downstream receiving waterbodies.

For most waterbodies in the Nine Mile Creek watershed, stormwater runoff is a major contributor of pollutants. As urbanization increases and other land use changes occur within the watershed, nutrient and sediment inputs (i.e., loading) from stormwater runoff can far exceed the natural inputs to waterbodies. In addition to phosphorus-nutrients and sediment, stormwater runoff may contain pollutants such as chlorides, oil, grease, chemicals (including hydrocarbons), nutrients, metals, litter, and pathogens, which can severely reduce water quality.

For lakes, ponds, and wetlands, phosphorous is typically the pollutant of major concern. Land use changes resulting in increased imperviousness (e.g., urbanization) or land disturbance (e.g., urbanization, construction, or agricultural practices) result in increased amounts of phosphorus nutrients (phosphorus and nitrogen) carried in stormwater runoff. For lakes, ponds, and wetlands within the watershed, phosphorous is typically the pollutant of primary concern. While nitrogen can be a contaminate of

concern in some waterbodies in Minnesota, data collected from Nine Mile Creek indicates that nitrogen levels within the stream are generally well below the state standard and have not been identified as a significant concern. In addition to watershed (stormwater runoff) sources, other sources of phosphorus include atmospheric deposition, and internal loading (e.g., release from anoxic sediments, algae die-off, aquatic plant die-back, and fish-disturbed sediments).

As phosphorus loadings increase, water quality degradation is accelerated, resulting in unpleasant consequences such as profuse algae growth or algal blooms. Algal blooms, overabundant aquatic plants, and the presence of nuisance/exotic species, such as Eurasian watermilfoil, purple loosestrife, and curlyleaf pondweed, interfere with ecological function as well as recreational and aesthetic uses of waterbodies. Phosphorus loadings must often be reduced to control or reverse water quality degradation.

Chlorides are another pollutant of particular concern for waterbodies within the Nine Mile Creek watershed. The primary source of chlorides in stormwater runoff is road salt, applied to roadways, parking lots and sidewalks throughout the winter months to prevent or remove ice build-up. The salt, often in the form of sodium chloride, dissolves in melted snow and is conveyed to downstream waterbodies along with snowmelt runoff. Chlorides are especially difficult to remove once dissolved in water and remain persistent in the environment. High chloride concentrations can be harmful to aquatic life in downstream waterbodies, affecting the osmosis process.

Sedimentation can also have detrimental effects on aquatic organisms in streams, lakes, and wetlands. It is especially problematic in streams where eroded sediments from the watershed can bury the stream bottom and suffocate benthic organisms. Associated with this sediment is often a biochemical oxygen demand that reduces the dissolved oxygen content of stream and lake waters. In lakes, sedimentation problems usually manifest themselves in the form of sediment deltas at the mouths of inflowing discharge points. This deposition may destroy near-shore areas that are important fish spawning and rearing grounds. Sediment accumulation can also plug culverts and other stormwater conveyances, increasing flood risks.

4.2.2 Balancing Stormwater Management Priorities

Stormwater management infrastructure plays a critical societal role, providing local drainage and flood protection. Storm sewer systems are typically designed using "level of service" criteria; drainage systems are designed to remove runoff and prevent significant interference with normal daily transportation, commerce, and access that might be impacted from a rainstorm. Under the designated "level of service" criteria, intersections are not inundated to an extent that adversely impacts driving conditions, right-of-way is undamaged, and public infrastructure operates normally. The modern standard of practice is that systems be designed for a 10-year level of service, which means that there is a 10-percent probability in any year that the system will be overtaxed and unable to meet these criteria.

Stormwater infrastructure is also typically designed to provide a designated "level of protection", to prevent property damage and assure a reasonable degree of public safety following a rainstorm or

flooding event. For example, runoff might bypass storm sewer catch basins and collect in low-lying areas and intersections, but would not cause flood damage to structures. Ponded water might temporarily interfere with traffic or access, but public infrastructure should operate normally and public safety should not be threatened. The "100-year" runoff event, which means there is a 1-percent probability of occurring in any given year, is often recommended as a level of protection guideline.

Providing stormwater management and conveyance, while also protecting downstream waterbodies, can be a challenge, especially given the developed nature of the Nine Mile Creek watershed. Much of the stormwater infrastructure within the watershed was installed prior to the focus on downstream water quality protection, when efficiently draining the landscape was the primary consideration. As a result, stormwater from many areas within the watershed is conveyed directly to the downstream waterbody without treatment. Accordingly, many wetlands within the watershed serve as regional stormwater treatment basins. Protection of these downstream waterbodies often requires retrofitting stormwater best management practices or implementation of lake, wetland, or stream restoration projects. Areas within the watershed that developed in the 1990s and early-2000s typically rely on constructed stormwater ponds to provide treatment prior to conveyance of runoff to downstream waterbodies. Many of these ponds serve as both flood control and water quality infrastructure. Since the District's rule revisions in 2008, rate control, water quality and volume retention best management practices (BMPs) have typically been implemented on-site, where feasible, versus relying on regional systems.

4.2.2

Looking forward, striking a balance between achieving local drainage and flood protection goals and protection of downstream water resources will increasingly be a challenge. As cities and property owners seek to reduce local flood risks, improvement options will likely include increased conveyance capacity, which can have detrimental effects to downstream water resources.

4.2.3 Priority Issues/Opportunities

During the development of this Plan, the NMCWD, local cities, and other stakeholders identified stormwater management as a significant concern, including the following specific priority issues/opportunities:

- Conducting targeted monitoring to measure and track sources of pollutants to downstream waterbodies.
- Reducing stormwater volume and phosphorus loading to downstream waterbodies through educating and implementing best management practices and programs.
- Reducing chlorides in stormwater runoff through education and implementation assistance to local cities and other stakeholders.
- Promoting stormwater reuse to reduce stormwater volume through education and implementation efforts.

4.3 Lake Management

The lakes in the District are an important community asset. These resources supply recreational and aesthetic benefits, enhance property values, serve as sources for groundwater recharge, and provide nutrient removal, wildlife habitat and fishery resources. The high quality of the watershed's lakes makes it an attractive place for people to live. Preserving the quality of the lakes within the Nine Mile Creek watershed is critical to the existence of a high quality of life among the citizens residing in the watershed and in the larger metropolitan region.

4.3.1 Water Levels

Fluctuations in water levels can be a significant concern for property owners adjacent to waterbodies. While high-water levels (flooding) are more commonly identified as a problem, low-water levels are also of concern to many watershed residents and public officials. The District's lake level monitoring program began in 1960 and was comprised of the three Anderson Lakes and Bush Lake. The program was expanded in 1963 to include monthly monitoring of 26 lakes within the watershed. Lake level management information is summarized in Table 4-1.

Table 4-1 Lake Level Management

Lake	100-Year Flood Elevation	Ordinary High Water	Historical High Water Elevation ²		Historical Low Water Elevation ²	
	(MSL)	Elevation ²	Elevation	Date	Elevation	Date
Anderson NW	841	839	841.8	07/24/87	834.7	06/25/77
SE	841	839	841.8	07/24/87	833.5	12/08/64
SW	841	839	841.8	07/24/87	835.1	12/08/64
Arrowhead	n/a	875.8	878.6	7/24/87	871.4	2/18/81
Birch Island	n/a	n/a	891.2	03/24/69	877.3	02/13/91
Bryant	855	852.6	854.8	07/24/87	849.3	01/14/77
Bush	835	833.2	836.9*	6/11/99*	826.0	08/08/64
Cornelia	865 (N) 865 (S)	859**	864.1	7/24/87	858.1	10/27/03 12/8/67
Edina	827	822**	825.4	7/24/87	817.8	2/09/82
Glen	906	904.4	905.0	08/06/65	898.4	04/08/97
Lone	901	n/a	901.1	04/04/66	895.4	02/06/90
Minnetoga	903	896.4	899.1	07/24/87	894.1	02/06/90
Mirror	912	907.5	912.1	07/24/87	901.8	01/14/77
Normandale	815	808	815.8	7/24/87	•	•
Oxboro	817	812	813.3	7/24/87	797.9	1/15/91
Penn (Lower)	817	n/a	816.6	07/24/87	803.2	01/31/89
Rose	n/a	925.9	928.4	4/4/66	919.6	1/08/90

Lake	100-Year Flood Elevation	Ordinary High Water	Historical High Water Elevation ²		Historical Low Water Elevation ²	
	(MSL)	Elevation ²	Elevation	Date	Elevation	Date
Shady Oak	906	903.4	904.4	04/04/66	897.8	01/29/90
Smetana	841	835.2	840.6	07/24/87	830.2	11/08/76
Wing	n/a	940.3	941.5	7/24/87	933.5	1/31/89

¹100-year flood elevations, rounded up to the nearest digit, <u>represent the higher of either the 100-year flood elevation from Atlas 14 precipitation frequency estimates or the historic NMCWD flood management elevation are based on Atlas 14 precipitation frequency estimates.</u>

n/a- indicates Atlas 14 100-year flood elevation not available at the time of plan preparation.

Water level fluctuations can be beneficial for wetlands and shallow lakes. Low water levels promote regeneration and increased diversity of aquatic plant communities, aquatic organisms, and improved fish and wildlife habitat (BWSR, 2014). Intentional drawdown of water levels in wetlands and shallow lakes is a common management practice to manage or control undesired or invasive aquatic plant species, stimulate the growth of desired emergent aquatic plant species, and/or strengthen submergent aquatic vegetation. The drawdown process, which simulates chemical and biological fluctuations that can occur naturally in some waterbodies, can improve wildlife habitat for many species, including waterfowl and shorebirds.

4.3.2 Water Quality

The lakes within the Nine Mile Creek watershed vary in size and characteristics, ranging from deep to shallow, land-locked to impoundments along the creek. The NMCWD has considered the water quality of these lakes a primary concern since the 1990s and has made significant efforts to evaluate and improve conditions. In 1991, the District inventoried and analyzed lake water quality data collected for many of its lakes from 1970 to 1991. In its report *Lake Water Quality Data Inventory and Historic Trend Analysis*, no statistically significant trends in lake water quality were detected over the 22-year time period. More recent data supports the previous assessment, and the complete data set demonstrates that watershed management efforts are generally maintaining lake water quality in accordance with Policy 55 of the *Management Guide* of the Metropolitan Council (MC), which states:

Water quality in the Metropolitan Area lakes and streams should be maintained at least at 1980-81 levels.

However, this does not necessarily mean that current lake water quality conditions fully support intended beneficial uses of the lakes, and some lakes within the District are included in the MPCA's 303(d) Impaired

²Data from the Minnesota Department of Natural Resources MDNR, unless otherwise noted.

^{*}Data from the Ceity of Bloomington

^{**}Data from the Ceity of Edina

Waters List (see Section 2.3.1). For this reason, the District completed a series of Use Attainability Analyses (UAAs) for Nine Mile Creek and 21 lakes and their watersheds beginning in 1996. The UAAs followed a step-wise, outcome-based evaluation and planning process. This process involves following the seven basic steps intended to achieve or maintain water quality conditions that support beneficial uses such as swimming, fishing, aesthetic viewing, and wildlife habitat:

- 1. Determine current and historic water quality conditions.
- 2. Set water quality goals that support intended uses.
- 3. Assess attainment or nonattainment of goals for current watershed land-use conditions.
- 4. Estimate annual runoff water and pollutant inputs to waterbodies.
- 5. Calibrate a computer simulation model to predict observed lake- or stream-water quality conditions from annual runoff inputs.
- 6. Using the calibrated lake-or stream-model, assess water quality goal attainment for current and ultimate watershed land-use conditions and range of climatic conditions.
- 7. If necessary, recommend feasible alternative remedial measures (i.e., best management practices (BMPs)) to achieve desired water quality.

UAAs are intended to be "Total Maximum Daily Load (TMDL) Equivalent" studies, and implementation of their recommendations should result in removal of the subject waterbodies from the MPCA's *Sec. 303(d.) Impaired Waters* list. Table 4-2 summarizes the timeline and results of the UAAs completed to date. Additional information on the completed UAAs is available on the NMCWD's website.

With this Plan, the District is continuing to promote holistic lake management, with an expanded emphasis on the role of numerous ecological factors in overall lake health, and the interrelated nature of these factors. The District's holistic lake management approach is described in greater detail in Section 6.3 and generally includes factors such as:

- Chemical water quality
- Aquatic communities (e.g., macrophytes, fish, phytoplankton)
- Water quantity
- Wildlife
- Recreation

Water Quality Standards and Impaired Waters

The federal Clean Water Act (CWA) requires states to adopt water quality standards to protect the nation's waters. Section 303(d) of the CWA requires each state to identify and establish priority rankings for waters that do not meet the water quality standards. The list of impaired waters, or sometimes called the 303(d) list, is maintained by the MPCA and updated by the state every 2 years. Several waterbodies within the District are listed on the 2016 MPCA impaired waters 303(d) list for a variety of impairments.

For impaired waterbodies, the CWA requires an assessment that addresses the causes and sources of the impairment. This process is known as a total maximum daily load (TMDL) analysis. A TMDL is a threshold calculation of the amount of a pollutant that a waterbody can receive and still meet water quality standards. A TMDL establishes the pollutant loading capacity within a waterbody and develops an allocation scheme amongst the various contributors, which include point sources, nonpoint sources and natural background, as well as a margin of safety. As a part of the allocation scheme, a waste load allocation is developed to determine allowable pollutant loadings from individual point sources (including loads from storm sewer networks in MS4 communities), and a load allocation establishes allowable pollutant loadings from nonpoint sources and natural background levels in a waterbody.

Lakes and streams within the District that are included on the MPCA's 2016 draft impaired waters 303(d) list are presented in Table 2-3. Current impaired waters listings are available from the MCPA website: Impaired Waters Listings: MPCA [Ref. 8].

Table 4-2 Summary of Use Attainability Analyses Management Strategies and Assessment of Attainment of State Lake Eutrophication Standards

Summary of Use Attainability Analyses Management Strategies and Assessment of Attainment of State Lake Eutrophication Standards				
Lake	UAA Completion Date	UAA Management Strategies	Does 10-Year Average Summer Water Quality Meet MPCA State Eutrophication Standards? ¹	
Northwest Anderson	January 2005	Control curly-leaf pondweed via drawdown (completed); improve the water quality and stormwater detention efficiency of a runoff detention pond (NS-AL-12) east of Prairie Lakes Drive (completed); whole-lake alum treatment to control internal phosphorus loading from sediment.	Yes	
Southeast Anderson	January 2005	Control curly-leaf pondweed via herbicide treatment with endothall (completed); whole-lake alum treatment to control internal phosphorus loading from sediment; improve the control structure between Southeast and Southwest Anderson lakes.	Yes²- TP, Secchi No²- Chlor-a	
Southwest Anderson	January 2005	Control curly-leaf pondweed via drawdown (completed); whole-lake alum treatment to control internal phosphorus loading from sediment (completed).	Yes	
Arrowhead	July 2006	Control curly-leaf pondweed and Eurasian watermilfoil via herbicide treatment; continue aquatic plant surveys to monitor changes in aquatic invasive and native plant species (ongoing periodic monitoring); collect additional water quality data to assess lake water quality, but turn off aerators and refrain from chemical treatment of the lake during data collection (when monitoring data were collected for UAA, aerators were running and the lake had received a chemical treatment to control curly-leaf pondweed)	Yes²- TP, Secchi No²- Chlor-a	
Birch Island	June 2000	Construct new stormwater treatment/detention pond (Pond BIL4-1) (completed); improve an existing runoff detention pond (BIL8) (completed); construct a pipe bypass system to convey groundwater and surface water runoff north of CSAH 62 directly to Birch Island Lake to restore the lake's historic hydrology (completed); continue aquatic plant surveys to monitor the growth of purple loosestrife, an aquatic invasive species (ongoing periodic monitoring).	Yes²- Chlor-a, Secchi No²- TP	
Bryant	October 2003	Restore wetland (BL-11) located west of I-494 (completed); whole-lake alum treatment to control internal phosphorus loading from sediment (completed); optional management recommendations – herbicide treatment to control curly-leaf pondweed and Eurasian watermilfoil, aquatic invasive species.	Yes³	
Bush	April 2002	More stringent goals to provide greater protection of Bush Lake; herbicide treatment of curly-leaf pondweed and Eurasian watermilfoil (aquatic invasive species).	Yes	

Summary of Use Attainability Analyses Management Strategies and Assessment of Attainment of State Lake Eutrophication Standards				
Lake	UAA Completion Date	UAA Management Strategies	Does 10-Year Average Summer Water Quality Meet MPCA State Eutrophication Standards? ¹	
Cornelia (North Basin)	January 2010	Continue aquatic plant surveys to monitor the growth of purple loosestrife and curly-leaf pondweed (aquatic invasive species) (ongoing periodic monitoring); evaluate the fishery to better understand carp activity and management options such as elimination of reinfestation, suppressment of recruitment, and removal of adult carp; whole-lake alum treatment to control internal phosphorus loading from sediment; consider adding new stormwater runoff treatment/detention Pond NC-62a to treat stormwater runoff from the North Cornelia direct watershed; consider adding ironenhanced sand filtration basin and/or alum treatment plant to treat inflow from NC-3 (Swimming Pool Pond).	No	
Cornelia (South Basin)	January 2010	Continue aquatic plant surveys to monitor the growth of purple loosestrife and curly-leaf pondweed (aquatic invasive species); evaluate the fishery to better understand carp activity and management options such as elimination of reinfestation, suppression of recruitment, and removal of adult carp;	No	
Edina	Not Yet Completed		No	
Glen	June 2000	Add two new stormwater runoff treatment/detention ponds (692-3 and RP1) (completed); upgrade pond 629-1 from the City of Minnetonka Surface Water Management Plan in order to meet Minnesota Pollution Control Agency (MPCA) and Nationwide Urban Runoff Program (NURP) criteria for a regional runoff detention/treatment pond (completed); manage purple loosestrife by releasing Galerucella beetles onto the plants or hand removing the plants.	Yes	
Holiday	April 2010	Control curly-leaf pondweed via herbicide treatment with endotholl; whole-lake alum treatment to control internal phosphorus loading from sediment; monitor sediment deltas surrounding storm sewer outlets into the lake and manage as the need arises.	No	
Indianhead	July 2006	Treat the lake with copper sulfate to attain a temporary improvement in water quality; continue aquatic plant surveys (ongoing periodic monitoring); collect additional water quality data to assess lake water quality, but turn off aerators and refrain from chemical treatment of the lake during data collection (when monitoring data were collected for UAA, aerators were running and the lake had received two copper sulfate treatments).	Yes²- TP, Secchi No²- Chlor-a	
Lone	July 2000	Add one new stormwater runoff treatment/detention pond (582-3) (infiltration basin installed in 582-3); manage purple loosestrife by releasing <i>Galerucella beetles</i> onto the plants or hand removing the plants.	Yes	

Summary of Use Attainability Analyses Management Strategies and Assessment of Attainment of State Lake Eutrophication Standards				
Lake	UAA Completion Date	UAA Management Strategies	Does 10-Year Average Summer Water Quality Meet MPCA State Eutrophication Standards? ¹	
Minnetoga	June 2000	Add three new stormwater treatment ponds (572, 567-2, and 567-3 (the final design did not include construction of 567-2) (completed); upgrade pond 556 from the City of Minnetonka Surface Water Management Plan (to meet Minnesota Pollution Control/Nationwide Urban Runoff Program criteria for a regional runoff detention pond) (completed); manage purple loosestrife by releasing Galerucella beetles onto the plants or hand removing the plants.	Yes	
Mirror	January 2004	Add water quality treatment volume to existing pond ML-3; construct a new water quality treatment pond in subwatershed ML-16; alum application to the entire surface of Mirror Lake to reduce internal phosphorus from sediment; manage curly-leaf pondweed with whole-lake endotholl treatments to reduce the plant's impact on water quality; manage purple loosestrife by releasing Galerucella beetles onto the plants or hand removing the plants.	No	
Normandale	October 2005	Improve Bryant (completed) and Smetana lakes' water quality to reduce phosphorus loading to Normandale Lake; add two water quality treatment ponds – one pond would be located along the North Fork of Nine Mile Creek in Hopkins while the other would be located along the South Fork of Nine Mile Creek just upstream of East Bush Lake Road; consider constructing an alum treatment facility, located at the confluence of the North Fork and South Fork of Nine Mile Creek, with the capacity to treat 15 cubic feet per second stream flow.	Yes²- Chlor-a, Secchi No²- TP	
Penn (Lower)	December 2003	Construct treatment ponds to treat additional runoff waters from future 35W expansion; continue annual goose removal program; manage purple loosestrife by releasing <i>Galerucella beetles</i> onto the plants; other water quality improvement measures were considered, but were not recommended because implementation would not change the lake's trophic status (hypereutrophic).	No	
Rose	April 2010	Whole-lake alum treatment to control internal phosphorus loading from sediment; continue aquatic plant surveys to monitor changes in curly-leaf pondweed (ongoing periodic monitoring).	No	
Shady Oak	May 2000	No further BMPs, besides those prescribed by the Minnetonka Water Resources Management Plan, are required to meet the District's water quality goals. However elevating the outlet from pond 531 could improve the water quality in the lake (completed). Manage purple loosestrife by releasing <i>Galerucella</i> beetles onto the plants; continue aquatic plant surveys and strive to prevent the introduction of Eurasian watermilfoil.	Yes	

Summary of	Summary of Use Attainability Analyses Management Strategies and Assessment of Attainment of State Lake Eutrophication Standards				
Lake	UAA Completion Date	UAA Management Strategies	Does 10-Year Average Summer Water Quality Meet MPCA State Eutrophication Standards? ¹		
Smetana	May 2003	Implementation of Bryant Lake UAA recommendations will also improve Smetana Lake's water quality; add three new stormwater treatment ponds (SL-5A, SL-5B, and SL-1); manage purple loosestrife by releasing <i>Galerucella beetles</i> onto the plants; control curly-leaf pondweed via herbicide treatment with endothall.	Yes²- Chlor-a, Secchi No²- TP		
Wing	April 2010	Control curly-leaf pondweed via herbicide treatment with endotholl; whole-lake alum treatment to control internal phosphorus loading from sediment; monitor sediment deltas surrounding storm sewer outlets into the lake and manage as the need arises.	No		

¹ 10-Year average summer (June-September) total phosphorus, corrected chlorophyll a, and Secchi disc values shown in Table 5-2 were compared with MPCA standards detailed in Minnesota Administrative Rules Chapter 7050.0222, Subp. 4 and Subp. 4a to determine whether 10-year average summer water quality has met the MPCA water quality standards for lakes. The MPCA assessment guidance manual (available at MPCA assessment guidance manual: (MPCA) [Ref. 38] details the assessment process to determine whether or not summer average lake water quality has met MPCA water quality standards. An excerpt from page 35 follows:

"Lakes where TP and at least one of the response variables (corrected chl-a or Secchi) exceed the standards are considered impaired. For lakes with excellent data quality (2+ years of data) and where all parameters are better than the standards, an assessment of full support is made. Lakes with good quality data (1 year data plus Secchi trends) may be considered for full support assessment as well. In this case the assessment thresholds have been adjusted by 20 percent (made more stringent) and lakes with good quality data that meet these thresholds will be considered fully supporting. This modification of the thresholds provides a margin of safety to assure that lakes with lesser amounts of data are supporting the beneficial use.

² For lakes that do not meet minimum data requirements and use support cannot be determined, a determination of insufficient data will be made. In some instances, a lake may have good or excellent quality data but only one of the thresholds is exceeded (e.g., TP or corrected chl-a or Secchi), while the other two are in compliance with the standards. In this instance, the MPCA will be considered to have insufficient data to determine impairment."

³ While Bryant Lake remained on the MPCA's draft 2016 Impaired Waters list, the most recent 10-year average summer total phosphorus, chlorophyll a, and Secchi disc values indicate the lake is achieving the state's eutrophication standards. MPCA staff have indicated that Bryant Lake will likely not be included on the 2018 Impaired Waters list.

Indices of Biological Integrity

An index of biological integrity (IBI) is a multi-metric approach that depicts the overall biological integrity or condition of a system. As of 2016, the MPCA and MDNR are in the process of developing additional IBIs to assess whether lakes may be impaired for aquatic life, including:

- Lake Plant Eutrophication Index of Biological Integrity (Plant IBI) The Plant IBI is intended to measure the response of a lake plant community to eutrophication. The Plant IBI includes two metrics to assess the viability of aquatic life use: 1) taxa richness and 2) floristic quality index. Taxa richness is the estimated number of taxa in a lake. Floristic quality index (FQI) distinguishes those plant communities that may have similar taxa richness but differ in taxa composition. Since lake plant species differ in their tolerance to eutrophication stress. The MPCA and MDNR will use the Plant IBI to determine if individual lakes are meeting the CWA standards with respect to aquatic life and potentially identify lakes that are impaired (i.e., not supporting aquatic life use based on the stress received from anthropogenic eutrophication).
- Fish-based Index of Biological Integrity (Fish IBI) the MDNR developed four fish-based IBI tools for lakes 100 10,000 acres in size and within most areas of the state. The Fish IBI tools include between 8 and 15 metrics, with metric scoring individualized for each tool. Metrics are of three types: species richness, community assemblage, and trophic composition. Thresholds for impaired and exceptional resources have been determined. As of the writing of this Plan, only the impairment thresholds are used in the assessment process. Identifying lakes with exceptionally high IBI scores is used in prioritization efforts. MPCA and MDNR will use the Fish IBI to identify lakes that are impaired for aquatic life and draft stressor identification reports to identify the source of the impairment.

As of the writing of this Plan, the MPCA has not assessed District lakes relative to the Plant IBI or Fish IBI. It is possible that District lakes may be included in the MPCA's impaired waters 303(d) list in the future based on the results of Plant IBI and Fish IBI assessments.

Water Quality Goals

In its 1996 *Water Management Plan*, the NMCWD adopted its own lake management goals based on designated use classifications and the levels of water quality required to support the intended beneficial uses. Total phosphorus, chlorophyll *a*, and Secchi disc transparency measurements were used to assess lake trophic status (i.e., fertility level) according to the Carlson Trophic State Index (TSI) value methodology. In 2008, the State of Minnesota adopted Lake Eutrophication standards that include ecoregion-based criteria for shallow and deep lakes. The eutrophication standards include criteria for total phosphorus, chlorophyll-a, and Secchi disc transparency. In 2014, the State of Minnesota adopted eutrophication water quality standards for streams. With this Plan, the District has modified its water quality goals to be consistent with the State of Minnesota lake and stream eutrophication standards. The District's lake and stream water quality standards are described in Section 2.3. Overall lake and stream management goals are described in greater detail in Section 6.3.

Algal Blooms

Algae (phytoplankton) are small aquatic plants that derive energy from sunlight and dissolved nutrients found in lake water. Green algae are considered beneficial in that they form the base of a lake's food web, providing food for several types of animals, including zooplankton, which are in turn eaten by fish. Overabundance of green algae can hinder lake health, altering the structure of the zooplankton community and causing poor water clarity, which can negatively impact fish predation and recreation conditions. Although algal blooms can be a nuisance, the green algae are generally not harmful.

Filamentous algae are a form of green algae that can create recreational nuisance conditions in lakes and streams. The filamentous algae (also called periphyton) form dense mats of hair-like strands on the lake bottom or on submerged plants. The algae produce oxygen that becomes entrapped in the mat of strands and give the mat buoyancy that causes it to rise to the surface where it can cover large areas of the lake. The filamentous algae problem is often persistent throughout the growing season because nutrient conditions favor the presence of the algae and they can reproduce rapidly by plant fragments, spores, and cell division.

Management of filamentous algae is similar to the algae that float in the water column (planktonic algae). The most effective management option for both filamentous algae and planktonic algae is nutrient reduction to create a nutrient condition that is unfavorable for algal growth. However, some species of filamentous algae exist under relatively low nutrient concentrations. When nuisance mats of algae are present, removal of the mats by harvesting or chemical treatment may provide a short-term control option. However, because filamentous algae can grow very rapidly, the benefit of a chemical treatment or harvesting may only last a few days or a few weeks.

Blue-green algal blooms, often described as looking like pea soup or spilled green paint, can be harmful. Blue-green algae, which are not actually algae but types of bacteria called cyanobacteria, can produce algal toxins that can pose a health threat for pets and people when concentrations become high enough. Blue green algae thrive in warm, shallow, nutrient-rich lakes; blooms typically occur during summer and early fall, when water temperatures are higher than 75°F. Because it is not possible to determine if blue green algae are toxic by observation, humans and animals should avoid contact with water with blue-green algae. Laboratory texting is required to determine if algal toxins are present. Information about harmful algal blooms is available from the MPCA at the following link: https://www.pca.state.mn.us/water/blue-green-algae-and-harmful-algal-blooms [Ref. 46].

4.3.3 Priority Issues/Opportunities

During the development of this Plan, the Board of Managers, local cities, and other stakeholders identified lake management as a top concern, including the following specific priority issues/opportunities:

 Improving water quality to meet the MPCA's water quality standards for all lakes within the Nine Mile Creek watershed.

- Continuing and expanding lake monitoring program to measure success of NMCWD projects.
- Applying a subwatershed approach to evaluating and addressing lake water quality problems, with a strategy of implementing improvements in the upstream portions of the watershed first and moving toward the downstream portions.

4.4 Stream Management

The streams in the District are an important community asset. These resources supply recreational and aesthetic benefits, enhance property values, convey stormwater runoff downstream, and provide wildlife habitat and fishery resources. The high quality of the watershed's streams makes it an attractive place for people to live near. Preserving the quality of the streams within the Nine Mile Creek watershed is critical to the existence of a high quality of life among the citizens residing in the watershed and in the larger metropolitan region.

4.4.1 Background

Nine Mile Creek has a total watershed area of approximately 50 square miles,—. <u>Approximately</u> 15 square miles of <u>the watershed is tributary to lakes</u>, <u>ponds</u>, <u>or wetlands that which</u> are landlocked. The watershed ranges from relatively flat topography in the upper and middle portions of the watershed, to the steep lower valley which descends to the Minnesota River at the downstream portion of the watershed. Nine Mile Creek originates as two branches: a north branch (North Fork), and a south branch (South Fork).

The South Fork begins at Minnetoga Lake in Minnetonka, flows south through Bryant and Smetana Lakes in Eden Prairie before continuing east toward Normandale Lake in Bloomington. A secondary branch, Ditch 34, originates at Birch Island Lake, combines with the Glen Lake outlet in the Eden Prairie Industrial Park area and flows into Bryant Lake on the west side of the lake.

The North Fork begins in Hopkins near Excelsior Boulevard (County Road 3) and west of 11th Avenue. It flows Southerly through Hopkins and Edina, joining with the South Fork upstream of Normandale Lake.

From Normandale Lake, the creek flows through both Nord Myr Marsh and Marsh Lake. The outflow from Marsh Lake is controlled by the Marsh Lake dam. From here, the creek flows through Bloomington residential areas, with yards abutting the creek for much of its length. After crossing Old Shakopee Road, the creek steepens as it descends into its lower valley. The land use in the lower valley is park/open space, owned by the City of Bloomington.

Historical aerial photos of the NMCWD were reviewed for years 1937 and 1940 to gain a better understanding of the history of the creek and associated watershed, particularly with regard to land use. The NMCWD was primarily agricultural until the 1950s, when urbanization rapidly occurred. The creek was straightened prior to 1935 to provide better drainage for farming in the area that is now Normandale Lake, Nord Myr Marsh, and Marsh Lake Park. This portion of the creek was Ditch No. 1. Portions of the

North Fork and South Fork were also straightened, particularly along the North Fork near TH 100 and in Bredesen Park area.

The change in land use from agricultural to urban has likely improved much of the riparian vegetation, as grazing and farming practices ceased. Vegetated buffers now exist in many areas that were previously grazed. Because vegetation is a very strong influence on stream stability, the overall condition of the stream may have improved as a result of this land use change, however, the frequency and duration of flood flows has increased with urbanization, offsetting the benefits of improved vegetation.

4.4.2 Past Stream Monitoring and Management

The Nine Mile Creek Watershed District has evaluated Nine Mile Creek annually since 1968 to identify problems and/or substantial changes in flow, water quality, or the stream's biological community. Prior to completion of its 1996 Plan, the District conducted an annual stream water quality monitoring program with sampling station locations located at or near municipal boundaries. Much of that monitoring was conducted during fair weather when flows were relatively low, not during periods of elevated flows when stream water quality is likely to be degraded by runoff-borne pollutants. Beginning in 1997, the District's stream water quality monitoring program was revised to collect data that are more diagnostic of stream health, including measurements of physical, chemical, and biological parameters. The District's stream monitoring program was further expanded in 2003 in response to Nine Mile Creek being listed on the MPCA's Section 303(d) Impaired Waters list because of excessive turbidity and chloride concentrations and biotic impairments, based on data collected downstream of 106th Street in Bloomington by the Metropolitan Council. The current NMCWD stream water quality monitoring program includes:

- Annual monitoring of the fish community during summer to determine compliance with the MPCA biological standard
- Annual macroinvertebrate monitoring during October to determine 'biotic index' values and to detect change in stream water quality.
- Annual habitat monitoring during summer to assess stream substrate, stream bank erosion, and sediment accumulation including depth of fine sediment, and the embeddedness of coarse substrate such as gravel, rubble, cobble, and boulders (i.e., the extent to which large particles are surrounded by small particles such as silt or sand).
- March through October monthly measurements of water quality parameters essential for the support of fish and aquatic life in the stream.
- Runoff-related stream water quality monitoring, including operation of continuous flow gaging and storm runoff-activated automatic sampling stations on the North- and South-Forks and Main Stem of Nine Mile Creek.

In addition to its monitoring program, the District has completed several special studies to either identify problems or to determine solutions to previously identified problems. Stream water quality problems identified by the District's annual evaluation and/or special studies are detailed in the following sections.

4.4.3 Chlorides

The NMCWD's annual stream evaluation has identified excess chlorides as a problem within the Creek. Specific conductance values throughout the stream system have annually exceeded the Minnesota Pollution Control AgencyMPCA state water quality chronic standard of 230 milligrams per liter in the spring and periodically other times of the year. The high values indicate the presence of excess chlorides in the stream. In 2004, the MPCA determined that Nine Mile Creek did not meet the chloride standard for streams and listed Nine Mile Creek as impaired on the MPCA's 303(d) list of impaired waters of the State.

Road salt has been determined to contribute the majority of the anthropogenic (caused by man) chloride in Nine Mile Creek. Chloride comprises approximately three-fifths of the chemical composition (or mass) in sodium chloride based road salts. Salt application on the vast amount of impervious surfaces throughout the watershed can contribute to excess chloride levels directly via snowmelt and rainfall runoff delivery as well as increased runoff of water to Nine Mile Creek.

A Total Maximum Daily Load (TMDL) study was completed in 2010 to identify management measures to reduce chloride levels in Nine Mile Creek. The study, approved by the USEPA in 2010, determined that commercial and private applications of salt represent the single largest source of chloride, with 37 percent of the estimated load to Nine Mile Creek (MPCA, 2010). The cities of Edina, Bloomington and Hennepin County combine for another 40 percent of the total load, based on approximated salt application rates from 2007-2009. The cities of Eden Prairie, Hopkins, Minnetonka, and Richfield contribute approximately 14 percent of the total load and MnDOT is estimated to contribute approximately 6 percent of the total load. It is estimated that the background or irreducible load currently represents 3 percent of the total chloride load. For Nine Mile Creek, the chloride load capacity is 2,476 tons of chloride per year to meet the water quality standards during the snowmelt/spring runoff season. To attain this chloride load capacity, a 63% reduction in the existing watershed chloride load estimated for Nine Mile Creek would be required. The study determined that commercial and private applications of salt represent the single largest source of chloride, with more than a third of the estimated load to Nine Mile Creek. Application of salt on roadways by the cities of Edina, Bloomington and Hennepin County accounts for approximately 40 percent of the total load. It is estimated that the background or irreducible load currently represents 3 percent of the total chloride load. A chloride load capacity of 2,476 tons of chloride per year would meet the MPCA's water quality standards during the snowmelt/spring runoff season. To attain this chloride load capacity, a 63% reduction in the existing watershed chloride load would be required. This reduction can be achieved through management of road salt inputs from both road authorities and commercial and private applicators.

For the TMDL implementation, the NMCWD initially took the role of providing guidance for implementing projects to achieve the chloride reduction. However, other MS4s are expected to fulfill their existing responsibilities in stormwater management to achieve the TMDL goals. Specifically, the NMCWD would:

- Look for opportunities to implement voluntary projects to reduce chloride loading wherever possible, taking advantage of cost-share or grant programs for training and other improvements.
- Provide education and outreach regarding impacts of salt use on waterbodies and methods to reduce salt application
- Continue to implement Stormwater Pollution Prevention Plans (SWPPPs) and to improve public works maintenance practices and training wherever possible.
- Continue to implement volume reduction BMPs on all watershed projects to comply with NMCWD standards.

The MS4s continue to work toward attainment of the TMDL target chloride reductions.

4.4.4 Biological Impairment – Fish

Fish data collected from Nine Mile Creek were assessed to determine compliance with the MPCA biological standard for the period of 2003 through 2015. The most downstream sample location of the Main Stem of the Creek, ECU -7C (downstream of 106th Street) has met the MPCA standard annually during 2003 through 2015. All other locations have met the standard during some years and have failed to meet the standard during other years. However, during 2006 and 2012, all Nine Mile Creek locations met the MPCA biological standard for fish. During the 2003-2015 monitoring period:

- The North Fork location, ECU-2 (east of Cahill Road and north of Brook Drive), met the standard 54 percent of the time
- The most downstream North Fork location, ECU-2A (downstream of Interstate 494 and immediately upstream of 81st Street in Bloomington), met the standard 62 percent of the time
- The most downstream South Fork location, ECU-5A (in Corridor Park immediately downstream from Interstate 494 in Bloomington and west of East Bush Lake Road), met the standard 31 percent of the time
- The most upstream Main Stem location, ECU-7A (downstream of Marsh Lake at 98th Street in Bloomington), and the middle Main Stem location, ECU-7B (downstream of Old Shakopee Road at 103rd Street in Bloomington), each met the standard 54 percent of the time.

In 2003, Nine Mile Creek was placed on the Minnesota Pollution Control Agency's (MPCA) list of impaired waters for impaired biota due to low fish Index of Biological Integrity (IBI) scores. Biological impairment for fish in the Minnesota River Basin, including Nine Mile Creek, was defined as failing to meet the Minnesota River Assessment Project (MRAP) IBI impairment threshold score of 30 or greater out of a possible score of 60. Only streams with a watershed area of at least 5 square miles were obligated to meet the IBI impairment threshold.

In 2009, a Biological Stressor Identification study was completed to determine the causes of the Nine Mile Creek biological impairment for fish. The study concluded:

- The probable cause of impairment on the South Fork of Nine Mile Creek is inadequate dissolved oxygen. Although the impairment can be caused by numerous stressors, the data suggests that inadequate dissolved oxygen is the most prominent of the stressors, followed by excess sediment and inadequate baseflow.
- The probable causes of impairment on the North Fork of Nine Mile Creek are inadequate dissolved oxygen and excess sediment.
- The probable causes of impairment on the Main Stem of Nine Mile Creek are inadequate dissolved oxygen and excess sediment.

The 2009 data indicate low dissolved oxygen levels were related to reduced flow resulting from reduced precipitation, a natural effect. Stream flow and continuous dissolved oxygen data, collected at continuous flow gaging stations located at 78th Street on the South Fork and at Metro Boulevard on the North Fork indicate minimum dissolved oxygen concentrations generally varied with flow. Flow increases were accompanied by higher minimum dissolved oxygen concentrations while flow decreases were accompanied by lower minimum dissolved oxygen concentrations. The data provide evidence that minimum dissolved oxygen concentrations causing stress to the fish community were due to low flow conditions within the Creek caused by reduced precipitation.

Data from the Main Stem of Nine Mile Creek at 98th Street indicate the relationship between flow and dissolved oxygen concentrations were less evident than the relationships observed on both the South and North Forks. The uncertainty in the source of the low dissolved oxygen concentrations at the 98th Street location is due to the influence of Marsh Lake on downstream waters. Oxygen levels within Marsh Lake fluctuate due to biological activity within the marsh – plant photosynthesis raises oxygen levels and plant senescence lowers oxygen levels. Hence, water exiting the marsh may have either lower or higher oxygen levels than downstream locations, depending upon biological processes occurring within the marsh. The data indicate low dissolved oxygen levels in the stream at 98th Street are due to two natural effects – low flows and natural biological processes within Marsh Lake.

Continuous dissolved oxygen data from 2009 and habitat data from 2003 through 2006 were evaluated to determine whether diel effects were a secondary cause of low oxygen concentrations in the Creek. Respiration by plants and/or algae can deplete a stream of oxygen during the night when there is no photosynthesis to add oxygen to the stream.

Diel effects were consistently observed in 2009 on the South Fork, North Fork, and Main Stem locations. Daily dissolved oxygen levels, on average, ranged from:

- A low of 0.5 to a high of 11.1 mg/L on the South Fork at 78th Street;
- A low of 2.5 to a high of 7.2 mg/L on the North Fork at Metro Boulevard; and
- A low of 3.3 to a high of 7.3 mg/L on the Main Stem at 98th Street.

Minimum oxygen levels occurred during the night when photosynthesis and associated oxygen production stops; maximum levels occurred during the day when oxygen production increases due to photosynthesis. The 2009 data provide evidence that diel effects in the Creek cause low dissolved oxygen levels that stress the stream's fishery. The primary cause of the Creek's biological impairment for fish is inadequate dissolved oxygen due to natural causes rather than anthropogenic. For this reason, the NMCWD requested that the MPCA delist the stream from the MPCA's 303(d) list of impaired waters of the State.

The stream's biological impairment for fish is primarily due to natural causes, which cannot be changed by management measures. However, continued watershed management for sediment, flow, and chlorides, as well as management and further study of riparian habitat, would be valuable. Data collected during the biological stressor identification study suggest that these efforts would improve biotic integrity.

4.4.5 Stream Bank Erosion/Stream Instability

In 1997 and again in 2003, the NMCWD completed a physical assessment of Nine Mile Creek using the classification system developed by D.L Rosgen in "A Classification of Natural Rivers" (Rosgen, 1994). Comparing 1997 and 2003 results identified areas of the stream that have degraded due to stream bank erosion. Assessment results are discussed in detail in the 2007 Plan. A brief summary follows:

- North Fork between CSAH 62 and 70th Street--Bank erosion was evident where the channel abuts residential properties with turf lawn to the streambank. Here, the banks were prone to slumping into the creek.
- **South Fork north of CSAH 62--**During the 1997 through 2003 period, scouring lowered the profile of the channel by as much as one foot. Left unchecked, this erosion will migrate upstream and will likely become larger and more problematic.
- South Fork south of Interstate 494 and west of East Bush Lake Road--The stream thalwegbed had aggraded between 1997 and 2003 causing the channel to widen. If the bed aggradation and channel widening continue, the stream type could change to a less desirable channel type from a hydraulic and ecological perspective.
- Main Stem downstream of Marsh Lake, south of West 98th Street and west of Penn Avenue--Stream banks continued to actively erode in this reach, especially where turf lawns abut the channel. Several factors contribute to this erosion: (1) lack of vegetative root mass due to turf lawn areas and shade from trees; (2) several large storm sewers discharge to the stream in this vicinity, increasing the frequency of bankfull flow conditions; and (3) the streamflow may be "sediment starved" as it leaves Marsh Lake, and thus have a greater tendency to erode its banks

and bed. Several homeowners have added rock riprap to the streambanks along their property, but this only accelerates erosion of the unprotected areas.

The Nine Mile Creek Watershed District has completed two stream stabilization projects: the Lower Valley Stabilization and Restoration Project and a stream restoration project in the headwaters reaches of the North Fork of Nine Mile Creek in Hopkins. The District will be undertaking a stream restoration project along the North Fork of the Creek in Edina. The South Fork reaches and Main Stem downstream of Marsh Lake have not yet been stabilized and continue to be problematic.

4.4.6 Priority Issues/Opportunities

During the development of this Plan, the Board of Managers, local cities, and other stakeholders identified the water quality of Nine Mile Creek as a significant concern, including the following specific priority issues/opportunities:

- Improving the water quality in Nine Mile Creek, including increasing dissolved oxygen concentrations.
- Improving the stability of Nine Mile Creek and reducing erosion.
- Reducing chloride concentrations in Nine Mile Creek.

4.5 Open Spaces and Recreational Uses

Improving and maintaining the quality of water resources within the Nine Mile Creek watershed is one of the main concerns of the District. Water quality is closely linked to the surrounding environment and land uses. Protecting and enhancing open spaces and natural areas near water resources can aid in improving the water quality of the lakes and streams within the District. Increased public access to these resources and providing places that offer a variety of water resource-related experiences can enhance the public's understanding of the importance of water and natural resources to our communities' vitality and health.

4.5.1 Priority Issues/Opportunities

During the development of this Plan, the Board of Managers, residents and other stakeholders identified open space and access to water resources as an important issue, including the following specific priority issues/opportunities:

- Providing education to cities and and the public regarding the impacts of land use management and redevelopment on District water resources
- Protecting and promoting preservation of open spaces
- Promoting public access to District water resources

4.6 Wetland Management

Diverse wetland systems are critical components of a healthy hydrologic system that positively affect soil systems, groundwater and surface water quality and quantity, wildlife, fisheries, aesthetics, and recreation.

The benefits of wetlands can be compromised by hydrologic alterations, exotic and invasive species, and erosion and sedimentation. The effectiveness of wetland communities for wildlife habitat, and for human appreciation, is greatly increased when they are physically or functionally connected with other native communities.

Wetlands are a key element of the hydrologic system that can provide hydrologic and water quality benefits, including:

- Maintaining stream base flow
- Recharging groundwater
- Providing flood storage and attenuating peak flows
- Providing erosion protection
- Physically filtering particulates (and pollutants attached to particulates) from runoff
- Biologically removing nutrients from runoff in some wetlands and at certain times of the year

Development of land and other human activities can affect the hydrology of wetlands. Wetlands are important for protecting and maintaining downstream water quality and the ecological integrity of the communities that inhabit these areas. Overloading wetlands beyond their natural capacity with water, sediment, or nutrients can diminish their effectiveness in providing water quality and wildlife benefits. Most natural wetland systems have developed with relatively low levels of sediment and nutrient inputs (riparian wetlands located in floodplains are an exception). When land use and/or upstream hydrologic systems become altered, the hydraulic, natural sediment, and nutrient loads can (and often do) increase in magnitude and frequency. These changes may result in tipping the ecological balance to benefit non-native and invasive plant species, thereby reducing the benefits to wildlife, fisheries, amphibians, and humans. Degraded water quality in wetlands can pass on to downstream waters, contributing to degradation of additional resources.

Wetlands provide valuable habitat for many types of wildlife including waterfowl, songbirds, raptors, mammals, fish, and many species of amphibians. Even though it is difficult to determine the value of wetlands for wildlife due to the specialized requirements of each species, it is possible to determine wildlife, fisheries, and amphibian habitat values in a general sense. Maintaining and improving wildlife viability requires that water resources and land management activities consider the life cycles of various animals.

4.6.1 Wetland Buffers

Buffers are upland, vegetated areas located adjacent to wetlands. Many of the hydrologic, water quality, and habitat benefits achieved by wetlands are directly attributable to or dependent on the presence of buffers. Vegetation and organic debris shield the soil from the impact of rain and bind soil particles with root materials, reducing erosion. Vegetation obstructs the flow of runoff, thereby decreasing water velocities, allowing infiltration, and a reduction in the erosion potential of stormwater runoff. As a physical

barrier, vegetation also filters sediment and other insoluble pollutants from runoff. Vegetation scatters sunlight and provides shade, reducing water temperature in the summer, limiting nuisance algae growth, and reducing the release of nutrients from the sediment. Buffers also have habitat benefits; providing food and shelter for native wildlife, fish, and amphibians and needed separation and interspersion areas for animals, to reduce competition and maintain populations.

The presence of adequate buffers surrounding wetlands is critical to preserving the ecological functions and environmental benefits of downstream waterbodies. Establishing buffers in developed areas may be difficult, as the effects of urbanization may be located within the desired buffer area. However, redevelopment offers an opportunity to establish adequate buffers in areas that are already developed.

4.6.2 Priority Issues/Opportunities

During the development of this Plan, the Board of Managers, local cities, and other stakeholders identified wetland protection as a concern, including the following specific priority issues/opportunities:

- Inventorying and assessing wetlands within the Nine Mile Creek watershed for function and value.
- Preserving the quality of existing wetlands and protecting high quality wetlands.
- Seeking opportunities to restore degraded wetlands.
- Improving wetland health by promoting diversity and abundance of native aquatic species and improving habitat.

4.7 Aquatic Invasive Species (AIS)

The term "invasive species" describes plants, animals, or microorganisms within lakes and streams that are non-native and 1) cause or may cause economic, environmental or harm to human health, or 2) threaten or may threaten natural resources or the use of natural resources in the state (Minnesota Statutes section 84D.01). Aquatic invasive species (AIS) is a term given to invasive species (both plant and animal) that inhabit lakes, wetlands, rivers, or streams and overrun or inhibit the growth of native species. Aquatic invasive species pose a threat to natural resources and local economies that depend on them.

The presence of non-native species and invasive species can impair the ecological, aesthetic, and recreational functions of aquatic, wetland and shoreland areas. Not all non-native species are invasive; "invasive" refers to those non-native species that are able to out-compete, displace, and even eliminate native species (i.e., some "non-native" species to the region are able to coexist with native species).

As part of its Invasive Species Program, the MDNR maintains a list of waters infested with specific AIS (MDNR Designation of Infested Waters, 2016 as amended). The MDNR list includes several NMCWD waterbodies as infested with Eurasian watermilfoil, including:

- Arrowhead Lake
- Bryant Lake
- Bush Lake

The MDNR's list identifies that zebra mussels have been observed in Bryant Lake. Zebra mussels are typically spread as adult mussels attached to boats or aquatic plants, or as larvae carried in bait buckets, bilges, or any other water moved from an infested lake or river. They can cause problems by clogging water intakes to motors, causing cuts and scrapes to swimmers and lake users, and attaching to native mussels, killing them. In large populations, zebra mussel feeding impacts the food chain by reducing food for larval native fish, among other impacts.

The MDNR's list of AIS infested waterbodies may not include all known AIS occurrences within the NMCWD. The MDNR infested waters list does not include curlyleaf pondweed, which has been identified in several NMCWD waterbodies.

Curlyleaf pondweed is of special concern due to its source of internal phosphorus loading. This submersed aquatic plant grows vigorously during early spring, outcompeting native species for nutrients. After curlyleaf pondweed dies out in early to mid-summer, plant decay releases nutrients and consumes oxygen, exacerbating internal sediment release of phosphorus. This process often result in algal blooms during the peak of the recreational use season (mid-summer), which further inhibit native macrophytes by reducing water clarity and blocking sunlight necessary for growth.

Invasive aquatic animals present in the NMCWD waters include common carp, which can degrade water quality, especially in shallow lakes and wetlands. Carp feeding techniques disrupt shallow-rooted plants, reducing water clarity and release phosphorus bound in lake bottom sediment, leading to increased algal blooms and a resultant decline in native aquatic plants. Common carp are typically spread between lakes by the accidental inclusion and later release of live bait, but can also migrate through natural or built channels as adults.

Based on their potential environmental impact and the difficulty of eradication once a waterbody is infested, NMCWD is interested in preventing the spread of AIS and supporting management of AIS that are already present in NMCWD waterbodies.

4.7.1 Priority Issues/Opportunities

During the development of this Plan, the Board of Managers, local cities, and other stakeholders identified aquatic invasive species as a concern, including the following specific priority issues/opportunities:

- Conducting periodic monitoring of District water resources to identify and inventory aquatic invasive species
- Educating the public on aquatic invasive species, in conjunction with the cities, Hennepin County, state agencies, and other local partners.
- Establishing a targeted aquatic invasive species management strategy.
- Promote native habitat restoration.

4.8 Groundwater Management

The NMCWD recognizes the importance of protecting the quality and quantity of groundwater, because the majority of the municipal drinking water supply and surface water resources are dependent on groundwater. Although the role of <u>regulation to protect</u> groundwater <u>protection</u> generally falls upon the <u>Minnesota Department of Natural ResourcesMDNR and</u> the <u>Minnesota Department of HealthMDH</u>, and <u>Hennepin County</u>, the NMCWD plans to work in partnership with the county and watershed <u>cities</u> to ensure the implementation of groundwater protection programs, <u>though NMCWD</u> itself does not intend to regulate groundwater. The District recognizes that there is an interrelationship between surface water and groundwater resources, and surface water must be managed with a concern for proper management of groundwater resources.

Groundwater is a finite resource with inputs and outputs that need to be managed to ensure a sustainable supply. The input is generally rainwater and snowmelt that seeps into the ground (recharge). The outputs can be through pumping for human use and those that naturally discharge (recharge) to the lakes, wetlands, and streams. While rainfall and snowmelt are variable factors that cannot be controlled, the amount of rainfall or snowmelt that becomes recharge is affected by land use. Urbanization generally results in larger impervious areas and more compacted soils that decrease opportunities for infiltration and recharge. In addition, population increases result in increases in groundwater appropriations to meet municipal demands.

Long-term well data collected by the MDNR, United States Geological Survey (USGS), and others identify declines in groundwater levels across the state. In response to mounting concern about groundwater supply, the MDNR has published a draft strategic plan identifying strategies and actions intended to achieve sustainable use of groundwater resources (MDNR, 2013), along with establishing three pilot Groundwater Management Areas (GWMAs).

Surface water resources and groundwater resources are often interdependent. Precipitation and snowmelt that infiltrate the ground surface may ultimately discharge to streams, lakes, and wetlands. Groundwater levels that are higher than the water level of adjacent surface waters create a gradient (or head differential) driving groundwater flow toward the surface water. When groundwater levels are lower than adjacent surface water elevations, the gradient is reversed and surface water recharges groundwater. The rate of inflow and outflow from surface waters to groundwater is a function of the difference in water level as well as soil and bedrock characteristics. The temporal and spatial variability of each of these factors make it extremely difficult to quantify the exchange of water between surface waters and the groundwater.

The interaction of groundwater and surface water can have negative consequences on either resource. Contaminated groundwater discharging to surface waters will likely have a direct impact on surface water quality and/or habitat. Declines in groundwater levels result in decreased baseflow to streams, which in turn result in decreased water quality and ecosystem function. Decreased baseflow is especially problematic for streams supporting fish populations (e.g., trout streams), as decreased baseflow normally

results in higher stream temperatures. Lower lakes levels may limit recreational use, reduce habitat areas, and result in increased growth of aquatic plants including invasive species (via an increased littoral zone).

Maintaining clean, safe groundwater supplies is critical to human and environmental health and to the economic and social vitality of communities. Possible sources of groundwater contamination include commercial and industrial waste disposal, landfills, leaking underground storage tanks, subsurface sewage treatment systems (SSTS), mining operations, accidental spills, feedlots, and fertilizer/pesticide applications. In addition, there is growing concern regarding potential for groundwater contamination from stormwater infiltration practices. While infiltration is often a preferred method of stormwater treatment, it can have negative consequences in areas with vulnerable groundwater resources. To ensure that its regulatory program continues to effectively balance protection these-of groundwater and the benefits of infiltrationresources, the NMCWD will revise its Stormwater Management Rule to ensure it requires systems that fit the specific conditions presented at a particular property. The rule revision will be informed by requires that infiltration practices be implemented with consideration of guidance provided by the MPCA in its-the current NPDES General Construction Stormwater permit (2013, as amended) and MIDS guidance (2013, as amended), and as well as the the Minnesota Department of Health's MDH's (MDH), Evaluating Proposed Stormwater Infiltration Projects in Vulnerable Wellhead Protection Areas (MDH, 2007).

4.8.1 Priority Issues/Opportunities

During the development of this Plan, the Board of Managers, local cities, and other stakeholders identified groundwater protection as a concern, including the following specific priority issues/opportunities:

- Understanding and evaluating groundwater recharge potential throughout the watershed.
- Understanding the interaction between groundwater and surface water in the watershed, including the potential for groundwater contamination from stormwater infiltration practices and the vulnerability of surface water resources within the watershed to fluctuating groundwater levels.
- Promoting sustainable use and conservation of groundwater.
- Protecting groundwater from surface water contamination.

4.9 Climate Change Adaptation

Climate change occurring in the upper Midwest poses a challenge for water resources management. Changes in precipitation trends include increased precipitation amounts and more frequent higher intensity storms leading to increased stormwater runoff (see Section 2.1). Increased stormwater runoff places additional strain on existing stormwater systems and can increase flood risk.

Capital improvement projects implemented by the District, cities, and developers have long design lives that must consider current as well as possible future climate scenarios. Implementing projects and

programs capable of performing under a range of possible conditions is strategy referred to as "adaptive management."

In addition to responding to climate change, measures are required to limit or prevent further climate change. Two key tools to preventing further climate change that are relevant to water resources management include conservation and education.

4.9.1 Priority Issues/Opportunities

During the development of this Plan, the Board of Managers, local cities, and other stakeholders identified climate change adaptation as an important issue, including the following specific priority issues/opportunities:

- Studying the impact of climate change on flooding and identifying the areas of greatest flood risk.
- Reviewing District policies with consideration for climate change.
- Developing an adaptation strategy for climate change.
- Incorporating climate change adaptation into planning and land management.
- Evaluating the impacts of climate change on groundwater, surface water, and the interaction between groundwater and surface water.
- Assessing the impact of climate change on wetlands and changes in the species they support.

4.10 Land Use Management

Land use management plays a fundamental role in the management and protection of surface water resources. Responsibility for comprehensive land use planning and zoning falls upon the cities. As significant redevelopment continues to occur within the Nine Mile Creek watershed, there is a need for striking balance between promoting redevelopment and protecting surface water resources.

Historically, the District has promoted protection of water resources in conjunction with land use management primarily through establishment of goals, policies, and standards that get implemented through local surface water management plans and through adoption of District rules and administration of the District's regulatory program. As significant redevelopment occurs within the watershed, the District will work collaboratively with cities, private landowners and developers, and other government agencies in the redevelopment planning process to identify and implement water resource improvement opportunities.

4.10.1 Priority Issues/Opportunities

During the development of this Plan, the Board of Managers, local cities, and other stakeholders identified land use management as an important issue, including the following specific priority issues/opportunities:

- Collaborating with local cities in the planning/redevelopment process to identify and implement
 water resource improvements, including opportunities to increase stormwater infiltration and
 promote groundwater recharge.improve drainage and manage local flood risk, while increasing
 stormwater filtration and promoting groundwater recharge." to first bullet.
- Working closely with local cities in subwatershed-based planning to address water quantity (flooding) and water quality issues.
- Increasing infiltration of stormwater through implementation of the District's regulatory program and identifying opportunities for regional infiltration and/or volume control.
- Providing technical assistance to local cities to understand the impacts of development and redevelopment on downstream water resources.
- Promoting ecologically healthy landscapes through education, program and project implementation, and partnering opportunities

4.11 Education and Outreach

Public education and outreach plays an important role in the management of water resources within the Nine Mile Creek watershed. It is through public education and outreach that the District will increase the public's understanding of water resource management and issues in the watershed, and foster long-term public commitment to protecting these resources. The District conducts its education and public outreach duties through a variety of means. Education programming includes interactive learning opportunities at the District's office site (Discovery Point), training opportunities for the professional and public sectors, and educational workshops, including an annual summer education series. Outreach activities include sponsorship of clean-up events, exhibiting at local events, providing volunteer opportunities, and leveraging citizen volunteers for education and outreach activities. The District also offers a cost share grant program for efforts that protect and improve water and natural resources within the watershed. In addition to promoting implementation of best management practices, the cost share program results in engaged and educated residents and provides demonstration sites for promoting best management practices.

Communication is a critical component of the District's education and outreach program. The NMCWD maintains a website with information regarding the Districts programs, including announcements on education and outreach opportunities, District meeting minutes, contact information, and reports and studies. The NMCWD website also contains links to other reference and educational material. The District also <u>proactively</u> communicates with its audiences through targeted invitations, email distribution and periodic publications in local newspapers.

4.11.1 Priority Issues/Opportunities

During the development of this Plan, the Board of Managers, local cities, and other stakeholders identified education and outreach as an important issue, including the following specific priority issues/opportunities:

- Expanding the education and outreach program, including programming at Nine Mile Creek Discovery Point, and ensuring adequate staff capacity to maintain programming.
- Maintaining and expanding development of partnerships with other organizations (public and private) for effective and efficient educational programming.
- Linking educational programming to District goals through prioritization and tracking of measurable outcomes.
- Increasing public participation.
- Increasing public communication and expanding communication network.

4.12 Organizational Management

Clear roles and responsibilities, administrative processes, and funding sources are necessary for the District to accomplish its vision. Minnesota Statutes chapters 103B and 103D provide watershed districts with the authority to: construct improvements, levy taxes, adopt rules to regulate water resources, acquire property, and incur debts, liabilities, and obligations. The jurisdiction of the District overlaps that of cities, counties, and the state. Thus, coordination with other units of government is critical to achieving District goals. As a taxing authority, effective and efficient operation of the Watershed District's work is essential to ensure public support. This section describes several areas of District organizational management.

4.12.1 Maintenance of Stormwater Systems and Projects

Local cities and other MS4 permit holders are generally responsible for maintaining their stormwater management systems. These systems are managed in accordance with maintenance plans detailed in each city's Stormwater Pollution Prevention Program (SWPPP) and local surface water management plan. Proper maintenance of the stormwater system will ensure that the stormwater system provides the necessary flood control and water quality treatment.

Other entities responsible for maintaining the stormwater systems within the NMCWD-include:

- MnDOT is responsible for maintenance and reconstruction of stormwater infrastructure
 associated with state highways. In the MMCWDNine Mile Creek watershed, these locations include
 Interstate 494, US Highway 169, Highway 212, Highway 100, and Highway 62.
- Hennepin County is responsible for maintaining only the "mainline" culvert crossings in its county state aid highways (CSAHs). Cities may maintain these mainline culvert crossings by agreement with the county. Cities are responsible for maintaining storm sewer infrastructure in the county roads.

Owners of private stormwater facilities are responsible for maintaining their facilities in proper
condition, consistent with the original performance design standards, maintenance specifics
included in a declaration recorded on property to fulfill a condition of a District permit, and any
maintenance agreements with member cities.

Effective maintenance of cities' MS4 systems is of great interest to NMCWD and NMCWD will provide assistance as useful and feasible, but NMCWD will not oversee or audit cities' MS4 compliance.

Maintenance responsibilities for NMCWD capital improvement projects are typically defined for each project in the cooperative agreement between the NMCWD and the local municipality. Generally, While as a baseline matter NMCWD is responsible for maintenance of facilities and improvements it constructs, often cities are assume responsibilityle for routine maintenance for these projects in the cooperative agreement forged between NMCWD and the city for a project, given cities often have resources necessary for such maintenance (e.g., heavy equipment, trucks, crews) and own the property on which improvements are constructed. A cooperative agreement for a project will customarily outline a cost-sharing structure – especially for major maintenance and repairs. The NMCWD will work with local cities to resolve issues related to NMCWD project maintenance or replacement as they arise.

4.12.2 Management of County Ditches

NMCWD is the drainage authority for three public ditches within its jurisdiction (see also Figure 2-4.):

- Ditch 1
- Ditch 34
- Ditch 41

NMCWD, in collaboration with cities, manages public ditches to maintain their function as urban drainage systems. As deemed necessary and appropriate, NMCWD will seek to abandon authority of these ditches, and associated responsibilities under Minnesota Statutes chapter 103E.

4.12.3 Funding

Historically, the District has implemented capital improvement projects primarily through the Basic Water Management Project authority (Minnesota Statutes chapter 103D) provided in the Watershed Law and in response to petitions from local cities within the watershed. In recent years, the NMCWD has expanded its implementation avenues to fund capital projects through levy authorities in Minnesota Statutes (Chapter 103B). With a focus on working closely with local cities and others to develop plans and designs that integrate water quality improvements, flood control, and resource restoration and protection into public and private redevelopment projects, the 103B funding offers the District additional flexibility for implementing capital projects. Pursuit of grant funding can provide additional funds for NMCWD project and program implementation.

4.12.4 Organizational Capacity

The NMCWD has experienced modest growth in its staffing; converting from a solely consulting staff from 1959 to 2004, to hiring its first administrator in 2005, to its current three full-time staff. The increase in staff since 2005 has allowed the District to expand its project and program capacity, especially with regard to its education and outreach program. However, there is concern that staff capacity limitations may hinder the District's ability to efficiently and effectively implement this Plan.

4.12.5 Leveraging Partnerships

To optimize efficiency and effectiveness, the District collaborates with several outside organizations on a number of efforts to improve education and watershed management. Leveraging partnering opportunities, including funding or project and program implementation partnerships, can help the District accomplish its objectives more efficiently and cost effectively.

4.12.6 Prioritization

Given that the NMCWD is funded by tax levy, there are financial limitations to the District's water resource management efforts. Staff capacity limitations also impact the projects and programs that can be undertaken by the District. Therefore, it is important that the District develop a prioritization system to evaluate project and partnering opportunities, including administration of cost share grant programs. The prioritization system should include consideration of how anticipated outcomes align with specific goals identified within this Plan.

4.12.7 Priority Issues/Opportunities

During the development of this Plan, the Board of Managers, local cities, and other stakeholders identified organizational management as an important issue, including the following specific priority issues/opportunities:

- Considering alternate funding avenues, including pursuit of grant funding
- Evaluating staff capacity limitations and assessing need for additional staff and/or consultant services.
- Expanding partnerships with other local governments or organizations to increase the efficiency and effectiveness of project implementation.
- Reviewing District rules and regulatory programs periodically and adjusting, as needed.

5.0 General Statement of Goals and Policies

Nine Mile Creek Watershed District (NMCWD) Mission Statement

To manage, protect and enhance water resources in the Nine Mile Creek watershed in collaboration with our partners and community stakeholders, always using sound science to guide decision-making.

This section of the Plan presents the goals, objectives, policies, and actions that pertain to water resources within the NMCWD, organized in the following ten major topic areas:

Section 5.1	Stormwater Management
Section 5.2	Surface Water Management
Section 5.3	Open Spaces and Recreational Uses
Section 5.4	Wetland Management
Section 5.5	Groundwater Management
Section 5.6	Land Use Management
Section 5.7	Flood Management
Section 5.8	Climate Change Adaptation
Section 5.9	Education and Outreach
Section 5.10	Organizational Management

In establishing its goals, the District recognizes they are the end toward which its efforts and ambitions are directed. The goals are not rules but rather a statement of purposes. To achieve these goals, the District has identified policies and actions that guide present and future management decisions. The policies are not regulations or a program but instead are an effort to prudently manage the affairs of the District. Many of the policies and actions included in this Plan require collaboration with Federal, State, local governments and citizens to be effective. One purpose of the Plan is to enable a cooperative effort to achieve common goals.

The following subsections (Sections 5.1 through 5.10) address the issues described in Section <u>4.0.</u> Each topic area is organized in the same tabular format: an overarching goal is addressed by one or more policies, articulated through specific actions. For some topic areas, the overarching goal is broken down into two or more objectives, which are similarly addressed by policies and actions.

5.1 Stormwater Management

The District has established goals, policies, and actions to address stormwater management issues described in Section 4.2. The goals, objectives, policies and actions related to stormwater management are summarized in Table 5-1.

Table 5-1 Stormwater Management Goals, Policies, and Actions

GOA	Stormwater will be managed to maintain or reduce impacts to downstream waterbodies.			
Obje	ective 1:	Maintain or reduce stormwate downstream waterbodies.	er rur	noff rates, volumes and pollutant loadings to
POL	ICIES		AC	TIONS
1.	Ensure stormwater runoff from new development and redevelopment sites is regulated to maintain or reduce runoff rates and volumes, and reduce pollutant loadings to receiving waters.		A.	Implement stormwater volume, quality and rate- control criteria in District rules.
2.	managem	existing stormwater ent effectiveness through ement opportunities.	A.	Participate in planning and development of stormwater management systems to enhance treatment as redevelopment occurs.
			В.	Educate developers and the general public about the importance of stormwater management at redeveloping sites.
3.	_	tormwater collaboratively r local governments.	A.	Ensure, through the local surface water management plan review process, implementation of stormwater management standards and criteria that protect water resources and encourage innovative stormwater management techniques.
			В.	Work with other local governments to implement innovative stormwater management demonstration projects and/or programs.
			C.	Provide technical assistance to cities in updating their local surface water management plans to ensure city plans describe and plan for implementation of programs and projects that are consistent with NMCWD's plan and identify and

			plan for water-resources protections and improvements that the cities are uniquely suited to implement.
4.	Ensure stormwater management systems are maintained.	A.	Maintain and improve stormwater management facility maintenance standards in collaboration with the cities of the District to help ensure that facilities retain their effectiveness and that they are maintained in accordance with current best, practices.
		В.	Develop a stormwater management facility maintenance system to document maintenance agreements and track compliance.
		<u>C.</u>	NMCWD maintenance efforts – both hands-on activities and oversight of others – will be focused on ensuring that NMCWD-constructed and –permitted facilities are maintained.
5.	Promote regional stormwater management, where appropriate.	A.	Work with local governments in identifying high- priority areas, planning, and development of regional stormwater management facilities to enhance treatment and provide flexibility for stormwater management compliance as redevelopment occurs.
		В.	Establish a regional stormwater-management compliance option in the NMCWD rules.
6.	Support use of both structural and nonstructural measures to reduce runoff rates, volumes and pollutant	A.	Promote and/or implement innovative stormwater management demonstration projects and programs.
	loading.	В.	Promote and/or conduct educational programming regarding effective stormwater management.
7.	Promote stormwater capture and reuse to reduce runoff volume and conserve groundwater.	A.	Work with cities and other public or private partners to evaluate opportunities for stormwater reuse projects.
		В.	Work with cities and other public or private partners to implement stormwater reuse projects.

8.	Manage r	unoff to prevent erosion.	A.	Update NMCWD rules as needed and implement through permitting program.		
9.	9. Promote groundwater recharge by implementing stormwater infiltration projects in areas with high recharge potential.		A.	Work with cities and other public or private partners to evaluate and implement stormwater infiltration projects that promote groundwater recharge.		
Obje	Objective 2: Manage public ditch systems with statutory requirements.			s within the Nine Mile Creek watershed in accordance		
POL	ICIES		AC	ACTIONS		
1.	· ·	t statutory requirements as authority in Nine Mile Creek.	A.	Manage public ditches in NMCWD in accordance with statutory requirements.		
2.	Seek to al	pandon public ditches where te.	A.	Review status of public ditch systems of NMCWD and abandon, where appropriate.		

5.2 Surface Water Management

The District has established goals, objectives, policies, and actions to address surface water management issues for lakes and streams described in Section 4.3 and Section 4.4, respectively. This section also addresses aquatic invasive species issues described in Section 4.7. The goals, objectives, policies and actions related to surface water management are summarized in Table 5-2.

Table 5-2 Surface Water Management Goals, Objectives, Policies, and Actions

GO	GOAL: The surface water quality protected and enhanced.			ne lakes and streams of the District will be
Obj	Uniective it		ality, ir	s to assess achievement of water quality goals, nform the design and identify impacts of I projects.
РО	LICIES		ACTI	ons
1.		istrict lakes to assess ent of water quality goals,	A.	Develop/document lake monitoring plan and update annually.
	of lake and	nges, and evaluate impacts d watershed management	В.	Collect, interpret and report water quality and ecological indicator data annually.
	activities.		C.	Establish and support a citizen monitoring program.
	Monitor District streams to assess achievement of water quality goals and impacts of watershed management activities.		A.	Develop/document stream monitoring plan and update annually.
			В.	Maintain and operate existing continuous flow gauging and storm runoff-activated automatic sampling stations on Nine Mile Creek. Interpret and report results of flow and pollutant monitoring data annually.
2.			C.	Monitor water quality parameters annually during base flow conditions to assess support of fish and aquatic life in the stream.
			D.	Monitor fish community in Nine Mile Creek annually to assess attainment with MPCA biological standards.
			E.	Monitor macroinvertebrate community <u>annually</u> to determine 'biotic index' values and detect changes in stream water quality.
			F.	Monitor stream habitat annually to assess stream substrate, stream bank erosion, and sediment accumulation.

3.	assess poll measure s manageme	argeted monitoring to lutant sources and uccess of District ent activities.	A.	Conduct targeted monitoring of lakes, streams, and stormwater to assess pollutant sources and measure success of District management activities.
ОБ	jective 2:	Manage all major waterboo allowance for natural varial		non-degradation of water quality, with
РО	LICIES:		ACTI	ONS:
1.	new develo	vater quality impacts from opment, redevelopment, and bing activities.	A.	Implement stormwater management rules through the NMCWD permitting program.
2.		mwater management e maintained.	A.	Operate, monitor, and maintain current and future NMCWD water quality improvement systems to ensure the designed benefits are achieved.
			В.	Work with other local governments and private entities to confirm stormwater management systems are maintained.
3.	Assess waterbodies for non-degradation; develop and implement management strategies and capital improvements, as needed.		A.	Conduct periodic trend analyses of lake and stream water quality data to identify declining water quality trends.
			В.	Develop management strategies for lakes and stream segments with declining water quality.
			C.	Implement lake, stream and watershed management measures to prevent declining water quality.
			D.	Consider the unique characteristics of each subwatershed when developing management strategies and understand how these characteristics affect the water quality, quantity, and ecological potential of each water resource.
4.	aquatic inv	nd implement a targeted asive species management	A.	Conduct periodic inventory and assessment of aquatic invasive species in District waterbodies.
strategy.			В.	Develop a targeted aquatic invasive species management strategy.
			C.	Work with agencies and local stakeholders to manage invasive species.

Obj	Objective 3: Improve lake water quality to achieve District lake management goals.			
POLICIES		AC	ACTIONS	
1.	subwatershed basis.		A.	Conduct additional Use Attainability Analyses (UAAs) for District lakes, as needed, in partnership with cities when appropriate.
			В.	Update prior lake Use Attainability Analyses (UAAs), as needed, to verify or revise lake management recommendations, in partnership with cities when appropriate.
			C.	Work with agencies, cities, and other stakeholders to establish subwatershed-based implementation programs.
2.	Work with the MPCA and other agencies and stakeholders to complete Total Maximum Daily Load (TMDL) and/or Watershed Restoration and Protection Strategy (WRAPS) studies, where applicable.	A.	Actively participate in the TMDL and/or WRAPS process.	
		В.	Work with MPCA and other agencies and stakeholders to determine appropriate roles and responsibilities in implementing load reduction measures identified in the TMDL and WRAPS processes.	
			C.	Integrate District UAA, TMDL and WRAPS studies, where applicable, to address impairments.
3.	3. Implement water quality management/improvement actions.		A.	Consider implementation of recommended programs and projects from UAAs, TMDL, and WRAPS studies.
			В.	Work with cities and other stakeholders to promote implementation of recommendations from UAA, TMDL, and WRAPS studies.
			C.	Develop and maintain a system to track pollutant load reductions achieved toward meeting UAA, TMDL, and/or WRAPS goals.

Objective 4: Improve the water quality in Nine Mile Creek to meet or exceed MPCA water quality standards.					
POLICIES:		AC	ACTIONS:		
1.	Identify and implement measures to reduce chloride concentrations in Nine		A.	Identify and target priority chloride sources to Nine Mile Creek.	
	Mile Creek.		B.	Work with local governments towinter salt applicators to reduce salt usage on roadways and other hard surfaces.	
			C.	Implement District cost-share program to support reduction of salt use on roadways, parking lots, and sidewalks.	
			D.	Conduct educational programming on salt usage.	
2.	Identify and implement measures to increase dissolved oxygen concentrations in Nine Mile Creek.	A.	Investigate primary causes of low dissolved oxygen throughout Nine Mile Creek and potential remedial measures.		
			В.	Implement measures to increase dissolved oxygen concentrations, in collaboration with agencies and stakeholders.	
3.	Work with the MPCA and other agencies and stakeholders to complete Total Maximum Daily Load (TMDL) and/or Watershed Restoration and Protection Strategy (WRAPS) studies, where applicable.	A.	Consider implementation of recommended projects and programs from UAAs, TMDL, and WRAPS studies.		
		B.	Work with cities and other stakeholders to promote implementation of recommendations from UAA, TMDL, and WRAPS studies.		
			C.	Develop and maintain a database to track pollutant load reductions achieved through implementing water quality management/improvement actions.	
4.		e stability of Nine Mile Creek	A.	Identify and target areas prone to erosion.	
	and reduce	and reduce erosion.	В.	Conduct stream stabilization improvement projects.	
			C.	Implement stormwater management rules through the NMCWD permitting program.	
			D.	Identify and implement stormwater volume reduction projects and practices in the watershed.	

5.3

5.55.3 Open Spaces and Recreational Uses

The District has established goals, objectives, policies, and actions to address open space and recreational use issues described in Section 4.5. The goals, objectives, policies and actions related to open space and recreational use are summarized in Table 5-3.

Table 5-3 Open Spaces and Recreational Uses Goals, Objectives, Policies, and Actions

GO	AL:	Recreational uses of District water resources will be improved, or at least maintained.			
Obj	jective 1:	Promote public access to wa	ter re	sources within the Nine Mile Creek watershed.	
РО	LICIES		AC ⁻	TIONS	
1.		cess to water resources, while and conserving natural areas.	A.	Work with cities and developers to provide access to water resources through the development/redevelopment process or in conjunction with NMCWD water management projects, while protecting and conserving natural areas.	
			and enhancement of natural areas to improve f water resources within the Nine Mile Creek		
РО	ICIES		ACTIONS		
1.	improve fis	d enhance natural areas to h and wildlife habitat, water recreational opportunities	A.	Implement natural area and habitat improvements as part of NMCWD capital improvement projects.	
			B.	Partner with other local governments, agencies, and other organizations to pursue natural area, recreation, and habitat protection and enhancement opportunities.	
2.	2. Maintain natural stream corridor qualities for recreational users and general public.		A.	Evaluate Nine Mile Creek corridor for opportunities to restore natural function and scenic values.	
			В.	Partner with other local governments and private landowners to improve stream corridor through buffers, riparian plantings and restoration projects.	

- 3. Avoid negative impacts and fragmenting of locally and regionally significant natural areas and corridors when feasible, and mitigate when unavoidable.
- Work with other local governments to identify locally and regionally significant natural areas and corridors and promote preservation and/or management of these areas.

A.

5.65.4 Wetland Management

The District has established goals, objectives, policies, and actions to address wetland management issues described in Section 4.6. The goals, objectives, policies and actions related to wetland management are summarized in Table 5-4.

Table 5-4 Wetland Management Goals, Objectives, Policies, and Actions

GO	AL:	The acreage, functions, and values of wetlands within the Nine Mile Creek watershed will be maintained and enhanced.		
Obj	jective 1:	Work to achieve no net loss of Nine Mile Creek watershed.	acrea	age, function, and value of wetlands within the
РО	LICIES		AC.	TIONS
Manage wetlands through NMCWD administration of the Wetland Conservation Act (WCA) and the NMCWD rules.		A.	Administer Wetland Conservation Act (WCA) requirements as the responsible Local Government Unit (LGU) for the cities of Eden Prairie, Edina, Hopkins, and Richfield.	
			В.	Provide technical assistance in wetland-related matters in Bloomington and Minnetonka, and assume LGU status if requested.
			C.	Implement wetland management rules through the NMCWD permitting program.
2.	adopt land ordinances to comple protection	other local governments to d use and development s or other regulatory controls ment NMCWD's wetland rule and achieve no net loss acreage, function, and value.	A.	Establish an incentive program for implementation of wetland buffer areas on private properties.
3.		net loss of wetland acreage, nd values on District-sponsored	A.	Pursue wetland enhancement, restoration, and creation opportunities to offset potential wetland losses within the District.
4.		etland replacements within the attershed whenever possible.	A.	Administer_Wetland Conservation Act (WCA) and the NMCWD rules.
5.	wetland dis	oidance of direct or indirect sturbance for all developments isturbing activities.	A.	Administer_Wetland Conservation Act (WCA) and the NMCWD rules.

6.	6. Prohibit use of high value wetlands for		Administer Wetland Conservation Act (WCA) and
	stormwater management where other		the NMCWD rules.
	alternatives exist.		

	alternatives	s exist.				
Ob	Objective 2: Protect and restore high-qua			ity wetlands within the Nine Mile Creek watershed.		
РО	POLICIES		AC	TIONS		
1.	wetland areas, sensitive habitats, sensitive animal and plant species, and rare or endangered species.	A.	Inventory wetlands within the watershed, including delineation, functions and values assessment.			
		В.	Compile and track wetland functions and values assessments conducted within the Nine Mile Creek watershed.			
		C.	Identify rare and high-quality wetland plant communities, and sensitive habitats and animal and plant species for protection.			
			D.	Develop wetland restoration and protection plan to address high-quality wetlands areas, sensitive habitats and plant species, and rare, endangered, and threatened plants and animals within watershed.		
		E.	Partner with other local governments to identify and implement wetland restoration opportunities.			
			F.	Work with other local governments and natural resource agencies to manage invasive species and restore native species.		

5.75.5 Groundwater Management

The District has established goals, objectives, policies, and actions to address groundwater management issues described in Section 4.8. The goals, objectives, policies and actions related to groundwater management are summarized in Table 5-5.

Table 5-5 Groundwater Management Goals, Objectives, Policies, and Actions

GOAL:		Groundwater quality and quantity will be protected and conserved for appropriate and sustainable beneficial uses.			
		tanding of groundwater resources, including teraction and the effects of community water use.			
POLICIES		ACTIONS			
Collect and evaluate data releasing the District's under groundwater resources.		the District's understanding of	A.	Develop a groundwater monitoring plan, including consideration of monitoring groundwater levels and contaminant concentrations.	
			В.	Continue collection of static groundwater levels from observation wells throughout the watershed.	
			C.	Study the interaction of groundwater and surface water resources in the Nine Mile Creek watershed to better understand the impacts of groundwater on lake, wetland and stream hydrology and to identify areas with high aquifer recharge potential.	
			D.	Summarize groundwater monitoring data annually in the District Engineer's Report and provide data to the appropriate state agencies	
2.		with other state and local oidentify and fill data gaps.	A.	Collaborate with others to research infiltration impacts on groundwater and develop a consistent approach to protecting areas sensitive to groundwater contamination.	
			В.	Collaborate with other agencies to enhance groundwater monitoring efforts.	

Objective 2: Protect groundwater quality and quantity.				
POLICIES		AC	ACTIONS	
1.	Participate in regional groundwater planning efforts.		A.	Support the Minnesota Department of Health (MDH) and other state, regional, and local agencies in implementing wellhead protection programs and plans within the District.
			В.	Partner with Hennepin County, other local water management organizations, cities, and state agencies to develop a regional groundwater management plan, and participate in regional groundwater planning efforts, as appropriate.
2.	District's p	oundwater quality through the ermitting process, community eview, and education efforts.	A.	Require cities to provide the District with updates to their Wellhead Protection Plans.
		·	В.	Implement the District stormwater rules and permitting program, including volume control.
			C.	Conduct review of District stormwater rules to ensure rules are adequately protective of groundwater quality.
3.	manageme	e implementation of best ent practices (BMPs) for rotection areas.	А	Account for possible impacts to groundwater and wellhead-protection areas when designing and implementing District capital projects.
			В	Support the identification of and sealing of abandoned wells.
4.		roundwater conservation and e groundwater use.	A.	Require cities to adopt and implement <u>a</u> groundwater <u>-</u> -conservation polic <u>y</u> ies.
			B.	Work with cities and state agencies to promote the use of, and reduce regulatory barriers to, <u>storm</u> water reuse.
			C.	Encourage cities to develop groundwater sustainability goal(s).

Objective 3: Protect and expand groundware improve groundwater-dependent		rater recharge, especially as necessary to protect and dent natural resources.			
РО	POLICIES			ACTIONS	
1.	Promote groundwater recharge – especially where it will protect and improve ground-water dependent natural resources.		A. B.	Identify and map areas in the watershed based on potential for (and limitations to) groundwater recharge. Work with cities to encourage recharge within their regulatory controls and other guidance, especially where it will protect and improve	
			C.	groundwater-dependent natural resources. Seek opportunities to incorporate recharge into District projects, especially where it will protect and improve groundwater-dependent natural resources.	

5.85.6 Land Use Management

The District has established goals, objectives, policies, and actions to address land use management issues described in Section 4.10. The goals, objectives, policies and actions related to land use management are summarized in Table 5-6.

Table 5-6 Land Use Management Goals, Objective, Policies, and Actions

GOAL:		Water resources will be protected and enhanced by integrating water resources management with land use planning.				
		water resources through participation in local entation of the cities' comprehensive land use plans				
РО	LICIES		ACTIONS			
1.	promote w opportunit	with cities to identify and er resource improvement s as part of local or regional	A.	Participate in local and regional land use planning efforts to identify opportunities to achieve District goals, objectives and policies.		
	planning efforts.		В.	Inform local and regional land use planning efforts by providing information and analysis regarding opportunities for improved water resources management and protection.		
			C.	Provide assistance to cities to incorporate low- impact development requirements into local controls.		
2.	Ensure consistency of 2017-18 local water management and comprehensive plan updates with NMCWD plan.		A.	Assist cities in development of local water management plans		
			В.	Review city local water management plans for consistency with District goals and policies.		
Obj	Objective 2: Protect and enhance water related to protect v		esources by ensuring the use and development of vater resources.			
РО	POLICIES:		ACTIONS:			
1.	and other l	Require development, redevelopment and other land-disturbing activities		Implement District rules through the permitting program.		
	within the watershed to prevent impacts on water resources, including cumulative impacts.		В.	Ensure coordination of the District's regulatory program with local land use controls to support the District's policies and objectives.		

2.	The presence of environmentally sensitive natural resource areas should guide land use management decisions.		A.	Coordinate the District's regulatory program with local land use controls to support the District's policies and objectives.
3.	Ensure that impacts of development on water resources, including cumulative impacts, are understood and considered.		A.	Assist cities in understanding the individual and cumulative impacts of development on water resources.
Objective 3: Coordinate land use planning safety and property.		with 1	flood risk management to minimize risk to public	
		safety and property.		
РО	LICIES	safety and property.	AC ⁻	TIONS
PO 1.	Prevent flo	odplain encroachment in aintain no net loss of	AC	Work with cities to identify floodplain areas and permissible land uses.

5.95.7 Flood Management

The District has established goals, objectives, policies, and actions to address flood management issues described in Section 4.1. The goals, objectives, policies and actions related to floodplain management are summarized in Table 5-7.

Table 5-7 Flood Management Goals, Objective, Policies, and Actions

GOAL:		Human life and permanent structures will be protected from damage due to flooding.			
Objective 1: Manage the floodplain to prevolume.		event	vent encroachment and maintain flood storage		
POLICIES		AC.	ACTIONS		
1.	Ensure a no net loss of floodplain storage.		A.	Place restrictive covenants on titles of properties, if necessary, to ensure floodplain protection.	
			В.	Assess effectiveness of District floodplain management rule and update as necessary.	
			C.	Manage floodplains to maintain critical 100-year flood storage volumes.	
			D.	Maximize upstream floodwater storage.	
2.	The natural function of the floodplain as a floodwater storage area will be protected from encroachment.		A.	Work with other local governments to establish natural vegetated buffers on all publicly owned lands adjacent to Nine Mile Creek and stormwater detention areas.	
			В.	Pursue opportunities to preserve, restore, and manage floodplain wetlands.	
Obj	ective 2:	Reduce the risk to public safe	ety and permanent structures due to flooding.		
РО	POLICIES		ACTIONS		
1.	Local water management plans and other regulatory controls will include provisions that restrict construction of new structures within the floodplain and other flood prone areas.		A.	Require local stormwater management plans to maintain critical 100-year flood storage volume.	
			В.	Work with cities to identify floodplain areas and permissible land uses.	
			C.	Assist cities with the development and adoption of land-use ordinances to be compliant with	

			District, County, and State flood protection requirements.
2.	Work with cities to address increased flood potential from NOAA Atlas 14 precipitation frequency depths.	A.	Assist cities in identifying and prioritizing flooding problems resulting identified from using Atlas 14 precipitation frequency estimates.
		В.	Assist cities in identifying improvement alternatives to address regional flooding problems.
		C.	Assist cities in implementing infrastructure improvements to address regional flooding problems.
		D.	Work with cities to incorporate flood risk information into local land-use controls.
3.	Understand and address the potential for increased flood risk due to predicted	A.	Assess increased flood risk due to predicted climate changes.
	changes in climate.	В.	Work with cities and stakeholders to understand the increased flood risks and identify potential adaptation strategies.
		C.	Review District rules and policies for adequacy under climate change scenario(s).

5.105.8 Climate Change Adaptation

The District has established goals, objectives, policies, and actions to address climate change adaptation issues described in Section 4.9. The goals, objectives, policies and actions related to climate change adaptation are summarized in Table 5-8.

Table 5-8 Climate Change Adaptation Goals, Objective, Policies, and Actions

GOAL:		•	acts of climate change on the District <u>watershed</u> and its ces will be understood and minimized.			
Objective 1:		Minimize the adverse impacts of climate change on the District watershed and its water resources.				
РО	POLICIES		AC.	TIONS		
1.	Promote climate change adaptation to minimize property damage and impacts to District natural and water resources. Output Description:		A.	Evaluate impacts and dDevelop a District climate change adaptation strategy to identify natural and water resource vulnerabilities to climate change and potential adaptation strategies.		
			В.	Work with other local governments and other stakeholders to educate regarding the impacts of climate change and assist in developing city-specific climate change adaptation strategies.		
			C.	Work with other local governments to implement climate change adaptation strategies.		
			D.	Collaborate with other natural resource management agencies to utilize current data and develop shared strategies.		

5.115.9 Education and Outreach

The District has established education and outreach goals, objectives, policies, and actions. As education and outreach is a primary tool of the District, the policies and action described in this section address all of the issues identified in Section 4.0, as well as the specific education and outreach issues described in Section 4.11. The District's goals, objectives, policies and actions related to education and outreach are summarized in Table 5-9.

Table 5-9 Education and Outreach Goals, Objective, Policies, and Actions

GO	AL:	District water resources will be protected and enhanced through effective education and outreach programs.					
Obj	Objective 1: To educate and engage those watershed.			t live, work, or recreate in the Nine Mile Creek			
РО	LICIES		AC	TIONS			
1.	1. Provide education & outreach programming that aligns with District goals and priorities.		A.	Review and prioritize educational programming annually for alignment with District goals and policies.			
			В.	Support projects that demonstrate effective and innovative landscape and stormwater management practices.			
			C.	Maintain and develop new partnerships to provide educational programming.			
			D.	Develop and/or distribute educational materials.			
			E.	Host, conduct, or partner to provide educational workshops, trainings and events.			
			F.	Partner with agencies and other groups to develop, implement, or host education programs related to stormwater best management practices, sustainable land use practices, chloride reduction, and other topics related to the District's Water Management Plan goals.			
2.		nd tailor education and rogramming to target	A.	Identify and prioritize target audiences. Audiences may include: District residents, local elected and appointed officials, city staff, schools, businesses, faith communities, and others.			
			В.	Identify specific needs for diverse audiences.			

		C.	Disseminate educational materials and information to target audiences, including developers, elected and appointed officials, residents, and others.
		D.	Continue to develop programming that targets and engages multiple learning styles.
		E.	Develop a communication strategy for reaching targeted audiences.
3.	Promote behavior change through targeted educational programming.	A.	Continue to implement educational approaches that foster and promote behavior change.
		В.	Support educational programs that utilize a behavior change approach.
4.	Seek opportunities to use art to engage stakeholders and foster a stewardship principle.	A.	Continue to develop partnerships to use art as an engagement tool to reach new audiences and to incorporate art into educational programming.
		В.	Incorporate public art into District capital improvement projects, when feasible.
		C.	Incorporate art programming and public art at Nine Mile Creek Discovery Point.
5.	Provide opportunities for volunteers to engage with the District.	A.	Incorporate volunteer events and opportunities into education programming, as achievable.
		В.	Partner with cities, agencies, businesses, nonprofits and others for volunteer events.
		C.	Provide service learning opportunities, when possible.
6.	Encourage and promote implementation of Best Management Practices (BMPs) in the watershed.	A.	Continue to implement the District's cost share program, which provides financial assistance to engage stakeholders to implement BMPs.
		В.	Provide planning grants to nonprofits meeting the grant criteria to engage stakeholders and provide assistance in planning for BMP implementation.

Obj	Objective 2: To provide effective education and outreach through Nine Mile Creek Discovery Point.				
POLICIES			AC	TIONS	
1.		ucational programming that District goals and priorities.	A.	Develop and maintain permanent and temporary educational exhibits.	
			В.	Host, conduct, or partner to provide educational workshops, trainings and events.	
			C.	Develop and maintain educational signage.	
			D.	Host an annual state-of-the-watershed event to update stakeholders on District progress towards accomplishing its goals.	
2.	Demonstrate effective and innovative landscape and stormwater management		A.	Develop and maintain innovative stormwater management practices.	
	for residential and commercial land uses.	В.	Conduct and demonstrate landscape restoration techniques.		
			C.	Conduct and demonstrate invasive species management techniques.	
			D.	Continue to provide leadership in low-impact site design and landscape maintenance by experimenting in innovative site design and maintenance techniques.	
3.	Provide opportunities to engage the public and promote a stewardship principle.		A.	Develop and promote volunteer opportunities at Nine Mile Creek Discovery Point.	
			В.	Continue to develop and promote educational programming that builds the connection between people and nature.	
			C.	Promote and work to increase participation in Discovery Point programming.	
			D.	Use the District's website communication methods such as social media to engage the public and promote stewardship of the District water and natural resources.	
4.			A.	Seek ways to incorporate art into the Discovery Point landscape and building.	

Seek opportunities to use art to engage stakeholders in learning that fosters a stewardship principle.

B. Develop partnerships to use art as an engagement tool to reach new audiences and to incorporate art into Discovery Point programming.

Objective 3:

Increase the effectiveness of the District's education and outreach program through partnerships.

РО	POLICIES		ACTIONS			
1.	efforts and promote efficient and effective education and outreach	A.	Assist in distributing materials or promoting programs developed by other organizations.			
		B.	Assist in promoting, developing, and/or implementing education and outreach programs and materials in partnership with other organizations.			
		C.	Meet yearly with cities to coordinate education and outreach efforts.			
2.	Engage new and maintain existing partnerships.	A.	Assist in distributing materials or promoting programs developed by other organizations.			
		B.	Assist in promoting, developing, and/or implementing education and outreach programs and materials in partnership with other organizations.			
		C.	Financially sponsor programs and the development of new education programs, when appropriate.			

Obj	Objective 4: Build a stewardship principle among those that live, work, and recreate in the Nine Mile Creek watershed.					
РО	LICIES		AC ⁻	TIONS		
1.	water and	portunities to experience natural resources and practice	A.	Host, conduct, or partner to provide programs in/at District resources.		
	stewardshi	р.	В.	Model and demonstrate stewardship practices at Discovery Point.		
			C.	Develop and/or promote volunteer opportunities.		
2.	Promote access to District water resources.		A.	Prepare and provide information to District cities and the public regarding locations to access and experience District water resources.		
			В.	Host, conduct, or partner to provide programs in/at District resources.		
3.	partnership	xisting and establish new	A.	Partner with local public and private organizations to conduct events.		
	build stewardship.		В.	Partner with local public and private organizations to promote programs that build stewardship.		
Obj	jective 5:	Improve management and pa and open communication an		otection of District water resources through effective d stakeholder participation		
POLICIES		AC ⁻	TIONS			
1.	Provide information to District stakeholders, including the public, regarding District policies, programs, and projects. Provide information to District stakeholders, including the public, regarding District policies, programs, and projects.		A.	Use District's website to provide timely information on District policies, programs, studies, and projects, including posting meeting dates, times, locations, agendas, and meeting minutes.		

		В.	Review and keep content on District's website current.
		C.	Explore alternative methods of communication to expand communication with District stakeholders.
2.	Promote awareness of the District's presence and its role in managing water resources.	Α.	Continue to communicate information regarding District activities and programs to the public through newsletters, the District website, social media, local newspapers, participating in community events, and other communication methods.
3.	Provide opportunities for effective public involvement and input on District policies, programs, and projects.	A.	Support and maintain an active Citizens Advisory Committee (CAC) representative of the entire watershed.
		В.	Host public engagement and input forums on District programs and projects.
		C.	Provide timely periodic updates to stakeholders regarding policies, programs, and projects of interest.
		D.	Develop and implement an education and outreach strategy for all District capital improvement projects.
		E.	Periodically conduct surveys regarding District citizen concerns.
4.	Continue to build a network of community leaders that educate and advocate for effective water resource	A.	Support and maintain an active Citizens Advisory Committee (CAC) representative of the entire watershed.
	management and protection.	В.	Support education and outreach programs that encourage citizen engagement and citizen leadership for clean water.

5.125.10 Organizational Management

The District has established goals, objectives, policies, and actions related to District organizational management. The policies and action described in this section address specific organizational management issues described in Section 4.12. The District's goals, objectives, policies and actions related to organizational management are summarized in Table 5-10.

Table 5-10 Organizational Management Goals, Objectives, Policies, and Actions

GO	GOAL: The organization will be managed in an efficient, effective, and responsible manner.				
Obj	jective 1:	Manage District affairs in a fisc	ally r	esponsible manner.	
РО	LICIES		AC.	TIONS	
1.	1. The District will levy to fund its operations (e.g., facilities and staff), programs, capital improvement projects, and maintenance.		A.	The District will diligently comply with state and Hennepin County budgeting and levying requirements and protocols.	
2.	2. The District will ensure that its permitting program is fee-support in accordance with Minn. Stat. § 103D.345.		A.	Defray the cost of its permitting program by collecting application fees.	
			В.	Periodically review costs of administering its permitting program in comparison with fees collected.	
			C.	Periodically review permitting program administration and evaluate opportunities to improve efficiency.	
3.	Enforcement of rules of the District will be by civil action; criminal conduct will be reported to municipal or county authorities for investigation and prosecution.		A.	Maintain the District's program of inspections of permitted projects and take enforcement action when needed to ensure compliance with NMCWD regulatory requirements.	
4.		will seek supplemental urces to accomplish its goals ves.	A.	Identify and pursue grant funding to help achieve District goals and objectives.	

			В.	Seek partnerships, or cost-sharing, to help achieve District goals and objectives.
Obj	jective 2:	Manage District operations, peffectively.	orogr	ram, and projects <u>effectively and</u> efficiently and
РО	LICIES		AC	TIONS
1.	achieve Dis	rograms and projects to strict goals and objectives in and cost effective manner.	A.	Biennially review the District implementation program relative to current opportunities, emerging issues, and other evolving factors.
			В.	Prepare an annual budget and work plan with consideration for the items identified in the District's Plan.
2.	Evaluate and consider the short- and long-term (life cycle) costs of programs and projects when evaluating their effectiveness.		A.	Identify and/or develop tools to effectively measure life-cycle costs and benefits from District projects.
3.	Periodically evaluate District progress in working toward its goals and objectives through its implementation program.		A.	Biannually review and evaluate the District implementation program considering past accomplishments, available resources, and progress towards goals.
4	Strengthen the District's capacity to accomplish its goals and objectives.		A.	Periodically assess staffing resources and needs to most effectively distribute and accomplish District tasks.
			В.	Periodically assess office equipment needs to reduce maintenance costs and provide technology consistent with the current state of the practice.
5.		ence-based, informed, goal- ecision making.	A.	Continue to collect relevant monitoring and performance data to measure project and

program success and inform future decisions.

Ob	jective 3:	Leverage partnerships to achieve more efficient and effective water resource management.					
РО	LICIES		AC	TIONS			
1.	manageme with Distric residents, of government organization and cost e	e water resource ent efforts and collaborate ct partners, including cities, pertinent ntal units, and other ons, to promote efficiency ffective use of funds for	A. B.	Identify opportunities to incorporate water resource management efforts into capital improvement projects and major redevelopment projects. Provide financial and technical assistance to District partners for water resource management and protection activities.			
	water resource management.		C.	Promote innovative water resource management through implementation of District projects and support of projects by District partners.			
			D.	Coordinate water quality monitoring efforts to avoid redundancy.			

Implementation Program 6.0

6.1 **Implementation Program**

As outlined in Section 3.1, the District will take on a number of specific responsibilities in implementing this plan.

Section 6.0 sets forth the programs, projects and other actions the District will undertake to implement its goals and priorities for the next 10 years of water resource management in the Nine Mile Creek watershed and fulfill the responsibilities described in Section 3.1. The implementation program achieves its purposes through programs and activities gathered under the following headings:

- Regulatory Controls and Permitting Program
- Data Collection, Assessment and Management
- **Education and Outreach**
- **Projects and Capital Improvements**
- Administration

The District's operations and programs are summarized in Table 6-1 along with the anticipated costs. The District's anticipated capital improvement projects for the next 10 years are shown in Table 6-2. These two tables describe the programs and projects that NMCWD contemplates undertaking to implement this plan. The entries in the tables range from basic ongoing operational functions of the organization to possible major capital projects, the need for which has been identified, but the exact parameters of which have not yet been determined. Similarly, while some of the expenditures stated in the tables are wellknown and understood, many others represent costs of possible projects and programs. The tables will quide NMCWD's annual planning, budgeting and levying processes, but do not represent budgets themselves. Before any of the work in Table 6-1 commences, the Board of Managers will proceed according to state law to establish and promulgate the first annual (2018) draft budget for implementation of the plan. The budget will be subject to public review and comment before it is finalized by the managers to establish a levy for the coming year's work in accordance with Minnesota Statutes section 103D.911. The budget also will include project work identified in Table 6-2 which has been or will be separately ordered and levied for by the managers in accordance with the procedures for public and peer review and comment in Minnesota Statutes section 103B.251. (Funds for implementation of the Nine Mile Creek stabilization and restoration project in Edina, for example, have already been collected by NMCWD.) While the tables identify work NMCWD could do, further public review and approval steps will occur each year to establish a budget that balances NMCWD's ambitions for water resource protection and improvement with the realities of fiscal limitations.

Table 6-1 and Table 6-2 provide an anticipated schedule for the District's operations, programs, and capital improvement projects for the next 10 years. While the tables lay out a proposed schedule of activities, the actual schedule may change due to circumstances such as the ability to successfully leverage outside resources for specific activities or projects or the timing of projects completed in partnership with other entities.

The following subsections set forth the District's implementation program in detail. A critical premise for the implementation section of the plan is that while the District assumes overall responsibility for implementing its programs and activities, the majority of the programs, projects and activities described in this section will benefit from engagement and partnership with watershed cities, Hennepin County, and other cooperators, as described in this Plan.

Regulatory Controls and Permitting Program 6.2

To implement, in part, its 2007 plan and in fulfillment of the mandate in Minnesota Statutes section 103D.341, the District adopted a comprehensive update of its rules in 2008. The rules regulate the use and development of land within the Nine Mile Creek watershed and represent, in conjunction with the state Wetland Conservation Act, a comprehensive approach to:

- Floodplain Management and Drainage Alterations
- Wetlands Management
- Stormwater Management
- **Erosion and Sediment Control**
- Waterbody Crossings and Structures
- Shoreline and Streambank Improvements
- Sediment Removal

The District Rules apply to proposed land-disturbing activities that meet specific criteria; each rule includes a specific threshold or thresholds that determine applicability (i.e., a proposed project may trigger the wetland management rule, but may not trigger the stormwater management rule). In addition, the District regulates small appropriations from public waters in accordance withas required by Minnesota Statutes section 103B.211, subdivision 4.

The District rules set performance standards and generally do not specify means or methods by which regulated parties must achieve the standards (though well-established peer guidance is referenced and utilized to gauge expected performance of facilities and practices). The performance standards established in the 2008 comprehensive revision of the District rules have been successfully, efficiently and effectively implemented and have required only limited adjustments in 2011 (mostly clarifications to language to better effect the intent of the rules) and 2015 (a slight adjustment in the applicability of the District stormwater provisions to single-family home properties). The standards and criteria in the District rules that have been most critical in the rules' contribution to the implementation of the District plan are:

• Floodplain Management and Drainage Alterations

- o Two-foot <u>vertical</u> freeboard
- No net loss of 100-year flood storage
- No risk-increasing alteration or blockage of creek flood flows (50-foot clear zone)

• Wetlands Management

- Priority on in-watershed replacement of impacts
- Buffer requirement
- o Treatment of stormwater prior to discharge to a wetland (i.e., pre-treatment)

Stormwater Management

- No increase in runoff rate at discharge points from existing discharge points
- Retention onsite of the first inch of stormwater volume
 - Volume-banking option
- Average annual removal of 60 percent of phosphorus and 90 percent suspended solids
- Permanent maintenance of stormwater management facilities

Erosion and Sediment Control

 Site inspection and management in accordance with stormwater pollution prevention plan consistent with state-promulgated standards

• Waterbody Crossings and Structures

- Conservation of hydraulic and navigation capacity, water quality, wildlife passage, waterbody cross section and bed conditions, <u>and</u> fish spawning
- Minimal-impact approach to address a specific need related to a construction, improvement, repair, or removal of a waterbody crossing

• Shoreline and Streambank Improvements

- Demonstration of need
- Sequencing to favor naturalized stabilization
- 3:1 slopes
- Minimal waterbody encroachment
- Prohibition on cosmetic armoring
- Limitations on retaining walls

• Sediment Removal

- o Conservation of waterbody cross section, bed and banks, fish spawning <u>areas</u>
- Erosion and sedimentation control,
- Limitations on placement, storage, or disposal of excavated material may be stored or disposed

For purposes of adoption of this plan, the District rules and WCA are incorporated by reference as the thresholds, standards and criteria for regulatory protection of water resources in the Nine Mile Creek watershed. (The District is the local government unit administering WCA in Eden Prairie, Edina, Hopkins and Richfield; the City of Bloomington and the City of Minnetonka exercise WCA authority within their respective jurisdictions, as do the Minnesota Department of Transportation MnDOT and the Minnesota

State College and University System for wetlands on state right-of-way property and within the Normandale Community College campus, respectively.)

In conjunction with the finalization of this plan, the District initiated a comprehensive analysis of the capacity of and efficiency with which the thresholds, standards, requirements and criteria in its rules will contribute to implementation of the goals, objectives and policies in Section 5.0. In addition, the District's meetings with its Technical Advisory Committee for the development of the plan included identification of elements of the rules that should be reviewed and issues to be considered in implementing the plan. To see these efforts through, the District initiated rulemaking in conjunction with the adoption of the plan to consider revisions to the District regulatory program and rules, including:

Floodplain Management and Drainage Alterations

- Analyze need for revisions responsive to climate change
- Require development and redevelopment projects to maintain 100-year flood storage volumes

Wetlands Management

- Require subwatershed-based replacement wetland siting
- Require replacement or at least demonstrated avoidance of indirect impacts to wetlands
- Prohibit use of high-value wetlands for stormwater management except when no other alternative is available

Stormwater Management

- Review of threshold for District permit requirement, including applicability to singlefamily home properties
- Revise/Expand options for regional stormwater management
- Add specific provisions for stormwater reuse
- Add exemption from volume retention requirement for sites with contaminated soils
- Integrate elements of the state Minimal Impact Design Standards, including provisions for protection of drinking water (Drinking Water Supply Management Areas and Wellhead Protection Zones)
- Incorporate specific provisions to ensure groundwater recharge where appropriate, especially as necessary to protect identified groundwater-dependent resources
- Strengthen assurances of stormwater management facility maintenance
- Integrate a winter salt application plan submittal requirement

Erosion and Sediment Control

Review theof threshold for District permit requirement

The District will develop and hone draft revisions to its rules in a robust stakeholder-engagement process before issuing for the 45-day public comment period required by state law (Minn. Stat. § 103D.341). In

adopting the final revisions to the rules, the Board of Managers will concurrently take the necessary statutory steps to incorporate the revised rules into this plan.

Subsection 6.2.1 below describes the structure of the District permitting program while Subsection 7.1 specifies the framework for watershed cities' determinations as to whether to authorize the District to continue to exercise sole regulatory authority to achieve the water resources protection provided by the District rules. Under any circumstances, the District will continue to exercise authority for permitting under rules that apply to activities that present potential impacts to waterbodies that are shared by two or more cities.

6.2.1 **Permit Program**

Utilizing authority found in Minnesota Statutes sections 103B.211, subdivision 1(a), and 103D.341, the District ensures that its rules contribute measurably to the implementation of its plan. The regulatory program will produce substantive water resources protection by operating a well-managed permitting program. The District will continue to rely on operation of a comprehensive permitting program to implement its next-generation watershed management plan.

Any person or entity undertaking an activity that triggers one or more District regulatory thresholds must obtain the required NMCWD permit prior to commencing the activity. The District rules specify the requirements and performance standards applicable to these activities, and the process for obtaining District permits.

After the District reviews and approves In its a watershed city's local water management plan in accordance with Minnesota Statutes section 103B.235, a city must determine whether to amend its official controls (ordinances) and policies to provide protection of water resources at least as effective as provided by the District rules or defer exercise of sole regulatory authority to the District. If the city elects to exercise sole regulatory jurisdiction over the subject matter of one or more District rules, the city must adopt and implement the plan within 120 days and determine whether to amend its official controls (ordinances) and policies to provide protection of water resources at least as effective as provided by the District rules or defer exercise of sole regulatory authority to the District within 180 days of adoption of its plan.

Consistent with this regulatory framework (which is outlined in Minnesota Rules 8410.0160), the District will require as a condition of approval of a local water management plan that the city's plan state that the city will update its ordinances to maintain conformity to the NMCWD rules or defer exercise of regulatory authority for the work covered by the revised rule within 1-one year after NMCWD provides notice that it has significantly revised a rule. (The city's plan should allow 60 days for NMCWD review). Cities that defer exercise of regulatory authority to the District need to establish protocols to ensure that applicants for other city land-use approvals are referred to the District to obtain relevant necessary approvals under the District rules.

6.2.2 Wetlands Management

As noted, the District is the local government unit responsible for administering the Wetland Conservation Act in Eden Prairie, Edina, Hopkins and Richfield (see Section 3.1). In addition to administering the WCA, the District has adopted a Wetlands Management rule that applies in all watershed cities. The purpose of this dual regulation is to assure achievement of District goals and policies and to protect and enhance water resources. Requirements in the NMCWD Rules (as amended) related to wetlands address:

- Wetland replacement
- Buffers
- Stormwater treatment
- Information and required exhibits (e.g., signage)

Specific requirements and performance standards are included in the NMCWD Rules.

6.2.3 Erosion and Sediment Control

As a general matter, the District rules ensure consistency with the recommendations and performance specifications for erosion and sediment control (ESC) BMPs published in the *Minnesota Stormwater Manual*. But the District permitting process requires that the ESC and stormwater pollution prevention plans for a particular project will achieve compliance with District standards and criteria.

6.2.4 Stormwater Management

The District has adopted a stormwater management rule for the purposes of ensuring that development and redevelopment sites provide complete and effective runoff management. The rule requires that onsite retention and regional water quality treatment systems operate together to manage peak runoff rates to achieve rates equal to or below existing rates; manage runoff volume through abstraction requirements; provide water quality treatment to remove sediment, other pollutants and nutrients from stormwater and snowmelt runoff; and providing for nondegradation of surface waterbodies in the watershed. The District encourages and works with prospective permit applicants to explore land-use design options that reduce the need for constructed stormwater management systems.

6.2.5 Floodplain Management

The District has established thea goal to protect human life and property from damage due to flooding. To this end, the District has adopted a Floodplain Management and Drainage Alterations rule. The District has established a District-defined floodplain, based on Atlas 14 precipitation frequency estimates, that encompassing encompass the channels of watercourses, and those portions of the adjoining floodplains that are reasonably required to carry and discharge floodwater and provide water storage during a 100-year flood assuming ultimate development conditions. The District-defined floodplain extent and elevations are presented on Figure 2-8 and Figure 2-9, respectively.

District performance standards included in the rule are applicable only to the District-defined floodplain. (Additional requirements may apply within areas identified as floodplains by the Federal Emergency Management Agency and shown on FEMA Flood Insurance Rate Maps.)

6.2.6 Variances & Exceptions

The District may grant a variance from the minimum standards and criteria in the District rules if the District Board of Managers determines that the application meets the standard in the District variances and exceptions rule, which presently articulates an undue hardship standard. The District will consider, however, modifying its variance standard to the practical difficulties standard that has been codified in state law for other land-use decisions since the last major revision of the District rules. (*See, e.g.,* Minn. Stat. § 462.357, subd. 6.) In approving a variance, the Board of Managers may condition the variance so as to ensure conservation of water resources using sound scientific principles for the protection of the public health and welfare and the prudent use of the natural resources.

The District also has established a framework for the approval of an "exception" where an applicant demonstrates that better water resource protection can be achieved through an innovative approach than would be achieved by strict compliance with the District rules.

6.2.7 Enforcement

The District regularly inspects all permitted work sites and a monthly report is made to the managers. To a significant extent the District has relied on communication with permittees and property owners, and coordination with water resources staff in the relevant city to address noncompliance with relevant permit and rule requirements.

After adoption of revisions to the District rules to implement the new and updated goals, objectives and policies in this plan and conclusion of review of updated city local water management plans (which must be completed and adopted by December 31, 2018), the District will examine its enforcement process to ensure it is appropriately scaled to the scope of the District regulatory program. At a minimum, due process protections – procedures to ensure the permittees who have committed an apparent violation receive notice and an opportunity to be heard by the Board of Managers – will be incorporated into the District rules and associated program guidance. As a general matter, the District will use an escalating enforcement process, whereby permittees and those who should have a permit but do not are given the opportunity to voluntarily come into compliance with District requirements. A matter will be elevated to a hearing before the Board – and from there, possible district court enforcement – only for property owners who fail to avail themselves of opportunities to work with District staff to ensure water resource protection.

6.3 Data Collection, Assessment and Management

A primary goal of the District is to protect and enhance the surface water quality of the lakes and streams of the District. To accomplish this goal, the District operates an extensive lake and stream management program. Generally, the program includes:

- Data Collection (monitoring)
- Assessment (e.g., studies)
- Implementation of projects and programs

6.3.1 Data Collection

Monitoring of District waterbodies is essential to developing an understanding of past and present conditions within the watershed and determining the need for action by the District or other entities.

The District conducts a lake and stream monitoring program for water quality purposes. The District has expanded these programs to address water quality impairments that must be addressed through the MPCA's WRAPS or TMDL processes. This data collection program is designed to establish baseline conditions, track changes, and inform additional studies (e.g., feasibility studies, lake management plans) to identify BMPs for implementation to achieve water quality goals for both lakes and streams. The data collection program also allows the District to measure the success of past and/or ongoing implementation projects.

The District will annually submit the collected data that has been quality-controlled and quality-assured to the appropriate state agency. The District will also summarize the collected data in an annual report, to be made available on the NMCWD website. The District encourages the local units of government collecting data to submit the data to the District and other regulatory agencies.

The stream and lake level sampling locations monitored through District programs are shown on Figure 2-10.

6.3.1.1 Lakes

The District's lake level monitoring program began in 1960 and was comprised of the three Anderson Lakes and Bush Lake. The program was expanded in 1963 to include monthly monitoring of 26 lakes within the watershed. The data are summarized and provided to the Minnesota Department of Natural Resources MDNR annually.

The District monitors the water quality of all of its major lakes on a rotating basis. Samples are typically collected once in April after ice-out and then monthly during June through September and analyzed for a range of parameters including:

- Nutrients (total phosphorus, total dissolved phosphorus, orthophosphate, total nitrogen, total kjeldahl nitrogen, and nitrate+nitrite nitrogen)
- Chlorophyll a
- Chloride
- Field parameters (e.g., clarity/transparency, temperature, pH, specific conductivity, dissolved oxygen)

Generally, District monitoring is performed at one location at the deepest point of the lake. Comparable monitoring at additional sampling sites may also be undertaken where lake basin morphology has created distinctly different hydrologic or limnologic sub-basins, or where major lake tributaries influence lake water quality.

In addition to monitoring chemical water quality, the District typically completes phytoplankton (algae) and zooplankton monitoring and conducts early-summer and late-summer aquatic plant (macrophyte) surveys.

Historically, the program involved monitoring of one-third of the District lakes during each of three consecutive years, followed by data analysis and reporting of results, including updated temporal trend analyses during the fourth year. However, the monitoring schedule in recent decades has varied in support of conducting Use Attainability Analyses and monitoring to design and measure success of capital improvement projects. Going forward, a monitoring plan and schedule will be prepared and updated annually.

6.3.1.2 Streams

The District conducts stream water quality monitoring activities at three permanent flow-gaging and automated sampling stations (see Figure 2-10). The sampling stations are equipped to collect continuous monitoring data year-round at 15-minute intervals. A fourth monitoring location is maintained by the Metropolitan Council as part of its Watershed Outlet Monitoring Program (WOMP). These three District stations and the Metropolitan Council's WOMP station are distributed along the creek as follows:

Main Stem West 98th Street

106th Street (Metropolitan Council)

North Branch West 72nd Street
South Branch West 78th Street

Comprehensive data collection occurs at these sites including information on the following parameters:

- Flow
- Precipitation
- Field Parameters (e.g., pH, temperature, turbidity, specific conductivity)
- Chemical water quality, including:
 - Dissolved oxygen
 - Nutrients
 - Chlorides
 - Metals
 - Solids

Samples are collected on a stage-activated basis during periods of elevated stream flow following runoff-producing storm events throughout the ice-free season. These storm event-related samples are supplemented by monthly fair weather grab samples collected year-round.

Stream water quality monitoring also includes annual surveys of seven reference stream reaches (see Figure 2-10) to assess the ecological health of Nine Mile Creek. Each year these same stream reaches are reevaluated to determine stream substrate and aquatic habitat conditions, and both benthic macroinvertebrates and fish species present are quantified. Evaluating benthic macroinvertebrates (bottom-dwelling aquatic organisms, mainly insects) in a stream provides a long-term assessment of its water quality. Biological monitoring of benthic invertebrates and fish are conducted according to MPCA-and MDNR-approved methods, including electrofishing with backpack shocking equipment.

6.3.1.3 Wetlands

The District has not historically performed regular monitoring of wetlands. As discussed in greater detail below, though, the District will be seeking opportunities to restore wetlands in the watershed. If such efforts are effective, the District will need to incorporate ongoing wetland monitoring as part of the resource assessment and management activities identified in Section 6.3.2.

6.3.1.4 Groundwater

The District performs groundwater monitoring, including the collection of static draft aquifer groundwater levels. The District will continue to summarize the data annually and will provide the data to the appropriate state agencies.

As explained in more detail in <u>S</u>subsection 6.3.2.3 below, over the life of this Plan, the District will also cooperate with other groundwater management entities to identify and fill data gaps, including seeking opportunities to increase understanding of groundwater-surface water interaction and understand the

impacts of infiltration BMPs on groundwater resources. The District also will support watershed cities' efforts to develop, update and implement groundwater-conservation plans.

6.3.2 **Resource Assessment and Management**

The District's deep institutional understanding of the water resource systems in the Nine Mile Creek watershed has been vital to the success of its management and regulatory efforts to date. As explained in greater detail below, the District has conducted Use Attainability Analyses to help it work with watershed cities to prioritize and develop capital improvement projects to remove pollutants from stormwater flow to lakes and streams, to stabilize streams suffering the effects of increased urbanization and to protect infrastructure from flood damage. While the District's has a rich database of information to draw on to develop further projects to address threats to water resource health, the implementation of this plan will necessarily involve continued assessment and analysis.

This section of the plan explains how continuing research and analysis will shape management efforts that will include identification and prioritization of -critically, capital improvement projects, which are discussed in Section 96.6.

6.3.2.1 Lakes and Streams

To determine the need for District management efforts, the District evaluates lake and stream health relative to applicable water quality standards and management goals.

The District has historically used a process referred to as Use Attainability Analyses (UAAs) to assess water quality conditions relative to the desired beneficial uses that can reasonably be achieved and maintained for a given waterbody and identify management recommendations. The UAA considers observed water quality, estimated water quality under fully developed conditions, and recommends management strategies to achieve water quality goals. While the UAA process has historically addressed a wide range of goals (e.g., water quantity, aquatic communities, recreational use, wildlife), the primary focus of the studies has been achievement of the District's water quality goals.

In implementing this Plan, the District will expand its emphasis on the role of ecological indicators in overall lake and stream health, as well as the feedback mechanisms between these indicators. The District's approach to lake and stream health assessment and management, described further below, establishes the analytical basis for the District's efforts to protect and improve water resource health.


The District's general strategy is to implement improvements in the upstream portions of the watershed first and move toward the downstream portions. Upstream water quality improvements result in reduced pollutant loads to downstream water resources. This strategy allows for the implementation of projects with the most benefits and impacts throughout the watershed. It is important to note that this general strategy is not intended to limit the District's ability to implement projects in other portions of the watershed where there is strong local support, availability of grant dollars, interested partners, and/or the ability to incorporate water resource management facilities or techniques into a project being pursued by another public entity.

Lake Management

The District's approach to lake health assessment is illustrated in Figure 6-1. This approach considers the following primary factors affecting lake ecological health:

- Chemical water quality (e.g., phosphorus concentrations)
- Aquatic communities
 - Macrophytes
 - Fish
 - Phytoplankton
 - o Zooplankton
- Water Quantity
 - o Groundwater
 - Surface Water

The District's approach also considers how recreation and wildlife habitat affect and are affected by overall lake health.






Figure 6-1. NMCWD Holistic Lake Health Assessment Factors

Table 6-3 summarizes the factors to be considered in the District's lake assessment approach. Numerical goals exist for some factors (e.g., MPCA water quality standards), while other ecological lake health factors are assessed relative to narrative criteria without strict numerical goals. For example, the District has adopted a subset of the MPCA's water quality standards (found in Minnesota Rules 7050) to assess the chemical water quality of lakes and streams (see Section 2.3.3 and Table 2-2). The District will collaborate with stakeholders and regulatory agencies (e.g., MPCA, MDNR) to develop lake-specific numerical goals for ecological indicators (e.g. macrophytes) where appropriate.

Table 6-3 Summary of Evaluation Factors for Holistic Lake Health Assessment

Chemical Water Quality	Aquatic Communities	Water Quantity	Recreation	Wildlife
Nutrients	Macrophyte Species Richness and Floristic Quality (Aquatic Plant IBI) ¹	Water levels	Shore Access	Upland Biodiversity
Chloride	Invasive species	Bounce	Navigation Channels	Buffer Extent/Width
Sediment	Phytoplankton Populations	Groundwater levels	Aesthetics	
Clarity	Blue-green algae		Use Metrics	
Chlorophyll a	Zooplankton Populations			
¹ Lake plant eutrop	hication Index of Biotic Integrity (IBI) methodology deve	loped by the MDNR and	d MPCA.

The District will implement an adaptive management approach to managing its lakes. Adaptive management is an ongoing, systematic approach for natural resource management, with an emphasis on identifying and predicting the outcome of management alternatives, implementing alternatives and monitoring the outcome(s), and incorporating what is learned into ongoing or future management decisions.

The District will review lake monitoring data annually to assess progress toward the District's lake management goals. For lakes that are meeting the goals, the District will continue periodic monitoring to track variations in water quality and potential trends. If water quality has continued to declines, the District will update the lake-specific Use Attainability Analysis to identify additional protection and improvement measures. For lakes that do not meet the District's lake management goals, watershed and/or in-lake management practices will be completed to improve water quality based on recommendations from the lake-specific Use Attainability Analyses. In some cases, the Use Attainability Analyses may need to be updated prior to implementing improvement projects to verify conclusions and recommendations based on additional data, changes in lake conditions, availability of more sophisticated modeling approaches, and/or advancements in stormwater treatment techniques and/or in-lake management practices.

A key component of the Use Attainability Analysis process is evaluating the attainability of the water quality goals. For some lakes, achieving the District's water quality goals may not be feasible achievable within a reasonable timeframe; in such cases, lake-specific goals will be developed, where appropriate, to guide lake management decisions. The lake-specific goals may include targets for lake health factors beyond water quality, such as aquatic plant communities or fisheries.

UAAs will be completed in conjunction with MPCA-led TMDL and/or WRAPS studies if the timing coincides, but the District may proceed with UAA updates and implementation of recommended actions from UAAs ahead of initiation of TMDL or WRAPS study. Non-capital projects or programs recommended

in these studies will be added to the District's implementation program in Table 6-1; while capital projects may be added to the capital improvements program in Table 6-2. The District's role in implementing a program or project will be determined in accordance with its prioritization methodology, which is detailed in Section 6.6.

Stream Management

The District has completed two stream stabilization projects to address erosion issues: the Lower Valley Restoration Project in Bloomington and the headwater reaches of the North Fork of Nine Mile Creek in Hopkins. The Lower Valley Restoration was completed in 1991 to address significant erosion issues in this steep portion of Nine Mile Creek and restore portions of the creek damaged from the 1987 superstorm. In 1997 and 2003, the District completed physical assessment of Nine Mile Creek using the classification system developed by D.L Rosgen in "A Classification of Natural Rivers" (Rosgen, 1994) and identified areas of the stream that have degraded due to stream bank erosion (see Section 4.4). Following the assessment, the District began addressing the identified areas of degradation, beginning at the upstream end of the creek system and progressing downstream. In 2012-2014, the District completed the Hopkins Streambank Stabilization and Restoration project along the headwaters of the North Fork.

Following the District's strategy of working upstream to downstream, the District commenced a third stream restoration project along the North Fork of the Creek in 2017 (see Table 6-2). The South Fork reaches have not yet been stabilized. Minimal investigation of conditions along the South Fork has occurred in recent years; further assessment is needed. The Main Stem between Marsh Lake and Old Shakopee Road in Bloomington has not yet been stabilized and continues to be prone to erosion. The District will continue to conduct periodic inspections to assess streambank stability and target areas prone to erosion.

These projects and additional work to be undertaken in implementing this plan will contribute to achieving the District's goal of meeting or exceeding MPCA water quality standards in Nine Mile Creek. The stream water quality problems identified by the District's annual evaluation and special studies include excess chloride concentrations and low biological integrity, mainly related to low dissolved oxygen and sediment concentrations and periodic low flow conditions (see Section 4.4). The District will continue to conduct annual monitoring and assessment of stream health to evaluate attainment of water quality standards and track progress in addressing previously identified problems.

The MPCA has recently developed new criteria to assess the biotic integrity of stream systems, including a new fish index of biotic integrity (IBI) and macroinvertebrate IBI methodology. In implementing this Plan, the District will assess the Nine Mile Creek system using the MPCA IBI criteria, and conduct a biological stressor identification study if the new criteria indicate the stream is biologically impaired. The creek IBI assessment will be completed in conjunction with an MPCA-led TMDL and/or WRAPS study, if the timing coincides, but the District could elect to proceed with the assessment before the TMDL or WRAPS study is commenced.

Draft_REVISEDVERSION_07-05-17_imk2.docx

Additional projects or programs recommended as a result of annual monitoring and special stream studies will be included <u>and prioritized</u> in the District's implementation program (sees Tables 6-1 and 6-2) over the 10 years of the Plan.

6.3.2.2 Wetlands

NMCWD has been protecting wetlands within the watershed for several decades, most notably through implementation of the Wetland Conservation Act and District rules. The goal of WCA is to achieve no net loss in the quantity, quality, and biological diversity of existing Minnesota wetlands. A 2014 review of WCA implementation within the Nine Mile Creek watershed found that there has been a net loss of 3.6 acres of wetland area within the watershed since WCA became law in 1991, based on comparison of wetland loss versus new wetland created through replacement. When public value credits (i.e., credits for activities that protect wetlands including upland buffers surrounding wetlands and storm basins) are added to the accounting, there has been a net gain of 3.1 acres wetland area within the Nine Mile Creek watershed since 1991.

While the District has been protecting wetlands throughout the watershed through its regulatory controls and permitting program, the District has not historically been involved in wetland assessment and/or management. In developing this plan, though, the managers underscored the importance of conserving wetlands in the watershed – especially what few high quality wetlands remain. In addition, the managers have directed staff to seek out opportunities to restore and expand wetlands. This will necessarily first involve an inventory and assessment of locations suitable for wetland restoration within the watershed to identify opportunities – as well as identification of rare and high-quality plant communities and sensitive habitats for protection. The District will also seek to partner with local governments and other stakeholders to develop and implement wetland restoration and protection projects and plans within the watershed.

6.3.2.3 Groundwater

The District's goal is to protect groundwater quality and quantity to preserve it for appropriate and sustainable beneficial uses. Historically, the District has not assumed a lead role in groundwater management, and currently does not have a defined groundwater management program. With As part of the implementation of this Plan, the District has expanded its will emphasis on undertake efforts to better understanding local groundwater resources, analyze the challenges facing them and work with public and private stakeholders to effectively allocate resources to improving and protecting groundwater. The District's emphasis will be on shallow acquifers that have direct and relatively immediate effects on surface waters; it will study the interaction between groundwater and surface water to better understand the impacts of groundwater on lake, wetland, and stream hydrology. The District will also identify and map areas within the watershed based on potential (and limitations to) surficial groundwater recharge.

Other assessment and management activities the District will perform with regard to groundwater management include:

- Participating in regional groundwater planning efforts.
- Providing technical assistance, as requested, to cities during the development and/or implementation of their <u>groundwater-conservation policies and</u> municipal wellhead protection plans, and reviewing updates to wellhead protection plans.
- Cooperating with local government units to educate the general public concerning the use of BMPs to prevent contamination of groundwater supplies and the importance of these measures in protecting groundwater supplies.
- Preventing negative quality and quantity impacts to groundwater and groundwater-dependent surface waters through permit review, research opportunities, and education efforts.
- Supporting the identification of and sealing of abandoned wells.

The District will continue to coordinate with cities to promote groundwater conservation and reduce regulatory barriers to water reuse.

6.3.2.4 Flood Management

From its inception, the District has recognized its obligation to minimize the risk of and mitigate potential damage from flooding. A 100-year flood envelope was established in 1961 assuming ultimate watershed land use development conditions, predicated upon the comprehensive plans of cities within the District. The District has also implemented several flood control projects to address previously identified local and intercommunity flood issues.

The District has developed a hydrologic and hydraulic model of the Nine Mile Creek watershed. The District uses this model to estimate 100-year flood levels and peak discharges of existing and proposed stormwater management facilities, as well as estimate flood profile information that corresponds to the peak discharges of channelized flow passing through the watershed. The extent of the floodplain adjacent to Nine Mile Creek corresponding to the Atlas 14 100-year flood elevations is shown in Figure 2-8. The District uses the model corresponding to Atlas 14 precipitation frequency estimates to identify areas of potential flood risk and evaluate management options to address those risks. Floodplain extent and elevations for hydrologic systems within each municipality may be obtained from the municipal offices and shall be incorporated in local plans (see Section 7.0).

The District intends to continue working with cities to protect public and private property through coordinated floodplain management. The District reviews and approves municipal local water management plans and will continue to review local land use development and redevelopment through implementation of its rules. The District will evaluate need for its leadership on regional flood management projects through implementation of or contribution to specific flood-management projects. The District also will continue to share hydrologic and hydraulic model results with the cities and assist in

evaluating local flood risk that more appropriately falls under the jurisdiction of an individual city. By coordinating planning, cities and the District will avoid excessive capital costs and fairly distribute the obligation of property owners to control flood waters.

The District continues to minimize the risk of future flooding issues through its permit program, which requires development and redevelopment projects to maintain flood-storage capacity and meet floodplain and building elevation standards included in the NMCWD Rules (see Section 6.2).

6.4 Education and Outreach Program

The District has established goals, objectives, policies and actions to promote management and improvement of water resources through education and public outreach (see Section 5.9). To that end, the District has established an extensive Education and Outreach Program consisting of three primary components:

- Outreach programs
- Communications
- Advisory committees

As part of Plan implementation, the District will develop an Education and Outreach Plan to guide the implementation of its education and outreach efforts. The Education and Outreach Plan considers target audiences, emerging issues and topics, communication methods, and available resources in outlining strategies to best accomplish the District's educational goals and objectives. The District will periodically review its Education and Outreach Plan and update the plan as needed.

6.4.1 Outreach Programs

The District seeks to involve residents and other stakeholders through a variety of education & outreach programs. The goal of the District's education and outreach programs is to engage residents and other participants in effective learning to build stewardship principles and work toward behavior change that will protect and improve the NMCWD. The District seeks to meet this goal through the education and outreach program by being flexible and adaptive to meeting changing needs and requirements of the community, different environmental concerns, new and/or evolving partnerships, and changing methods for reaching audiences.

The District offers a variety of programs, seminars, workshops, and trainings targeting different key audiences. The District's key audiences include: families and adult residents, K12 students, educators, local elected and appointed officials, and environmental professionals. To understand the scope of the education and outreach program, a number of the District's current programs and audiences are described below.

The District encourages families and adults to appreciate the wonders of nature within the watershed through its Summer Education Series. Past programs have included family fishing, shoreline restoration workshops, and creek walks. The District periodically offers homeowner seminars to encourage

homeowners to keep their property water friendly. Topics include yard care, landscaping and water conservation. The District also trains Master Water Stewards through the Freshwater Society. This training course, based on the successful Master Gardener and Master Naturalist programs, aims to educate the public on water quality and stormwater management.

The District's school programs include hands-on components and active demonstrations, so students can learn by doing. Lessons are tailored to educational level and individual classroom needs. Lesson topics include watersheds, the water cycle, macroinvertebrates, and more. District staff also host field trips to Nine Mile Creek and ponds to learn about water science at the source.

The District partners with other watershed and natural resource management organizations to offer educational training to professionals. Trainings address best management practices related to turf and lawn management, application of road salt, and other topics. The District also partners with the University of Minnesota Extension to offer Nonpoint Education for Municipal Officials (NEMO). These programs educate elected and appointed officials in stormwater best management practices.

More information about the District's educational programs is available from the District website at: <u>9-Mile Creek Watershed District: Get Involved Programs</u> [Ref. 39].

The District also seeks volunteers to aid the District in pursuing its goals. The District solicits volunteers for the Metropolitan Council's Citizen Assisted Monitoring Program (CAMP). Volunteers in CAMP collect water samples in District waterbodies twice a month from April through October. The data are used to see water quality trends and make lake management decisions. Training and equipment are provided.

More information about District volunteer opportunities is available from the District website at: <u>9-Mile Creek Watershed District Get Involved Programs: Volunteer Opportunities</u> [Ref. 40].

In addition to developing and implementing training, exhibits, events, and other activities, the District also provides financial support to other organizations providing watershed educational resources. Besides its traditional programs, the District leverages its Discovery Point site as an educational tool. Discovery Point includes educational exhibits and demonstration projects including a rainwater garden, permeable surfaces, water reuse, and habitat restoration.

6.4.2 Communications

Through its Education and Outreach Program, the District develops and distributes information about the NMCWD and water resource management through a variety of media. The District publishes an annual report consistent with Minnesota Rules 8410. The annual report identifies the Board of Managers and current advisory committee members and discusses the District's goals, policies, funding mechanisms, and its role in local water management. The annual report also describes how to contact the District, when public meetings are held, where the District's Plan can be viewed, and other information relative to the implementation of the Plan.

The District maintains a current website. The website contains the location, time, agenda, and minutes for District meetings; contact information for District staff; studies and reports, including the current watershed management plan and annual activity reports; rules and requirements; and other resources. The District updates its website on a regular basis to provide the most accurate information about District activities and water resource issues. The District website is available at: 9-Mile Creek Watershed District [Ref. 1].

In addition to its annual report and website, the District provides information through articles and news releases to local newspapers and distributed through email, social media, and the District website. Such communications address District activities and events, District projects, water resources best management practices, and other educational resources.

6.4.3 Advisory Committees

The District also has established and supports two advisory committees: one is a Technical Advisory Committee (TAC) composed primarily of municipal engineers who advise the District and offer review comments and advice; the other is a Citizens Advisory Committee (CAC). The CAC assists in developing programs and activities that help improve and protect the water resources of the NMCWD. The CAC helps with projects and activities that assist the watershed carry out its mission, such as planning the District's Summer Education Series and reviewing residential cost share grants.

6.5 Administrative Roles Programs

The NMCWD administrative programs are an integral part of the District strategy to achieve the goals set by this Plan and the Board of Managers. It is through administrative programs that the District will manage operations, provide fiscal management, and develop and implement methods/programs for measuring, tracking, and reporting progress towards meeting the goals of the District identified in this Plan (see Section 5.0). Measurement methods/programs may include monitoring efforts (e.g., water quality monitoring, BMP performance monitoring); surveys and other solicited feedback; tracking the numbers and types of participants in District programs, projects, and events; and financial audits. As part of this effort, the District will review this Plan at least every 2 years to assess its progress in implementation as part of the District's evaluation and reporting activities (see Section 3.1).

6.5.1 District Fiscal Management

The District will fund its operations and implementation program using three primary sources:

- 1. Property tax levy (including savings from previous levies)
- 2. Grant funds
- 3. Contributions from cities or public entities for cooperative projects

Most of the District's funds for implementing capital projects, programs, and other operations are raised through a property tax levy. This tax is an ad valorem tax (a tax on all taxable parcels in the District that is based on property value). The NMCWD legal boundary defines the area of land that comes under the

District's jurisdiction, and the area upon which the ad valorem tax is applied. The legal boundary must follow property boundaries or other legally definable boundaries (e.g., roads), and a single property cannot be in more than one watershed district. This can result in differences between the legal boundary and the hydrologic boundary. The District will keep the legal boundary matched to its hydrologic boundary as accurately as possible, so that the land that drains to District water resources is captured within the legal boundary to the maximum extent possible.

In the Twin Cities metropolitan area, watershed districts have the authority to levy an ad valorem tax to pay for the costs of implementing their watershed management plans. (Minn. Stat. § 103B.241.) This includes costs related to the District's operations (e.g., facilities and staff), programs, capital improvement projects, and maintenance.

Grants are also an important funding source for the District. The District will continue to apply for grants to offset project costs whenever possible and cost effective. The District will also seek partnerships, or cost-sharing, to reduce its portion of project costs.

Every year the District will prepare an annual budget and work plan with consideration for the items identified in this Plan (e.g., goals, objectives, implementation items). The process will incorporate program evaluation, track changes to the original plan content and projections, and determine if plan amendments are required.

The District historically collected funds through project-specific levies in accordance with Minnesota Statutes section 103D.905, subdivision 3, for construction of basic water management projects petitioned for by, for the most part, watershed cities. Through sound management of District finances and successful grant-writing, the District has completed petitioned-for capital projects for a total cost less than funds levied, leaving the District with unassigned capital funds. In 2013, the Board of Managers established a policy for the use of unassigned funds to offset future levy amounts for capital project implementation, assigning all funds levied in prior years as Capital Project Reserve funds, assigned to offsetting the costs of capital projects as petitioned for by watershed cities or citizens, or ordered by the Board of Managers in accordance with Minnesota Statutes section 103B.251 to implement the goals and purposes of the District's plan. The criteria for the expenditure of Capital Reserve Funds comport with those stated in Subsection 6.86.2 for prioritization of District engagement in project development and implementation.

Tables 6-1 and 6-2 describe the programs and projects that NMCWD contemplates undertaking to implement this plan. The entries in the tables range from basic ongoing operational functions of the District to possible projects, the need for which has been identified, but the exact parameters of which have not yet been determined. Similarly, while some of the expenditures stated in the tables are well-known and understood costs, many others represent costs of *possible* projects and programs. The tables will guide NMCWD annual planning, budgeting and levying, but do not represent budgets. Before any of the work in Table 6-1 commences, the Board of Managers will proceed according to state law to establish and promulgate the first annual (2018) draft budget for implementation of the plan. The budget will be subject to public review and comment before it is finalized by the managers to establish a levy for the coming year's work. The budget also will include project work identified in Table 6-2 which has been or

will have been separately ordered and levied for by the managers in accordance with the procedures for public and peer review and comment in Minnesota Statutes section 103B.251. (Funds for implementation of the Nine Mile Creek stabilization and restoration project in Edina, for example, have already been collected by NMCWD.) While the tables identify work NMCWD could do, further public review and approval steps will occur each year to establish a budget that balances NMCWD's ambitions for water resource protection and improvement with the realities of fiscal limitations.

6.5.2 Staffing Plan

The District has three full-time employees as of the writing of this Plan. The District engages a consulting engineer to assist in technical issues, including administration of District rules, water resource monitoring and management, engineering design, and other issues. The District also engages a legal advisor to assist in legal issues, including administration of District rules and advising on general District matters.

The District will assess staff capacity annually as part of work plan and budget development. Other possible staff needs could result from regulatory changes and requests for services from residents and local units of government within the District, among others. These requests are now being met with existing resources. The District may hire additional staff as needs arise.

6.5.3 Office Space and Equipment

The District office is located on a five acre wooded site overlooking the Cardinal Creek Conservation Area. The land and original home were donated to the District. The District renovated and added to the house and began operating there in 2014, naming the site Discovery Point. The office and grounds were designed to meet the needs of the District into the foreseeable future while also serving as an educational tool. Working stormwater facilities and artful landscape features provide opportunities to learn while enjoying its peaceful surroundings.

The District headquarters provides for staff offices, support facilities, and meeting facilities. The offices are equipped with the necessary office equipment and program support equipment to perform required staff and Board functions such as staff computing and communications, site maintenance activities, classroom education activities, and hosting of meetings and educational seminars.

It is the intent of the District to provide necessary space, support services, and equipment for District staff to perform their required tasks in an efficient and cost-effective manner. The District's budget will provide for routine equipment replacement to reduce maintenance costs and provide technology consistent with the current state of the practice.

6.6 **Projects and Capital Improvements**

The NMCWD implements projects, on its own and with its partners through the District's grant and cost share programs, and capital improvements to achieve its goals. These projects and improvements complement the District's regulatory program and other District programs described in Sections 6.1 through 6. 3, and represent a critical tool for management of water resources within the watershed.

Capital improvements differ from other projects in that they are limited to physical improvements; projects include such efforts as diagnostic studies, planning, and other non-structural solutions.

Programs and projects planned for implementation within the 10-year life of this Plan are summarized in Table 6-1, including estimated costs and schedules for implementation. Table 6-2 focuses exclusively on capital improvement projects. For purposes of future allocation of resources and grant-seeking efforts, capital projects are prioritized. The priorities here were assigned through review by members of the Technical Advisory Committee and the Board of Managers, with the latter providing the final determination where assignment of priorities differed. In addition, Table 6-2 includes a designation of whether NMCWD will take the lead in constructing a project – i.e., implement the project with the support of a watershed city and others but otherwise independently – or seek to implement the project through a partnership, the specifics of which would be determined in the study of the problem to be addressed, assessment of feasibility of the specific project and development of the design. For most of the projects included in Table 6-2, both lead and partnership roles are possible because the particular entry includes projects that likely will be pursued either by NMCWD in a lead role or in a partnership approach. (The specific partnership option of a special cost-share project is discussed in more detail in Subsection 6.6.3.3 below.)

6.6.1 Completed Projects

The District historically has undertaken Basic Water Management Projects on a cooperative basis in response to petitions from its constituent cities. The earliest District projects focused on flood control and water quantity improvements. In the late-1990s and early 2000s, the District shifted its focus to implementation of the recommended best management practices (BMPs) from the completed lake Use Attainability Analyses (UAAs). The Minnetonka Lakes Water Quality Improvement projects, completed in 2006, included implementation of BMPs to protect and/or improve Lone, Minnetoga, Shady Oak, Glen, Holiday, Wing, and Rose lakes. The Eden Prairie Lakes Water Quality Improvement projects, conducted from 2008 to 2013, included implementation of BMPs to protect and/or improve Bryant, Anderson (Northwest, Southwest, Southeast) and Birch Island lakes. During 2012-2014, the District constructed the Hopkins stream stabilization project to reduce erosion and stabilize the headwaters area of the North Fork of Nine Mile Creek.

The District's completed projects include the following:

- Marsh Lake, 1970
- Bredesen Park, 1973-1978
- Normandale Lake, 1978
- Lower Valley Restoration, 1990-1991, ongoing maintenance
- Hopkins Culvert, 1993
- Lake Smetana, 1998-1999 and 2001-2002
- Bush Lake Outlet, 1999-2000
- Minnetonka Lakes Improvements, 2003-2006
- Bloomington Culvert Improvements, 2006

- Eden Prairie Lakes Water Quality Improvements, 2008-2013
- Hopkins Streambank Stabilization and Restoration, 2012-2014

The District has completed design of the Edina Streambank Restoration project, which will restore approximately 16,000 feet of Nine Mile Creek from TH 169 to West 77th Street, as well as realign approximately 3,400 feet of Nine Mile Creek from Brook Drive to the SOO Line Railroad and approximately 650 feet of Nine Mile Creek from the SOSO Line Railroad to West 70th Street in Edina. The project, conducted in partnership with the City of Edina, will reduce erosion and sedimentation in the creek, improving water quality and habitat in the creek and downstream waterbodies. The project is anticipated to be completed in 2017-2018.

Historically, the District and watershed cities have shared responsibility for maintenance of District-implemented capital improvements upon completion. More recent projects have been supported by a cooperative agreement specifying the parties' responsibilities – finished-project maintenance among them. Future capital improvement projects will be conducted pursuant to such agreements, which will provide for drafting and implementing a maintenance plan describing responsibilities for maintenance throughout the planned life of the project and assigning responsibility to the party best suited to such tasks.

6.6.2 Current and Future Project Prioritization

In addition to completing the implementation of the Nine Mile Creek Streambank Restoration in Edina, the District will implement the capital improvements in Table 6-2 to help achieve the goals of the District. The entries in the table reflect water resource improvements identified as needed in Use Attainability Analyses or flood improvement studies completed by the District. The CIP table also includes specific cost and timing information in keeping with state requirements (see Minnesota Rules 8410.0105, subp. 2). As the District refines its understanding of the structural measures that can contribute to achieving protection and management strategies (through, e.g., feasibility studies), specifics of projects in Table 6-2 will move forward. When necessary because the District's refinement of its strategy for achieving resource-management goals results in a wholly new project – one outside the framework established by the CIP – the CIP will be amended through the process described in Section 8.0 of the plan.

The District has historically implemented capital-improvement projects through a petition process to assure strong coordination and partnership with the affected cities, so the collaborative approach is not a new one for NMCWD. Cities may continue to petition for projects as the District implements this plan. The District prefers to utilize its detailed understanding of watershed hydrology and the needs identified in this Plan to collaboratively develop capital implementation projects with substantial input and ongoing involvement from the city or cities in which the project would take place, as well as regional and state governmental entities.

Given that the watershed is almost entirely developed and in many areas, watershed cities are putting considerable resources and time into redevelopment and revitalization strategies, a critical new element to NMCWD's capital-improvement approach will be integration of water-resource management facilities and structures into redevelopment efforts. Sometimes the District will retain the lead role in implementing such project – e.g., conducting the feasibility study, budgeting District funds for construction, contracting for the work – and the project will be prosecuted through the standard CIP implementation program provided in Minnesota Statutes section 103B.251. Implementation may only require the District to lend its expertise and experience to the design and implementation of a water-resources project integrated into work undertaken by another entity. In such cases, the partner would take the lead in contracting for and overseeing completing the project. Watershed cities are the most likely partners for such work, but Hennepin County, private developers and state agencies could also have project plans that could serve as an appropriate venue for a productive water resources protection and improvement project.

Early in the process of implementing this plan, the District will engage planning and community development staffs and boards in the watershed cities to initiate discussions regarding development of such collaborative approaches. Cities and others also may approach the District with ideas. The nature and extent of the District's involvement will depend on a myriad of factors. Some of these will be case-specific, but to provide as much transparency and useful guidance as possible (both for itself and for possible partners), the Board of Managers directed the development of a prioritization tier system for considering projects and guiding the extent of the District's involvement – which may change along the course of a project's evolution:

Top priority - work that will:

- Advance NMCWD's progress toward completion of a Use Attainability Analysis.
- Advance NMCWD's progress toward implementation of a completed UAA.
- Contribute to the completion of a study, data collection or assessment scope of work already identified as a NMCWD priority.
- Contribute to minimizing the risk of and mitigating potential damage from regional flooding.
- Contribute to a Total Maximum Daily Load or Watershed Restoration and Protection Strategy study or implementation of a TMDL- or WRAPS-derived project in the watershed.

Second priority – work that will:

• Enhance or improve previously completed watershed projects.

Third priority – work that will:

- Advance NMCWD's interests in a project related to water resources management in the watershed.
- Address local flooding issues.

The District will continue to look for a written commitment of support from its partner cities when developing a capital project, but prefers to move away from the formality and procedural structure imposed by a petition in favor of a resolution of support or similar statement from the governing council.

Design and construction will be undertaken utilizing funds levied for under authorities in the Metropolitan Surface Water Management Act and Capital Project Reserve funds, which the Board of Managers established to allocate funds collected but unused for basic water management projects. Careful management of resources, successful grant-writing and delays in securing land rights necessary to complete some capital work led to this unassigned balance of funds. The Board of Managers ensured that the funds would remain dedicated to capital improvements consistent with the District plan through creation of the Capital Project Reserve and a policy and criteria for its use.

To select and prioritize projects within the three tiers described above, the Board of Managers consider the nature and extent of District engagement in capital work through, in part, evaluation under the following criteria to determine whether District involvement will:

- 1. Improve and protect water resources beyond what would be achieved through compliance with District or other regulatory requirements;
- 2. Be supported by the city or cities in which the project is located;
- 3. Contribute to achieving water resource-improvement goals in the Plan;
- 4. Improve and protect water quality;
- 5. Reduce the rate and volume of stormwater runoff that drains off the landscape and promote infiltration;
- 6. Prevent erosion and reduce sedimentation of District water resources;
- 7. Protect against or reduce potential for damage from flooding along Nine Mile Creek;
- 8. Protect and restore high quality wetlands;
- 8.9. Improve water-resource habitat for wildlife;
- 9.10. Maximize cost-effectiveness and efficiency through collaboration with public and private entities and ability to draw on outside funding sources (e.g., grant programs);
- 10.11. Demonstrate or test innovative techniques and technology; or
- <u>11.12.</u> Have watershed-wide or multi-jurisdictional benefits.
- 12.13. Address a waterbody impairment that is subject to a TMDL or WRAPS study (see Section 2.3.1)

Projects will be ordered by the Board of Managers only after all interested parties are given the opportunity to review and comment through the process prescribed by Minnesota Statutes section 103B.251 and the managers have determined that the project cost-effectively achieves District goals and is in the public interest.

As noted, when a potential water resource capital improvement is part of a broader property redevelopment or revitalization effort a public entity is developing – on its own or in partnership with private property owners and developers – the District will consult with city representatives about undertaking the water project under the District's cost-share program (see Section 6.6.3). Utilizing the cost-share approach allows the District to contribute design and implementation expertise and funding for stormwater management, water resource enhancement, or projection and/or flood control elements of projects, while the city or other public or private entity takes the lead on the implementation of the overall project.

6.6.3 Cost Share and Grant Program

The NMCWD implements projects with its partners through the District's grant and cost share programs. The District has determined that the water resource protection and improvement needs identified in this Plan can often be addressed most effectively by integrating watershed objectives into other infrastructure, development, and redevelopment activities or improvement projects conducted by other entities. These projects complement the District's regulatory and capital improvement programs. The District's cost share and grant programs are described in the subsequent subsections.

6.6.3.1 Competitive Cost Share Program

The District established a competitive cost-share program under the auspices of its education and outreach program in 2008. The cost-share program provides District funding for project elements that exceed minimum regulatory requirements. The program offers financial assistance for implementation of best management practices that:

- 1. Improve water quality or increase the capacity of the watershed to store water;
- 2. Preserve, protect and restore native plant and wildlife communities, with emphasis on lakes, rivers and wetlands; and
- 3. Protect and conserve groundwater quality and quantity.

Competitive cost share grants for implementing improvement projects are available to residents, homeowner and lake associations, nonprofits, schools, businesses, and cities for projects located within the watershed boundaries. The Board of Managers establishes an annual budget for cost-share funding, and periodically reviews and adjusts, as necessary, the eligibility criteria. Presently, grants are awarded for up to 75% of project cost, on a reimbursement basis, for materials, labor, engineering, and consulting fees. The maximum grant award varies by applicable, with up to \$3,000 for residential projects, up to \$10,000 for townhome, condominium, or lake associations, and up to \$25,000 for commercial, government, or nonprofit projects.

Applications are reviewed by staff, and residential applications are also review by the District's Citizens Advisory Committee. All projects must be approved by the NMCWD Board of Managers. In each case, the participating property owner must commit to long term maintenance (either 5 or 10 years, depending on

the project type), and making the project available for education signage to capitalize on the education and outreach potential of the work.

The competitive cost share program is funded annually through a portion of the District's levy funds (see Section 6.5.1). The criteria for the consideration of specific projects for cost share funding have been established by the Board of Managers and consideration of revisions may be initiated by the Board of Managers in response to changing conditions in the watershed, to implement new initiatives developed by staff or otherwise as circumstances warrant. The District will conduct a thorough stakeholder engagement process prior to any revision of the cost-share criteria.

Detailed information regarding cost share program eligibility, application guidelines, and deadlines are available from the District website at: 9-Mile Creek Watershed District: Get Involved: Grants [Ref. 41].

6.6.3.2 Planning Grants

Planning grants were established by the District in 2016 as a 3-year pilot program to build capacity within nonprofit organizations to apply for District or other cost share grants and implement best management practices. The grants are available for nonprofit organizations that are held by an organization that is open and accessible to the public nonprofit organizations that hold 2.5 acres or more of land located within the District. Through the grant, organizations work with a consultant selected by the District to develop a Conceptual Stormwater and Sustainable Landscape Plan. The District funds 100% of the cost to develop the concept plan, up to a determined maximum amount (\$5,000 for the 3-year pilot program beginning in 2016). As part of the grant, organizations that participate are required to host an educational workshop on a water-related topic and write a newsletter article about the site plan. Planning grants are funded annually through a portion of the District's levy funds. Grant applications are reviewed by staff. All applications must be approved by the NMCWD Board of Managers.

6.6.3.3 Special Cost Share Projects

As discussed in the introduction to this subsection of the Plan, through implementation of its cost share and capital improvement programs, the District has determined that the water resource protection and improvement needs identified in this Plan can often be addressed most effectively by integrating watershed objectives into other infrastructure, development, and redevelopment activities planned by public and private land owners. To facilitate its productive and efficient engagement with city land-use planners and other potential partners to pursue project opportunities in keeping with elements in the CIP in Table 6-2, the District has developed specific guidelines, development steps and a management structure for special cost-share projects. In this development phase, the District seeks to scale its involvement, with possible District contributions including:

- Assessment of options for or feasibility of options to address a water resources management issue
- Partnering to assess options for or feasibility of options to address a water resources management issue

- Making District staff and/or engineer available to assist with a scope of work
- Contribution of funding to completion of a scope of work
- Providing access to NMCWD data.

The District generally will undertake this approach for projects that are selected by the Board of Managers based on the prioritization criteria outlined in Ssubsection 6.6.2 and that will require:

- Dedication of District plan-implementation or Capital Project Reserve funds;
- Dedication of the unique experience, design capacity and extensive knowledge of watershed hydrology offered by the District staff and engineer; and/or
- Collaborative development and implementation with watershed cities and private developers, as well as regional and state agencies.

Once a particular project has been selected and the District's engagement has been scaled in accordance with the criteria, projects involving contributions of District funds for capital improvements will be the subject of a hearing conducted in accordance with Minnesota Statutes section 103B.251 prior to ordering by Board of Managers.

The District anticipates that special cost share projects will require the annual dedication of at least \$25,000 in District funds, as well as BMP design and education and outreach expertise, all of which will support the integration of innovative water-resource improvement and protection systems and practices into public, private and public-private land-redevelopment projects undertaken for broader public purposes. After ordering by the Board of Managers, special cost-share projects will be conducted in accordance with a cooperative agreement among the partners, outlining the roles and responsibilities of each as relates to the District-funded work. Long-term maintenance of structural BMPs will be provided for in the cooperative agreement, and for work on privately owned property a maintenance declaration will be recorded on the title.

The District will budget funding as well as staff and engineering time annually for special cost-share projects. Projects that require resources that exceed the available funding in a given budget cycle will be multiyear endeavors, for which specific budget and resource allocations will be made after initial development under the baseline annual program. This structure reflects the fact that projects requiring greater resources will also have longer planning timelines, allowing the District to budget accordingly.

Impl	ementation Items	Goal Reference	Priority (H= high, M= medium, L= low)	NMCWD Role (Lead, Partner, or Participant)	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	Total Estimated Cost* (2018-2027)
Data	Collection (DC)														\$2,345,000
DC-	Develop and implement a groundwater monitoring plan, including identification of abandoned wells and well abandonment procedures.	5.5.1.1.A., 5.5.1.1.B.	М	Partner	\$10,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$55,000
DC-	Develop and implement a lake monitoring plan including water levels, water quality, and ecological indicators.	5.2.1.1.A., 5.2.1.1.B., 5.10.3.1.D.	н	Lead	\$95,000	\$95,000	\$95,000	\$95,000	\$95,000	\$95,000	\$95,000	\$95,000	\$95,000	\$95,000	\$950,000
DC-	Summarize annually the results of District data collection programs, assess conditions relative to standards, perform QA/QC, review the data for trends, document results in monitoring report(s), and provide a data summary to appropriate state agencies.	5.2.1.1.B., 5.2.1.2.B., 5.2.2.3.A., 5.5.1.1.D., 5.10.2.4.A.	н	Lead	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$250,000
DC-	Develop and implement a stream monitoring plan including assessment of water quality, continuous flow, substrate and bank conditions, and ecological indicators (e.g. fish and macroinvertebrates).	5.2.1.2.A., 5.2.1.2.B., 5.2.1.2.C., 5.2.1.2.D., 5.2.1.2.E., 5.2.1.2.F., 5.10.3.1.D.	н	Lead	\$80,000	\$80,000	\$80,000	\$80,000	\$80,000	\$80,000	\$80,000	\$80,000	\$80,000	\$80,000	\$800,000
DC-	5 Conduct periodic inventory and assessment of aquatic invasive species.	5.2.2.4.A.	М	Partner	\$10,000			\$10,000			\$10,000			\$10,000	\$40,000
DC-	Conduct targeted monitoring of lakes, streams, and stormwater to assess pollutant sources and measure success of District management activities.	5.2.1.3.A.	н	Lead	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$250,000
Educ	ation and Outreach (EO)														\$1,483,000
EO-	Develop and annually update the District's Education and Outreach Plan, updating the plan as necessary to address emerging issues, audiences, and communication strategies.	5.9.1.1.A., 5.9.1.2.A., 5.9.1.2.B., 5.9.1.2.D., 5.9.1.2.E., 5.9.1.3.A., 5.9.2.3.B., 5.9.5.1.C.	н	Lead	\$7,500	\$7,500	\$7,500	\$7,500	\$7,500	\$7,500	\$7,500	\$7,500	\$7,500	\$7,500	\$75,000
EO-	Develop and host events, exhibits, and demonstrations at Discovery Point, including an annual state-of-the-watershed event to update stakeholders on progress towards accomplishing District goals.	5.9.2.1.A., 5.9.2.1.D., 5.9.2.3.C., 5.9.3.1.B.	н	Lead	\$30,000	\$30,000	\$30,000	\$30,000	\$30,000	\$30,000	\$30,000	\$30,000	\$30,000	\$30,000	\$300,000
EO-	Support and collaborate with other entities implementing education and outreach programs that promote citizen engagement and leadership for watershed management.		н	Lead	\$30,000	\$30,000	\$30,000	\$30,000	\$30,000	\$30,000	\$30,000	\$30,000	\$30,000	\$30,000	\$300,000

Page 1 of 7

		Goal	Priority (H= high, M= medium,	NMCWD Role (Lead, Partner,											Total Estimated Cost*
Impl	ementation Items	Reference	L= low)	or Participant)	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	(2018-2027)
EO	Develop, maintain, and distribute educational communications and other materials in support of the District's educational goals (e.g., signage, website, newsletters, brochures).	5.9.1.1.D., 5.9.2.3.D., 5.9.5.1.A., 5.9.5.1.B., 5.9.1.2.C.	н	Lead	\$45,000	\$45,000	\$45,000	\$45,000	\$45,000	\$45,000	\$45,000	\$45,000	\$45,000	\$45,000	\$450,000
EO-:	Develop and deliver educational materials, workshops, demonstrations, and/or presentations addressing emerging issues, innovative strategies, and best management practices.	5.9.1.1.E., 5.8.2.1.B., 5.8.1.1.B., 5.9.1.1.B., 5.9.2.1.B., 5.9.2.1.C., 5.9.2.2.A., 5.9.2.2.C., 5.9.2.2.C., 5.9.2.2.D., 5.9.3.1.A., 5.9.3.2.A., 5.9.3.3.A., 5.9.3.3.B., 5.9.3.2.B.,	н	Lead/Partner	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$25,000	\$250,000
EO-	Coordinate the District's volunteer program(s) and support volunteer programs coordinated by other entities.	5.9.1.5.A., 5.9.1.5.B., 5.9.1.5.C., 5.9.2.3.A., 5.9.3.1.C., 5.3.1.2.C., 5.2.1.1.C.	н	Lead/Partner	\$3,500	\$3,500	\$3,500	\$3,500	\$3,500	\$3,500	\$3,500	\$3,500	\$3,500	\$3,500	\$35,000
EO-	Support and maintain an active Citizens Advisory Committee (CAC) representative of the entire watershed.	5.9.5.3.A.	н	Lead	\$1,000	\$1,000	\$1,000	\$1,000	\$1,000	\$1,000	\$1,000	\$1,000	\$1,000	\$1,000	\$10,000
EO-	Develop a program to incorporate public art into the District's projects and facilities.	5.9.1.4.B., 5.9.1.4.C., 5.9.2.4.A., 5.9.2.4.B.	М	Lead	\$5,000	\$2,000	\$2,000	\$2,000	\$2,000	\$2,000	\$2,000	\$2,000	\$2,000	\$2,000	\$23,000
EO-	Engage the public and solicit public input on District projects and programs.	5.9.5.3.B., 5.9.5.3.E.	н	Lead	\$2,000	\$2,000	\$2,000	\$2,000	\$2,000	\$2,000	\$2,000	\$2,000	\$2,000	\$2,000	\$20,000
EO-1	and progress towards goals to cities, residents, and other stakeholders.	5.9.5.1.D., 5.9.5.2.A., 5.9.5.3.C., 5.9.5.3.D.	н	Lead	\$2,000	\$2,000	\$2,000	\$2,000	\$2,000	\$2,000	\$2,000	\$2,000	\$2,000	\$2,000	\$20,000
Oper	ations and Administration (OA)					1	1	T	T	T	ı	ı	1		\$6,945,000
OA-	Establish and implement an Incentive Program for implementation of wetland buffer areas on private properties.	5.4.1.2.A.	н	Lead	\$20,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$110,000

Imple	mentation Items	Goal Reference	Priority (H= high, M= medium, L= low)	NMCWD Role (Lead, Partner, or Participant)	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	Total Estimated Cost* (2018-2027)
OA-2	Work with cities to provide technical support for floodplain issues, including identification of floodplains, review of land uses, identification of improvement alternatives, and assistance in implementing city projects to address these issues.	5.7.2.1.B., 5.7.2.1.C., 5.7.2.3.A., 5.7.2.3.B., 5.7.2.3.C., 5.7.2.3.D., 5.7.1.1.D., 5.7.2.3.B.	н	Partner	\$20,000	\$20,000	\$20,000	\$20,000	\$20,000	\$20,000	\$20,000	\$20,000	\$20,000	\$20,000	\$200,000
OA-3	Assist cities in implementing climate change adaptation strategies.	5.8.1.1.C.	М	Partner	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$50,000
OA-4	Identify and/or develop tools to effectively measure life-cycle costs and benefits of District projects.	5.10.2.2.A.	н	Lead		\$10,000									\$10,000
OA-5	Participate in local and regional resource and land planning activities, as appropriate, to identify and leverage opportunities to achieve District goals, objectives and policies.	5.5.2.1.B., 5.6.1.1.A., 5.6.1.1.B.	н	Partner	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$100,000
OA-6	review plans for consistency with District goals and policies.	5.6.1.2.A., 5.1.1.3.A, 5.1.1.3.C, 5.6.1.2.B.	н	Lead/Partner	\$25,000	\$25,000								\$25,000	\$75,000
OA-7	Review Biennially District performance relative to identified goals, planned implementation items, and available resources; revise programs as necessary.	5.10.2.1.A., 5.10.2.3.A., 5.10.2.3.B., 5.10.2.3.C.	н	Lead		\$20,000		\$20,000		\$20,000		\$20,000		\$20,000	\$100,000
OA-8	Implement annual work plan in pursuit of District goals, consistent with available resources and applicable legal requirements.	5.10.1.1.A., 5.10.1.4.A., 5.10.2.1.B.	н	Lead	\$600,000	\$600,000	\$600,000	\$600,000	\$600,000	\$600,000	\$600,000	\$600,000	\$600,000	\$600,000	\$6,000,000
OA-9	Update District's Water Management Plan	5.10.2.1.C.	н	Lead									\$50,000	\$100,000	\$150,000
OA-10	Provide technical assistance to cities, developers, and other stakeholders to promote incorporation of water and natural resource benefits into capital improvement, development, and redevelopment projects.	5.10.3.1.A., 5.10.3.1.B., 5.3.1.1.A., 5.3.2.3.A.	н	Lead/Partner	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$100,000
OA-11	Work with local governments to identify and implement strategies to reduce road salt usage.	5.2.4.1.B.	н	Lead/Partner	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$50,000
Maint	enance (M)		_										L		\$1,037,000
M-1	Develop stormwater management facility maintenance standards in partnership with cities; work with the cities and private entities to confirm facilities are maintained.	5.1.1.4.A., 5.2.2.2.B.	н	Lead	\$10,000	\$1,000	\$1,000	\$1,000	\$1,000	\$1,000	\$1,000	\$1,000	\$1,000	\$1,000	\$19,000
M-2	Develop a stormwater management facility maintenance database to document maintenance agreements and track compliance.	5.1.1.4.B.	н	Lead	\$5,000	\$5,000	\$1,000	\$1,000	\$1,000	\$1,000	\$1,000	\$1,000	\$1,000	\$1,000	\$18,000

Implei	mentation Items	Goal Reference	Priority (H= high, M= medium, L= low)	NMCWD Role (Lead, Partner, or Participant)	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	Total Estimated Cost* (2018-2027)
M-3	Operate, monitor, and maintain current and future NMCWD water quality improvement facilities to ensure the designed benefits are achieved.	5.1.2.1.B, 5.1.2.1.A, 5.2.2.2.A.	н	Lead	\$100,000	\$100,000	\$100,000	\$100,000	\$100,000	\$100,000	\$100,000	\$100,000	\$100,000	\$100,000	\$1,000,000
Rules	and Permitting (RP)														\$1,950,000
RP-1	Continue to implement the District's permitting program, including inspections and enforcement actions.	5.1.1.1.A., 5.2.3.3.B., 5.2.4.1.A., 5.2.2.1.A 5.2.4.3.C, 5.7.1.1.C, 5.10.1.3.A., 5.10.1.2.A., 5.4.1.1.C.	н	Lead	\$155,000	\$155,000	\$155,000	\$155,000	\$155,000	\$155,000	\$155,000	\$155,000	\$155,000	\$155,000	\$1,550,000
RP-2	Review periodically permitting program administration and costs; evaluate opportunities to improve efficiency.	5.10.1.2.B., 5.10.1.2.C.	н	Lead		\$5,000					\$5,000				\$10,000
RP-3	Review periodically District rules and update as necessary.	5.5.2.2.C, 5.7.1.1.B., 5.7.2.4.C., 5.1.1.8.A.	н	Lead	\$20,000						\$10,000	\$10,000			\$40,000
RP-4	Administer WCA requirements as the responsible Local Government Unit (LGU) for the cities of Eden Prairie, Edina, Hopkins, and Richfield; provide technical assistance, as requested, in wetland-related matters in Bloomington and Minnetonka.	t	н	Lead	\$35,000	\$35,000	\$35,000	\$35,000	\$35,000	\$35,000	\$35,000	\$35,000	\$35,000	\$35,000	\$350,000
Studie															\$1,330,000
S-1	Develop a District climate change adaptation strategy to identify natural and water resource vulnerabilities to climate change and potential adaptation strategies.	5.8.1.1.A.	н/м	Lead				\$15,000							\$15,000
S-2	Assess increased flood risk due to predicted climate changes.	5.7.2.4.A.	н	Lead/Partner	\$70,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$10,000	\$160,000
S-3	Conduct study of groundwater and surface water interaction in Nine Mile Creek watershed to better understand the impacts of groundwater on lake, wetland and stream hydrology; and identify and map areas in the watershed based on potential for (and limitations to) groundwater recharge.	5.5.1.1.C., 5.5.3.1.A.	н	Lead		\$80,000									\$80,000
S-4	Collaborate with others to research infiltration impacts on groundwater and develop a consistent approach to protecting areas sensitive to groundwater contamination.	5.5.1.2.A.	н	Participant			\$10,000	\$10,000							\$20,000
S-5	Inventory areas within the District for possible natural space restoration or enhancement and maintain a database of these opportunities.	5.3.2.1.A.	М	Lead/Partner		\$10,000									\$10,000

Impler	nentation Items	Goal Reference	Priority (H= high, M= medium, L= low)	NMCWD Role (Lead, Partner, or Participant)	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	Total Estimated Cost* (2018-2027)
S-6	Complete update of Use Attainability Analyses for Normandale Lake.	5.2.3.1.B.	н	Lead	\$25,000										\$25,000
S-7	Conduct Use Attainability Analyses for Lake Edina.	5.2.3.1.A.	н	Lead	\$45,000										\$45,000
S-8	Update Use Attainability Analyses for Lake Cornelia (North and South).	5.2.3.1.B.	н	Lead	\$30,000										\$30,000
S-9	Update Use Attainability Analyses for Lake Smetana.	5.2.3.1.B.	н	Lead		\$30,000									\$30,000
S-10	Update Use Attainability Analyses for Indianhead and Arrowhead Lakes.	5.2.3.1.B.	М	Lead				\$45,000							\$45,000
S-11	Update Use Attainability Analyses for Mirror Lake.	5.2.3.1.B.	М	Lead					\$30,000						\$30,000
S-12	Update Use Attainability Analyses for Penn Lake.	5.2.3.1.B.	М	Lead							\$30,000				\$30,000
S-13	Update Use Attainability Analyses for Bush Lake.	5.2.3.1.B.	н	Lead					\$30,000						\$30,000
S-14	Update Use Attainability Analyses for Birch Island Lake.	5.2.3.1.B.	н	Lead				\$30,000							\$30,000
S-15	Update Use Attainability Analyses for Bryant Lake.	5.2.3.1.B.	н	Lead								\$30,000			\$30,000
S-16	Update Use Attainability Analyses Glen, Lone, Minnetoga, and Shady Oak Lakes.	5.2.3.1.B.	н	Lead									\$60,000		\$60,000
S-17	Update Use Attainability Analyses for Anderson Lakes.	5.2.3.1.B.	н	Lead							\$45,000				\$45,000
S-18	Update Use Attainability Analyses for Holiday, Wing, and Rose Lakes.	5.2.3.1.B.	М	Lead				\$30,000							\$30,000
S-19	Complete or update Use Attainability Analyses (UAAs), as needed	5.2.3.1.A., 5.2.3.1.B.	М	Lead									\$45,000		\$45,000
S-20	Work with agencies and stakeholders to develop subwatershed-based implementation programs for the North Fork of Nine Mile Creek.	5.2.3.1.C.	н	Lead		\$50,000									\$50,000
S-21	Work with agencies and stakeholders to develop subwatershed-based implementation programs for the South Fork of Nine Mile Creek.	5.2.3.1.C.	н	Lead			\$50,000								\$50,000

Imple	mentation Items	Goal Reference	Priority (H= high, M= medium, L= low)	NMCWD Role (Lead, Partner, or Participant)	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	Total Estimated Cost* (2018-2027)
-	Work with agencies and stakeholders to develop subwatershed-based implementation programs for main stem Nine Mile Creek (downstream of Normandale Lake).	5.2.3.1.C.	М	Lead								\$50,000			\$50,000
S-23	Identify and target priority chloride sources to Nine Mile Creek.	5.2.4.1.A.	н	Lead		\$20,000									\$20,000
S-24	Investigate primary causes of low dissolved oxygen throughout Nine Mile Creek and develop potential remedial measures.	5.2.4.2.A.	н	Lead					\$20,000						\$20,000
S-25	Conduct periodic inspections of Nine Mile Creek to identify and target areas prone to erosion.	5.2.4.3.A.	н	Lead		\$20,000		\$20,000		\$20,000		\$20,000		\$20,000	\$100,000
S-26	Prepare a District wetland inventory that identifies high-value wetlands within the watershed, rare and high-quality wetland biological communities, and identifies opportunities for restoration and/or protection.	5.4.2.1.A, 5.4.2.1.B, 5.4.2.1.C., 5.4.2.1.E., 5.4.2.1.D.	н	Lead			\$50,000				\$50,000	\$50,000			\$150,000
S-27	Develop restoration and/or protection plans to address high-quality wetlands areas, sensitive habitats and plant species, and rare, endangered, and threatened plants and animals within watershed.	5.4.2.1.D.	н	Lead				\$20,000	\$20,000	\$20,000	\$20,000	\$20,000			\$100,000
Projec	ts (P)	I	•			L				L	L		L	L	\$4,705,000
P-1	Work with cities to establish natural vegetated buffers on all publicly owned lands adjacent to Nine Mile Creek and stormwater detention areas.	5.7.1.2.A.	М	Partner	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	¢r.000			
											ψ3/000	\$5,000	\$5,000	\$5,000	\$50,000
P-2	Develop and implement strategies to manage invasive species in coordination with natural resource agencies.	5.4.2.1.F., 5.2.2.4.C., 5.2.2.4.B.	М	Partner	\$5,000	\$5,000	\$15,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000	\$5,000 \$5,000	\$5,000 \$5,000	\$50,000 \$60,000
P-2		5.2.2.4.C.,	н	Partner Lead	\$5,000 \$75,000	\$5,000 \$75,000	\$15,000 \$75,000	\$5,000 \$50,000	\$5,000 \$25,000	\$5,000 \$20,000					
	Identify and implement natural resource protection and enhancement projects, including the restoration strategy for NMCWD Discovery Point, and seek opportunities to include open space, recreational, and habitat	5.2.2.4.C., 5.2.2.4.B. 5.3.2.1.A., 5.3.2.1.A., 5.3.2.1.B., 5.3.2.2.B.,									\$5,000	\$5,000	\$5,000	\$5,000	\$60,000

I	mplem	nentation Items	Goal Reference	Priority (H= high, M= medium, L= low)	NMCWD Role (Lead, Partner, or Participant)	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	Total Estimated Cost* (2018-2027)
	P-6	Establish a wetland bank within the District for District-sponsored projects.	5.4.1.4.A.	н	Lead					\$50,000	\$50,000	\$50,000				\$150,000
	P-7	Actively participate in the TMDL and WRAPS process for District waterbodies, incorporating UAAs or other District studies where applicable.	5.2.3.2.A.	н	Lead/Partner	\$10,000	\$10,000									\$20,000

Item Number	Implementation Items	Priority (H= high, M= medium, L= low)	NMCWD Role (Lead, Partner, or Participant)	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	Total Estimated Cost (2018-2027)
1	Stabilize and restore the North Fork of Nine Mile Creek in Edina ¹ .	н	Lead	\$1,500,000										\$1,500,000
2	Implement recommendations of Normandale Lake UAA (2005) and/or subsequent studies (see S-6 from Table 6-2), which may include in-lake alum treatment, aquatic plant management, and/or construction of two stormwater treatment ponds within the North Fork and South Fork watersheds.	н	Lead/Partner	\$500,000	\$500,000									\$1,000,000
3	Implement recommendations of Lake Cornelia UAA (2010) and/or subsequent studies (see S-8 from Table 6-2), which may include management of curlyleaf pondweed and carp, alum treatment of phosphorus-rich lake sediment, construction of a stormwater treatment pond and/or an iron-enhanced sand filter just upstream of North Lake Cornelia.	н	Lead/Partner		\$500,000	\$500,000								\$1,000,000
4	Implement structural improvement recommendations from the Pentagon Park/Border Basin Regional Stormwater Management Study.	н	Lead/Partner		\$500,000									\$500,000
5	Implement recommendations of Lake Edina UAA or WRAPS, once completed.	М	Lead/Partner			\$500,000								\$500,000
6	Implement Southeast Anderson Lake improvement recommendations from Anderson Lakes UAA (2005), which includes alum treatment of phosphorus-rich lake sediment and additional curlyleaf pondweed management, as needed.	н	Lead/Partner			\$200,000								\$200,000
7	Implement recommendations of Lake Smetana UAA (2003) and/or subsequent studies (see S-9 from Table 6-2), which may include stormwater pond upgrades in SL-2, SL-6, and SL-11 and construction of new stormwater ponds in SL-7 and SL-19A (see Appendix A for potential locations).	н	Lead/Partner				\$1,000,000							\$1,000,000
8	Implement recommendations of Lake Holiday, Wing Lake and Rose Lake UAA (2010) and/or subsequent studies, which may include alum treatment of phosphorus-rich lake sediment in each lake, aquatic plant management, watershed infiltration BMPs and construction of an ironenhanced filtration system to treat flows from Lake Holiday.	M	Lead/Partner					\$500,000	\$500,000					\$1,000,000
9	Stabilize the South Fork of Nine Mile Creek.	н	Lead					\$1,000,000	\$500,000					\$1,500,000

Item Numbe	r Implementation Items	Priority (H= high, M= medium, L= low)	NMCWD Role (Lead, Partner, or Participant)	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	Total Estimated Cost (2018-2027)
10	Implement measures to increase dissolved oxygen concentrations, in collaboration with agencies and stakeholders.	н	Lead/Partner						\$250,000					\$250,000
11	Implement recommendations of draft Arrowhead and Indianhead Lakes UAA (2006) and/or subsequent studies (see S-10 from Table 6-2), which may include management of curlyleaf pondweed and alum treatment of phosphorus-rich lake sediment.	М	Lead/Partner							\$25,000	\$100,000	\$25,000		\$150,000
13	Implement recommendations of draft Mirror Lake UAA (2004) and/or subsequent studies (see S-11 from Table 6-2), which may include management of curlyleaf pondweed, alum treatment of phosphorus-rich lake sediment, upgrade of stormwater pond in ML-3, and construction of a stormwater pond in ML-16 (see Appendix A for potential locations).	М	Lead/Partner							\$250,000				\$250,000
14	Stabilize the Main Stem of Nine Mile Creek between Marsh Lake and 102nd Street in Bloomington.	н	Lead								\$1,000,000	\$1,000,000		\$2,000,000
15	Implement recommendations of Penn Lake UAA (2003) and/or subsequent studies (see S-12 from Table 6-2), which may include management of purple loosestrife, goose management, and construction of a stormwater pond to treat runoff from future I-35W expansion.	М	Lead/Partner									\$150,000		\$150,000
16	Implement recommendations from other UAAs (or UAA updates), TMDLs, WRAPS studies, and/or stream assessments, as needed.	н	Lead/Partner							\$500,000			\$500,000	\$1,000,000
21	Implement recommendations from other regional flood studies, as needed (e.g., Metro Boulevard /Edina Industrial Park regional flood mitigation).	М	Lead/Partner			\$250,000	\$250,000	\$250,000	\$250,000	\$250,000	\$250,000	\$250,000	\$250,000	\$2,000,000
			Totals:	\$2,000,000	\$1,500,000	\$1,450,000	\$1,250,000	\$1,750,000	\$1,500,000	\$1,025,000	\$1,350,000	\$1,425,000	\$750,000	\$14,000,000

¹ Estimated project cost does not included anticipated costs during 2017.

7.0 Local (City) Water Management

NMCWD has engaged water resources staff from the cities within the watershed – Richfield, Hopkins, Minnetonka, Eden Prairie, Edina and Bloomington – throughout the development of this Plan. These individuals – along with representatives of state agencies, Hennepin County and the Metropolitan Council—constitute the District's Technical Advisory Committee, which met five times to review the District's approach to its plan update and provided additional feedback via correspondence. This close consultation reflects the long history of collaboration and cooperation between the District and the cities within its watershed. These relationships represent one of the organization's strengths, and while this Plan sets forth an implementation program the District can carry out independently, it also provides strategies for the District to collaborate with watershed cities, state agencies, private landowners and others to fulfill water resources protection and improvement goals. It also details the manner in which the District can support cities' development and redevelopment goals by taking on responsibility for integrating resource protection into land-use changes.

This section outlines local water management planning requirements for cities and how the Nine Mile Creek Watershed District's implementation program will integrate with other local governments' water resources protection and improvement work. This section also assesses the financial and administrative impacts of the Plan on local units of government.

7.1 City Responsibilities

7.1.1 Requirements for Local Water Management Plans

Local water management plans are required to conform to applicable state law and the NMCWD Plan. Minnesota Rules chapter 8410 and Minnesota Statutes section 103B.235, subdivision 2 include specific requirements for local water management plan content, and this plan does not amend the requirements imposed by state law. Particularly relevant among those is that cities in the watershed must submit their draft local water management plans to the District for review and approval (Minn. Stat. § 103B.235).

NMCWD review and approval of local water management plans will be conducted in accordance with relevant state law.

Chapter 8410 was amended in 2015 to tie cities' local water plan update schedule to the 10-year cycle for cities' submission of updated comprehensive plans to the Metropolitan Council. A city's comprehensive plan must contain an updated and watershed-organization approved local water plan. Given that state law mandates the updated comprehensive plans be submitted by December 31, 2018, NMCWD expects to see a surge of requests for approval of local water plans in the 2017-18 window established by Minnesota Rule 8410.0105, subpart 9 and 8410.0160, subpart 6.

Generally, the policies and goals established in each city's local water management plan must be consistent with the NMCWD Plan. More specifically, the District requires that local water plans include the city's commitment to:

- Providing any updates to the city's wellhead protection plan.
- Consideration in collaboration with the District of the necessary controls to prevent flooding caused by changes in land use or re/development of specific properties.
- Adoption and implementation of groundwater-conservation policy.
- Coordination with the District in developing floodplain information and setting consistent flood elevations.
- Maintaining critical 100-year flood storage volumes.

This Plan contains all required and necessary data and analysis, and cities are free to adopt content of this Plan within their local water plan by reference. The District anticipates, though, that all six watershed cities will be preparing their own plans, as they have in the past. Cities' plans may be submitted prior to the date of adoption of this Plan, but, again, the close interaction between the cities and District during the development of this plan make it clear that the District's review of cities' local water plans under the framework established here rather than the District's 2008 plan, as amended, should not present substantial additional regulatory, financial or programmatic burdens on watershed cities. (This framework for ensuring consistency and protectiveness of official controls pertaining to water resources was amended into the 2008 NMCWD Water Management Plan in August 2016.)

Cities are encouraged to consult with NMCWD staff early on in their planning process to determine collaboratively the most practical approach to meeting the requirements of the NMCWD Plan and Minnesota statutes and rules. The District will work closely with cities as needed in local plan preparation, review, and implementation.

7.1.2 **Permitting Authority**

Under Minnesota Statutes section 103B.235 and the related structure in Minnesota Rules 8410, after NMCWD reviews and approves a watershed city's local water management plan, the city must adopt and implement the plan within 120 days and determine whether to amend its official controls (ordinances) and policies to provide protection of water resources at least as effective as provided by the NMCWD rules or defer exercise of sole regulatory authority to NMCWD within 180 days. Alternatively, the city may opt in its plan to defer the sole exercise of regulatory authority to the District.

In the event that a city elects to update its ordinances and implement water resources protections via its land-use regulatory program, the city and NMCWD will enter into a memorandum of understanding (MOU) detailing the scope of each entity's exercise of regulatory authority (i.e., who will regulate what). The MOU also will establish a process and schedule for exchanging progress reports, the city's submission of permitting information to the District and regular meeting to ensure water-resources management concerns and projects are pursued via the most effective and cost-efficient route possible. The MOU also will provide procedures and a timeline for the District's reengagement of all of its regulatory authority if

the city is found not to have adopted the necessary official controls or implemented a complete and effective regulatory program.

Consistent with the regulatory framework outlined in Minnesota Rules 8410.0160, NMCWD will require as a condition of approval of a local water management plan wherein the city elects to exercise sole regulatory authority that the city commit to update, as necessary, its ordinances over the effective life of the local water plan to maintain conformity with the NMCWD rules within 1 year after NMCWD provides notice that it has significantly revised a rule or rules. (The city's plan should allow 60 days for NMCWD review of a pending ordinance amendment.) A city that elects to exercise sole regulatory authority in its plan may later – in response to a District rule update or otherwise – choose to defer exercise of regulatory authority to the District.

With regard to the Wetland Conservation Act, the District presently administers the state wetland law in Eden Prairie, Hopkins, Richfield and Edina. The cities of Minnetonka and Bloomington act as the WCA Local Government Unit for their jurisdictions, as do the Minnesota Department of TransportationMnDOT and Minnesota State College and University System for state transportation projects and projects within the Normandale Community College campus, respectively. The District does not expect to seek a change to the present array of administration, but would consider assuming WCA authority from either of the cities presently administering the law if asked to do so.

Cities that defer exercise of regulatory authority to the District need to establish protocols to ensure that applicants for other city land-use approvals are referred to the District to obtain relevant necessary approvals under the District rules. In the resolution approving a city plan providing for such a regulatory implementation program, the District will outline a schedule for regular meetings to update city representatives on the District regulatory program and ensure water-resources management concerns and projects are pursued effectively and cost-efficiently.

7.2 Impact on Local Governments

The District's intention is to limit additional requirements imposed upon local units of government while still accomplishing the District's purposes and implementing the Plan. As already noted, this Plan does not add to the planning burden imposed by state law, and in fact creates opportunities for cities and others to reduce costs through collaboration. The District's implementation program will be funded through tax levies.

Cities and other local units of government may be affected by additional costs of compliance of projects (e.g., road reconstruction) with District regulatory standards and criteria. But these costs could well be offset by the diminished burden of implementing regulatory requirements for water resources protection for cities that opt to defer those duties to the District.

The District does need to see commitment in local water management plans to a few specific actions described in <u>subsection-Subsection 7.1.1</u> and commitment to communications from watershed cities. But the requirements there involve communication and coordination that should <u>be-amount to only</u> a

nominal burden and one that will be more than offset by the resulting support from the District. The one Texception is the requirement that a city adopt and implement a groundwater conservation policy and, in the event a city defers regulation to the District, develop and implement protocols for directing permitapplicants to NMCWD are exceptions. But the city can tailor such a policy to both its specific circumstances and needs, as well as available resources for such an effort. Otherwise this plan has been developed with a mind to providing cities with opportunities to collaborate and partner with the District for water resource protection work, consistent with the historic and historically productive relationship among these entities.

The District is not changing the wetland regulation burden for the member cities since the District is willing to continue to act as the LGU responsible for administering WCA for those cities that do not wish to serve as the LGU.

Plan Development, Review, and Amendment 8.0

Plan Development and Public Input 8.1

This Plan was developed with input from a wide range of stakeholders. Initially, the District solicited input from local and state plan review agencies in accordance with Minnesota Rules 8410.0045, subpart 3. Then, during Plan development, District staff conducted workshops with the agency and city staff who serve on its Technical Advisory Committee (TAC); the TAC discussed sections of the plan as they were drafted in five meetings from May 2016 to January 2017. District staff also sought input from the Citizens Advisory Committee (CAC).

The District also made efforts to get input from watershed residents early on in the planning process. A public meeting was held on May 4, 2016 to give citizens the opportunity to offer input and insight on issues that affect Nine Mile Creek as well as District lakes, wetlands, and other resources. At this event, approximately twenty residents from around the watershed participated in identifying key issues and potential actions regarding clean water and related ecological issues. A more detailed summary of the Community Input Forum is provided in Appendix B of this Plan. The District also hosted an online survey, which was designed with assistance from the CAC and completed by over 700 residents. The results of the online survey are summarized Appendix C of this Plan.

The results of the public meeting and online survey were compiled and organized and presented to the Board of Managers at its May 5, 2016 workshop. Issue identification workshops were held with the Board on April 7, 2016 and May 5, 2016. The Board then performed an issue prioritization exercise with consideration of the results from the public meetings, TAC input, response letters from state review agencies and cities, and online survey. This process resulted in identification of the issues summarized in Section 4.0 and the goals, objectives, policies and actions summarized in Section 5.0. The issue identification exercise was conducted using topic categories that vary from the ten major topic areas for the goals, objectives, policies and actions in Section 5.0. A diagram showing the relationship between the issue identification/prioritization topic categories and the goals/policies/actions categories is included in Appendix D.

Board workshops were held on June 8, 2016, September 8, 2016, October 13, 2016 and November 1, 2016 to discuss District goals, objectives, policies, and actions (Section 5.0). These workshops included providing feedback from the TAC on draft goals, objectives, policies, and actions. Board workshops on January 6, 2017 and February 2, 2017 focused on the District's implementation programs (Section 6.0). The managers held a final workshop March 2, 2017, to provide direction on and comments for final drafting.

8.2 Plan Review and Approval

The Plan was submitted for formal 60-day review in March 2017. The District received comments on the draft Plan and responded to Plan reviewers' comments in writing. After formal review of the NMCWD Plan, the District held a public hearing on the draft Plan on XXXXXJuly 19, 2017. BWSR subsequently approved

the NMCWD 2017-2027 Watershed Management Plan on XXXX, 2017. The Board of Managers formally adopted the NMCWD 2017-2027 Watershed Management Plan on XXXX, 2017.

8.3 Plan Amendments

This Plan will guide District activities through 2027, or until superseded by adoption and approval of a subsequent Plan. This Plan will remain in full force and effect until any revision is approved by BWSR. All amendments to this Plan will follow the procedures set forth in this section and as required by Minnesota laws and rules. Plan amendments may be proposed by any person to the Board of Managers, but only the Board of Managers may initiate the amendment process. All recommended plan amendments must be submitted to the District in writing, along with a statement of the problem and need, the rationale for the amendment, and an estimate of the cost.

As a general matter, only significant changes to goals, policies, standards, administrative procedures or capital improvements as described in the Plan will prompt the District to amend the Plan. Any plan amendment will proceed in accordance with the process provided in Minnesota Rules 8410.0140.

Amendments to this Plan will be presumed to be subject to the minor-amendment review process provided in Minnesota Rules 8410.0140, subpart 2. This assumption is based on several factors:

- 1. NMCWD's long history of research, planning and engagement in and rich knowledge of threats to water resources health in the Nine Mile Creek watershed;
- 2. NMCWD's long history of engagement of city representatives and others in the development, design and implementation of projects and programs; and
- 3. NMCWD's extensive outreach to and close collaboration with city and state agency representatives and watershed residents in the development of this Plan.

Approximately 2 years prior to the expiration date of this Plan (in 2025), the District will begin the process of updating its Plan (unless a revised schedule is developed by BWSR in accordance with Minnesota Statutes section 103B.231, subdivision 3a). The updated Plan will meet the requirements of the applicable Minnesota laws and rules.

The District will review its implementation program at least every 2 years as part of its evaluation and reporting duties (see Section 3.1) and revise its implementation program as needed.

Technical information (especially water quality data) will require frequent updating, whenever new sitespecific data are generated by state, federal, and regional agencies, counties, cities, the District, individuals, or developers. The District intends to post this updated information on the NMCWD website 9-Mile Creek Watershed District [Ref. 1] with hard copies available upon request. Other parts of this Plan may also require occasional revision.

8.3.1 Amendment Format and Distribution

The District will prepare and distribute plan amendments in a format consistent with Minnesota Rules 8410. The District will maintain a distribution list of everyone who receives a copy of the Plan. Unless the entire plan is reprinted, any amendment proposed by NMCWD will be distributed in strikeout/underline form of replacement pages for the plan. Draft amendments will be distributed electronically to the list of agencies and individuals who are either required to receive amendments or who have asked for same, and will be posted on the NMCWD website: 9-Mile Creek Watershed District [Ref. 1]. Proposed amendments will be provide in hard-copy form if requested, but in the first instance NMCWD will distribute amendments and receive comments electronically. A current copy of this Plan will be available on the District web site.

8.3.2 Local Water Management Plan Amendment Format and Distribution

Local water management plans should be amended in accordance with Minnesota Statutes section 103B.235, subdivision 5, and Minnesota Rules 8410.0160, subpart 4. Amendments will be timely reviewed and, in accordance with applicable requirements of state law, approved on a determination by NMCWD that the amendment ensures that the local water plan remains consistent with NMCWD's plan.

9.0 References

Barr Engineering Co. 1993. 1988-1991 Lake Water Quality Inventory and Historical Water Quality Trend Analyses: Anderson, Birch Island, Bryant, Bush, Glen, Lone, Minnetoga, Mirror, Normandale, Penn, Shady Oak, and Smetana Lakes. Prepared for the Nine Mile Creek Watershed District.

Barr Engineering Co. 2001. Minnesota Urban Small Sites BMP Manual.

Use Attainability Analyses reports:

- Barr Engineering Co. June 2000. *Minnetoga Lake Use Attainability Analysis*. Prepared for the Nine Mile Creek Watershed District.
- Barr Engineering Co. June 2000. *Birch Island Lake Use Attainability Analysis*. Prepared for the Nine Mile Creek Watershed District.
- Barr Engineering Co. June 2000. *Glen Lake Use Attainability Analysis*. Prepared for the Nine Mile Creek Watershed District.
- Barr Engineering Co. May 2000. Shady Oak Lake Use Attainability Analysis Report. Prepared for the Nine Mile Creek Watershed District.
- Barr Engineering Co. July 2000. *Use Attainability Analysis Final Report Lone Lake*. Prepared for the Nine Mile Creek Watershed District.
- Barr Engineering Co. April 2002. *Bush Lake Use Attainability Analysis Final Report*. <u>Prepared for the Nine Mile Creek Watershed District</u>.
- Barr Engineering Co. October 2003. *Bryant Lake Use Attainability Analysis*. <u>Prepared for the Nine Mile Creek Watershed District.</u>
- Barr Engineering Co. May 2003. *Smetana Lake Use Attainability Analysis Final Report*. Prepared for the Nine Mile Creek Watershed District.
- Barr Engineering Co. December 2003. Lower Penn Lake Use Attainability Analysis. Prepared for the Nine Mile Creek Watershed District.
- Barr Engineering Co. January 2004. Draft *Mirror Lake Use Attainability Analysis*. <u>Prepared for the Nine Mile Creek Watershed District</u>.
- Barr Engineering Co. January 2005. *Southeast, Southwest, and Northwest Anderson Lakes Use Attainability Analyses*. Prepared for the Nine Mile Creek Watershed District.
- Barr Engineering Co. October 2005. *Normandale Lake Use Attainability Analysis*. Prepared for the Nine Mile Creek Watershed District.
- Barr Engineering Co. July 2006. Draft *Arrowhead and Indianhead Lakes Use Attainability Analysis*.

 Prepared for the Nine Mile Creek Watershed District.
- Barr Engineering Co. January 2010. Revised Draft *Lake Cornelia Use Attainability Analysis*. Prepared for the Nine Mile Creek Watershed District.
- Barr Engineering Co. April 2010. *Use Attainability Analyses for Lake Holiday, Wing Lake, and Lake Rose.*<u>Prepared for the Nine Mile Creek Watershed District.</u>

Metropolitan Council. <u>Barr Engineering Co.</u> 2001. *Minnesota Urban Small Sites BMP Manual*. <u>Prepared by Barr Engineering Co.</u>

- Minnesota Board of Water and Soil Resources (BWSR). 2014. Water Level Management- Drawdown

 Technical Guidance Document. Document No.: WRG 6A-7
- Minnesota Climatology Working Group. State Climatology Office, Minnesota DNR Division of Ecological and Water Resources. www.climate.umn.edu. [Ref. 42].
- Minnesota Department of Health (MDH). 2007. Evaluating Proposed Stormwater Infiltration Projects in Vulnerable Wellhead Protection Areas.
- MDH. 2016, as amended. Evaluating Proposed Stormwater Infiltration Projects in Drinking Water Supply Management Areas.
- Minnesota Department of Natural Resources (MDNR). 2011. LiDAR data. MDNR LiDAR data: Univ of MN [Ref. 43].
- MDNR. 1998. Minnesota County Biological Survey for Hennepin County.
- MDNR. 2013. Draft Strategic Plan.
- MDNR. 2017. "How the Climate of Minnesota is and is not Changing." Presentation given by Kenny Blumenfeld, State Climatologist Office, at the City Engineers Association of Minnesota (CEAM) Annual Meeting. January 26, 2017.
- Minnesota Geological Survey (MGS). 1989. Geologic Atlas of Hennepin County.
- Minnesota Pollution Control Agency (MPCA). 2007. *Minnesota Statewide Mercury Total Maximum Daily Load*.
- MPCA. 2010. *Nine Mile Creek Watershed Chloride Total Maximum Daily Load Report*. Prepared by Barr Engineering Co. https://www.pca.state.mn.us/sites/default/files/wg-iw11-08e.pdf [Ref. 47].
- MPCA. 2013, as amended. NPDES General Construction Stormwater permit.
- MPCA. 2014. Guidance Manual for Assessing the Quality of Minnesota Surface Waters for Determination of Impairment: 305(b) Report and 303(d) List.
- Natural Resources Conservation Service (NRCS). 1972. *National Engineering Handbook, Hydrology* Section 4.

National Oceanic and Atmospheric Administration (NOAA). 2013. Atlas 14. Volume 8.

National Resources Conservation Service (NRCS). Soil Survey of Hennepin County, Minnesota.

http://www.nrcs.usda.gov/Internet/FSE MANUSCRIPTS/minnesota/MN053/0/hennepin.pdf [Ref. 15] Soils data updates

http://www.nrcs.usda.gov/wps/portal/nrcs/surveylist/soils/survey/state/?stateId=MN [Ref. 16].

Nine Mile Creek Watershed District. 1996. Nine Mile Creek Watershed District Water Management Plan.

Rosgen. 1994. A Classification of Natural Rivers. Classification system developed by D.L. Rosgen.

Steeley. 2006. Minnesota Weather Almanac.

10.0 Website References

Information Referenced	Website Address	Website Reference #
9-Mile Creek Watershed District website.	https://www.ninemilecreek.org/	1
Climate: information about Hennepin County (Hennepin County).	http://hennepinwestmesonet.org/#/ afd	2
Climate: information about Twin Cities Metropolitan area (MDNR).	http://www.dnr.state.mn.us/climate/twin_cities/index. html	3
Climate: local data from Midwestern Regional Climate Center (MRCC).	http://mrcc.isws.illinois.edu/CLIMATE/	4
Climate: wide range of climate info—National Oceanic and Atmospheric Administration (NOAA).	http://www.nws.noaa.gov/climate/index.php?wfo=mpxhttp://www.dnr.state.mn.us/climate/index.html	5
Climate: other MN climate info: Minnesota Department of Natural Resources (MDNR).	http://www.dnr.state.mn.us/climate/index.html	6
Public Waters Inventory (PWI) maps (MDNR).	http://www.MDNR.state.mn.us/waters/watermgmt_se_ction/pwi/maps.html	7
Impaired waters listings (MPCA).	www.pca.state.mn.us/index.php/water/water-types- and-programs/minnesotas-impaired-waters-and- tmdls/impaired-waters-list.html	8
Water Quality Info: Metropolitan Council Environmental Services (MCES).	http://www.metrocouncil.org/Wastewater- Water/Services/Water-Quality-Management.aspx	9
Wetland Conservation Act (WCA) guidance (MN Board of Water and Soil Resources [BWSR]) website):	http://www.bwsr.state.mn.us/wetlands/wca/index.htm	10
Floodplain Maps (Henn Cty maps based on TP-40— <u>NOT</u> Atlas 14). Federal Emergency Management Agency (FEMA).	https://msc.fema.gov/portal	11
Water appropriation permits (MDNR).	http://www.dnr.state.mn.us/waters/watermgmt section/appropriations/index.html	12
Geology: Surficial and bedrock. Geologic Atlas (Minnesota Geological Survey, 1989).	http://conservancy.umn.edu/handle/11299/58491	13
Minnesota Department of Health (MDH) guidance for Infiltration projects serving municipal groundwater supplies (MPCA).	http://stormwater.pca.state.mn.us/images/3/3a/Evaluating Proposed Stormwater Infiltration Projects in Vulnerable Wellhead Protection Areas.pdf	14

Information Referenced	Website Address	Website Reference #
Soil Information: Soil Survey of Henn Cty. (Natural Resources Conservation Service [NRCS].	http://www.nrcs.usda.gov/Internet/FSE_MANUSCRIPT S/minnesota/MN053/0/hennepin.pdf	15
Soil Information: Soil Survey of Henn Cty. (Natural Resources Conservation Service [NRCS]. Soils data Updates	http://www.nrcs.usda.gov/wps/portal/nrcs/surveylist/soils/survey/state/?stateId=MN	16
Water-Based Recreation Areas (Three Rivers Park District).	www.threeriversparks.org/	17
"LakeFinder" website. Fish stocking and surveys (MDNR).	http://www.dnr.state.mn.us/lakefind/index.html	18
Conservation Corridors (MDNR).	http://www.dnr.state.mn.us/metroconservationcorrido rs/index.html	19
Invasive Species information: aquatic and terrestrial (MDNR)	http://www.dnr.state.mn.us/invasives/index.html	20
Minnesota Land Cover Classification System (MLCCS) (MDNR).	http://www.dnr.state.mn.us/mlccs/index.html	21
Natural Heritage Information System (NHIS). (MDNR).	http://www.dnr.state.mn.us/nhnrp/nhis.html	22
Rare Species Guide. (MDNR).	http://www.dnr.state.mn.us/rsg/index.html	23
Natural resources inventory (NRI), Identifying plant species. (Hennepin County).	www.hennepin.us/residents/environment/natural- resources-map-data-reports	24
Potential Pollution Sources: "What's in my neighborhood" (MPCA).	http://www.pca.state.mn.us/index.php/data/wimn-whats-in-my-neighborhood/whats-in-my-neighborhood.html.	25
Minnesota Department of Natural Resources website.	http://www.dnr.state.mn.us	26
MN Board of Water and Soil Resources (BWSR) website.	http://www.bwsr.state.mn.us	27
MPCA's stormwater program (MPCA).	http://www.pca.state.mn.us/index.php/water/water- types-and-programs/stormwater/index.html	28
MPCA guidance for management of dredged material (MPCA).	http://www.pca.state.mn.us/index.php/water/water- types-and-programs/wastewater/dredged-materials- management.html	29
MPCA guidance for disposal of sediment (MPCA).	http://www.pca.state.mn.us/index.php/view-document.html?gid=18075	30
Minnesota Pollution Control Agency (MPCA) website.	http://www.pca.state.mn.us.	31

Information Referenced	Website Address	Website Reference #
Minnesota Department of Health (MDH) role in water resource management. (MDH).	http://www.health.state.mn.us/divs/eh/water/index.html	32
Minnesota Environmental Quality Board (EQB) website.	http://www.eqb.state.mn.us	33
Minnesota Department of Transportation (MnDOT) website.	http://www.dot.state.mn.us	34
Minnesota State Historic Preservation Offices (SHPO) website.	http://www.mnhs.org/shpo/	35
U.S. Army Corps of Engineers (USACE) website.	http://www.usace.army.mil/	36
Metropolitan Council website.	http://www.metrocouncil.org/	37
Assessment guidance manual (MPCA).	https://www.pca.state.mn.us/sites/default/files/wq-iw1-04.pdf)	38
9-Mile Creek Watershed District "Get Involved Programs."	https://www.ninemilecreek.org/get- involved/programs/	39
9-Mile Creek Watershed District "Get Involved Program Volunteer opportunities."	https://www.ninemilecreek.org/get- involved/volunteer-opportunities/	40
9-Mile Creek Watershed District "Get Involved Grants."	https://www.ninemilecreek.org/get-involved/grants/	41
Climate Info: Minnesota State Climatology Office, MDNR Div. of Ecological and Water Resources (University of Minnesota).	www.climate.umn.edu.	42
LiDAR Data. MDNR. (University of Minnesota).	http://conservancy.umn.edu/handle/11299/58491	43
9-Mile Creek Watershed District Water Quality Data	http://www.ninemilecreek.org/index.asp	44
Regionally significant ecological areas (RSEA) assessment. (MDNR).	http://dnr.state.mn.us/rsea/index.html	45
MPCA: Information about harmful algal blooms is available from the MPCA	https://www.pca.state.mn.us/water/blue-green-algae- and-harmful-algal-blooms.	<u>46</u>
MPCA, 2010. Nine Mile Creek Watershed Chloride Total Maximum Daily Load Report. Prepared by Barr Engineering Co.	https://www.pca.state.mn.us/sites/default/files/wq-iw11-08e.pdf	<u>47</u>

Appendices

Appendix A

Project Synopses of Lake Use Attainability Analyses

Project Synopsis:

Anderson Lakes Use Attainability Analysis

A Use Attainability Analysis (UAA) is a scientific assessment of a water body's physical, chemical, and biological conditions. This assessment provides the foundation for a lake-specific best management practices (BMPs) plan that is used to maintain or attain the existing and potential beneficial uses of a lake, such as swimming, fishing, or aesthetic viewing.

Goals for Anderson Lakes

Southeast Anderson Lake:

Level II Classification—

Summer-average Secchi disc reading $\geq 1.0 \text{ m} (3.3 \text{ ft})$

Southwest Anderson Lake:

Level II Classification—

Summer-average Secchi disc reading $\geq 1.0 \text{ m} (3.3 \text{ ft})$

Northwest Anderson Lake:


Level III Classification—

Summer-average Secchi disc reading ≥ 0.5 m (1.6 ft)


Investigative Techniques

The Anderson Lakes UAA includes both a water quality analysis and prescription of protective measures for all three lakes and their watersheds. This analysis and prescription is based on:

- · Historical water quality data
- Intensive lakewater quality study
- P8 computer simulation modeling of runoff water quality
- Lake hydrologic and phosphorus budget analyses (see reverse)
- Best management practices (BMPs) analysis





The land use on a lake's watershed directly impacts the water quality in the lake. Therefore, the Anderson Lakes UAA assessed existing and ultimate watershed landuse conditions.



These graphs illustrate historic and predicted future summer-average water clarity (transparency).

Transparency is measured as the depth at which a black-and-white patterned disc (a Secchi disc) disappears from view as it is lowered into the water.







Water Quality Problems

Aesthetic Issues


Problem: Summer algal blooms (caused by high phosphorus levels)


Cause: Urban stormwater runoff conveying large amounts of phosphorus to the lake


Biological Issues

Problem: Exotic lake weed species (pictured at right)

Cause: Curlyleaf pondweed, Eurasian watermilfoil, and purple loosestrife







Internal phosphorus loading from the dieback of curlyleaf pondweed and the release of sediment-bound phosphorus contributes significant amounts of phosphorus to all three lakes.





Purple loosestrife is an exotic species that invades wetlands and lake shorelines. It outcompetes native species and, if left unchecked, will eventually become the dominant plant wherever it appears.




Curlyleaf pondweed is an invasive aquatic plant that releases nutrients into the water when it dies back in early summer.

Recommended Remedial Measures*

In-Lake BMPs—Implementing the projects listed below will improve water quality sufficiently to fully meet the Nine Mile Creek Watershed District's goals.

- Improvement of the control structure between Southeast and Southwest Anderson lakes.
- A drawing down of the water levels in Southwest and Northwest Anderson lakes to control non-native aquatic vegetation such as curlyleaf pondweed.
- Improvement of the water quality and stormwater detention efficiency of a runoff detention pond (NW-AL-12) east of Prairie Lakes Drive.
- Whole-lake alum-plus-lime application to Southeast Anderson Lake's entire surface area to reduce the annual phosphorus load by 14 percent.
- Whole-lake endothal treatments for the management of curlyleaf pondweed to reduce Southeast Anderson Lake's annual phosphorus load by 29 percent.



 $^{^*}$ Implementation of remedial measures may change based on municipal petitions.

Project Synopsis:

Birch Island Lake Use Attainability Analysis

A Use Attainability Analysis (UAA) is a scientific assessment of a water body's physical, chemical, and biological conditions. This assessment provides the foundation for a lake-specific best management practices (BMPs) plan that is used to maintain or attain the existing and potential beneficial uses of a lake, such as swimming, fishing, or aesthetic viewing.

Goals for Birch Island Lake


Nine Mile Creek Watershed District Water Quality Goal:

Maintain Level II Classification—full support of swimmable use, but threatened.


Investigative Techniques

The Birch Island Lake UAA includes both a water quality analysis and prescription of protective measures for Birch Island Lake and its watershed. This analysis and prescription is based on:


- · Historical water quality data
- Intensive lakewater quality study
- P8 computer simulation modeling of runoff water quality
- Lake hydrologic and phosphorus budget analyses (see below)
- Best management practices (BMPs) analysis



Surface water runoff from Birch Island Lake's watershed contributes roughly 59 percent of the lake's annual phosphorus load.



This graph illustrates Birch Island Lake's historic and predicted future summer-average water clarity (transparency). Transparency is measured as the depth at which a black-and-white patterned disc (a Secchi disc) disappears from view as it is lowered into the water.



The land use on a lake's watershed directly impacts the water quality in the lake. Therefore, the Birch Island Lake UAA assessed existing and ultimate watershed land-use conditions. The Birch Island watershed is dominated by low-density residential land use.



Water Quality Problems

Recreational Issues
 Problem: Summer algal blooms
 (caused by high phosphorus levels)

Cause: Urban stormwater runoff conveying large amounts of phosphorus to the lake

Biological Issues

Problem: Exotic lake weed species (see below)

Cause: Purple loosestrife




Purple loosestrife is an exotic species that invades wetlands and lake shorelines. It outcompetes native species and, if left unchecked, will eventually become the dominant plant wherever it appears. Purple loosestrife not only displaces native plants, but also diminishes wetland habitat value for a variety of native animals.

Recommended Remedial Measures*

Conventional Runoff BMP—Three improvements are recommended for Birch Island Lake's watershed, including:

- One new stormwater treatment/detention pond (Pond BIL4-1) will allow the district's Level II classification to be attained or maintained for average, wet, and model calibration climatic conditions. It will also reduce the annual phosphorus load between 18 and 45 percent and improve the Secchi disc transparency by up to 40 percent, to between 0.7 and 1.8 meters, depending on the climatic condition.
- Improvement of an existing runoff detention pond (BIL8) south of Birch Island Lake, along Lesley Lane. This basin is proposed to have a surface area of about 0.28 acres and a water quality storage volume below the normal water level of roughly 1.15 acre-feet.
- Construction of a pipe bypass system to convey groundwater and surface
 water runoff from north of CSAH 62 directly to Birch Island Lake to restore
 the lake's historic hydrology. The recommended appraoch is to bypass the
 roadway embankment with both surface and groundwater flow.

Biological Management—The district will continue macrophyte (aquatic plant) surveys to monitor the growth of exotic plant species (purple loosestrife).



 $^{^{\}star}$ Implementation of remedial measures may change based on municipal petitions.



Project Synopsis:

Bryant Lake Use Attainability Analysis

A Use Attainability Analysis (UAA) is a scientific assessment of a water body's physical, chemical, and biological conditions. This assessment provides the foundation for a lake-specific best management practices (BMPs) plan that is used to maintain or attain the existing and potential beneficial uses of a lake, such as swimming, fishing, or aesthetic viewing.

Goals for Bryant Lake

Nine Mile Creek Watershed District Water Quality Goal:

Level I Classification—full support of swimmable use and a Secchi disc reading ≥ 2.0 m.


Minnesota Pollution Control Agency Swimmable Use Goal:

Full support of swimming with a total phosphorus concentration < 40 micrograms/liter and a Secchi disc reading \ge 1.2 m.

Investigative Techniques


The Bryant Lake UAA includes both a water quality analysis and prescription of protective measures for Bryant Lake and its watershed. This analysis and prescription is based on:

- · Historical water quality data
- Aquatic plant surveys
- Intensive lakewater quality study
- P8 computer simulation modeling of runoff water quality
- Lake hydrologic and phosphorus budget analyses (see below)
- Best management practices (BMPs) analysis




Internal phosphorus loading caused by the release of sediment-bound phosphorus contributes significant amounts of phosphorus to Bryant Lake.





This graph illustrates Bryant Lake's historic and predicted future summer-average water clarity (transparency). Transparency is measured as the depth at which a black-and-white patterned disc (a Secchi disc) disappears from view as it is lowered into the water.



The land use on a lake's watershed directly impacts the water quality in the lake. Therefore, the Bryant Lake UAA assessed existing and ultimate watershed land-use conditions.



An invasive aquatic plant, Eurasian watermilfoil adversely impacts aquatic ecosystems by forming dense canopies that often shade out native vegetation. It can "travel" from lake to lake via boat trailers.



Curlyleaf pondweed is an invasive aquatic plant that releases nutrients into the water when it dies back in early summer.



Purple loosestrife is an exotic species that invades wetlands and lake shorelines. It outcompetes native species and, if left unchecked, will eventually become the dominant plant wherever it appears.

Water Quality Problems

Swimming Issues

Problem: Summer algal blooms (caused by high phosphorus levels)

Cause: Urban stormwater runoff conveying large amounts of phosphorus to the lake

Biological Issues

Problem: Exotic lake weed species (see left)


Cause: Curlyleaf pondweed, Eurasian watermilfoil, and purple loosestrife

Recommended Remedial Measures*

Watershed BMPs—Restoring wetland (BL-11) located west of I-494 will reduce the May-September total phosphorus load by 6 percent.

In-Lake BMPs—Implementing the projects listed below will improve water quality sufficiently to fully meet the Minnesota Pollution Control Agency's swimmable-use goal.

- Whole-lake alum applications to the surface area of Bryant Lake to reduce the annual phosphorus load by 21 percent
- Optional: Whole-lake endothal treatments for the management of curlyleaf pondweed to reduce the annual phosphorus load by 6 percent. The optional treatment would be coordinated with Three Rivers Park District to treat specific areas as needed.
- Optional: Management of Eurasian watermilfoil in cooperation with Three Rivers Park District



Project Synopsis:

Bush Lake Use Attainability Analysis

A Use Attainability Analysis (UAA) is a scientific assessment of a water body's physical, chemical, and biological conditions. This assessment provides the foundation for a lake-specific best management practices (BMPs) plan that is used to maintain or attain the existing and potential beneficial uses of a lake, such as swimming, fishing, or aesthetic viewing.

Goals for Bush Lake


Nine Mile Creek Watershed District Water Quality Goal:

Level I Classification—full support of swimmable use and a Secchi disc reading ≥ 2.0 m.


Investigative Techniques

The Bush Lake UAA includes both a water quality analysis and prescription of protective measures for Bush Lake and its watershed. This analysis and prescription is based on:


- · Historical water quality data
- Aquatic plant surveys
- · Intensive lakewater quality study
- P8 computer simulation modeling of runoff water quality
- Lake hydrologic and phosphorus budget analyses (see below)
- Best management practices (BMPs) analysis



Atmospheric deposition accounts for more than 46 percent of Bush Lake's annual phosphorus load.



This graph illustrates Bush Lake's historic and predicted future summer-average water clarity (transparency). Transparency is measured as the depth at which a black-and-white patterned disc (a Secchi disc) disappears from view as it is lowered into the water.



The land use on a lake's watershed directly impacts the water quality in the lake. Therefore, the Bush Lake UAA assessed existing and ultimate watershed land-use conditions.



An invasive aquatic plant, Eurasian watermilfoil adversely impacts aquatic ecosystems by forming dense canopies that often shade out native vegetation. It can "travel" from lake to lake via boat trailers.



Curlyleaf pondweed is an invasive aquatic plant that releases nutrients into the water when it dies back in early summer.



Purple loosestrife is an exotic species that invades wetlands and lake shorelines. It outcompetes native species and, if left unchecked, will eventually become the dominant plant wherever it appears.

9) Mile Creek

Water Quality Problems

Biological Issues

Problem: Exotic lake weed species (see left)

Cause: Urban stormwater runoff conveying large amounts of phosphorus to the lake; curlyleaf pondweed, Eurasian watermilfoil, and purple loosestrife

Recommended Remedial Measures*

Conventional Runoff BMPs—No further BMPs are required to meet the district's water quality goals.

Water Quality Goal Modification—More stringent goals are recommended to provide greater protection of Bush Lake.

- Total phosphorus concentration ≤ 24 micrograms per liter
- Chlorophyll a concentration \leq 7 micrograms per liter

Biological Management Techniques—

- Aquatic plant management
- Whole-lake fluridone treatment to control Eurasian watermilfoil and curlyleaf pondweed



Harvesting Eurasian watermilfoil is a biological management technique used on many area lakes.



Purple loosestrife can be managed by releasing root-boring weevils onto the plants.



Digging loosestrife by hand is another possible management method.

ERSHED DISTRICT Implementation of remeatal measures may change based on manicipal petition

A-8

 $^{^{}ullet}$ Implementation of remedial measures may change based on municipal petitions.

Glen Lake Use Attainability Analysis

A Use Attainability Analysis (UAA) is a scientific assessment of a water body's physical, chemical, and biological conditions. This assessment provides the foundation for a lake-specific best management practices (BMPs) plan that is used to maintain or attain the existing and potential beneficial uses of a lake, such as swimming, fishing, or aesthetic viewing.

Goals for Glen Lake


Nine Mile Creek Watershed District Water Quality Goal:

Level I Classification—full support of swimmable use and a Secchi disc reading ≥ 2.0 m.


Investigative Techniques

The Glen Lake UAA includes both a water quality analysis and prescription of protective measures for Glen Lake and its watershed. This analysis and prescription is based on:


- · Historical water quality data
- Intensive lakewater quality study
- P8 computer simulation modeling of runoff water quality
- Lake hydrologic and phosphorus budget analyses (see below)
- Best management practices (BMPs) analysis



The stormwater conveyance system contributes roughly half of Glen Lake's annual phosphorus load.



This graph illustrates Glen Lake's historic and predicted future summer-average water clarity (transparency). Transparency is measured as the depth at which a blackand-white patterned disc (a Secchi disc) disappears from view as it is lowered into the water.



The land use on a lake's watershed directly impacts the water quality in the lake. Therefore, the Glen Lake UAA assessed existing and ultimate watershed land-use conditions.



Purple loosestrife is an exotic species that invades wetlands and lake shorelines. It outcompetes native species and, if left unchecked, will eventually become the dominant plant wherever it appears.



Purple loosestrife can be managed by releasing rootboring weevils onto the plants.



Digging loosestrife by hand is another possible management method.



Swimming Issues

Problem: Summer algal blooms

Cause: Urban stormwater runoff conveying large amounts of phosphorus to the lake

Biological Issues

Problem: Exotic lake weed species (see left)

Cause: Purple loosestrife


Recommended Remedial Measures*

Conventional Runoff BMPs—Implementing the projects listed below will improve water quality sufficiently to fully meet the Nine Mile Creek Watershed District's goals.

- Add two new stormwater runoff treatment/detention ponds (692-3 and RP1)
- Upgrade pond 629-1 from the City of Minnetonka Surface Water Management Plan in order to meet Minnesota Pollution Control Agency (MPCA) and Nationwide Urban Runoff Program (NURP) criteria for a regional runoff detention/treatment pond

Biological Management Techniques—

Aquatic plant management (see left)



 $[^]st$ Implementation of remedial measures may change based on municipal petitions.

Lone Lake Use Attainability Analysis

A Use Attainability Analysis (UAA) is a scientific assessment of a water body's physical, chemical, and biological conditions. This assessment provides the foundation for a lake-specific best management practices (BMPs) plan that is used to maintain or attain the existing and potential beneficial uses of a lake, such as swimming, fishing, or aesthetic viewing.

Goals for Lone Lake


Nine Mile Creek Watershed District Water Quality Goal:

Level I Classification—full support of swimmable use and a Secchi disc reading ≥ 2.0 m.


Investigative Techniques

The Lone Lake UAA includes both a water quality analysis and prescription of protective measures for Lone Lake and its watershed. This analysis and prescription is based on:

- · Historical water quality data
- Intensive lakewater quality study
- P8 computer simulation modeling of runoff water quality
- Lake hydrologic and phosphorus budget analyses (see below)
- Best management practices (BMPs) analysis



Surface runoff from Lone Lake's direct watershed contributes roughly 54 percent of the lake's annual phosphorus load.



This graph illustrates Lone Lake's historic and predicted future summer-average water clarity (transparency). Transparency is measured as the depth at which a blackand-white patterned disc (a Secchi disc) disappears from view as it is lowered into the water.



The land use on a lake's watershed directly impacts the water quality in the lake. Therefore, the Lone Lake UAA assessed existing and ultimate watershed land-use conditions.





Purple loosestrife is an exotic species that invades wetlands and lake shorelines. It outcompetes native species and, if left unchecked, will eventually become the dominant plant wherever it appears.



Purple loosestrife can be managed by releasing rootboring weevils onto the plants.



Digging loosestrife by hand is another possible management method.



Swimming Issues

Problem: Summer algal blooms

Cause: Urban stormwater runoff conveying large amounts of phosphorus to the lake

Biological Issues

Problem: Exotic lake weed species (see left)

Cause: Purple loosestrife

Recommended Remedial Measures*

Conventional Runoff BMPs—Implementing the projects listed below will improve water quality sufficiently to fully meet the Nine Mile Creek Watershed District's goals.

• Add one new stormwater runoff treatment/detention ponds (582-3)

Biological Management Techniques—

• Aquatic plant management (see left)



 $^{^{}ullet}$ Implementation of remedial measures may change based on municipal petitions.

A-12

5-15

Minnetoga Lake Use Attainability Analysis

A Use Attainability Analysis (UAA) is a scientific assessment of a water body's physical, chemical, and biological conditions. This assessment provides the foundation for a lake-specific best management practices (BMPs) plan that is used to maintain or attain the existing and potential beneficial uses of a lake, such as swimming, fishing, or aesthetic viewing.

Goals for Minnetoga Lake


Nine Mile Creek Watershed District Water Quality Goal:

Level I Classification—full support of swimmable use and a Secchi disc reading ≥ 2.0 m.


Investigative Techniques

The Minnetoga Lake UAA includes both a water quality analysis and prescription of protective measures for Minnetoga Lake and its watershed. This analysis and prescription is based on:


- · Historical water quality data
- Intensive lakewater quality study
- P8 computer simulation modeling of runoff water quality
- Lake hydrologic and phosphorus budget analyses (see below)
- Best management practices (BMPs) analysis



Minnetoga Lake's natural conveyance system contributes roughly 84 percent of the lake's annual phosphorus load.



This graph illustrates Minnetoga Lake's historic and predicted future summer-average water clarity (transparency). Transparency is measured as the depth at which a black-and-white patterned disc (a Secchi disc) disappears from view as it is lowered into the water.




The land use on a lake's watershed directly impacts the water quality in the lake. Therefore, the Minnetoga Lake UAA assessed existing and ultimate watershed land-use conditions.






Purple loosestrife is an exotic species that invades wetlands and lake shorelines. It outcompetes native species and, if left unchecked, will eventually become the dominant plant wherever it appears.



Purple loosestrife can be managed by releasing rootboring weevils onto the plants.



Digging loosestrife by hand is another possible management method.



Swimming Issues

Problem: Summer algal blooms

Cause: Urban stormwater runoff conveying large amounts of phosphorus to the lake

Biological Issues

Problem: Exotic lake weed species (see left)

Cause: Purple loosestrife


Recommended Remedial Measures*

Conventional Runoff BMPs—Implementing the projects listed below will improve water quality sufficiently to fully meet the Nine Mile Creek Watershed District's goals.

- Add three new stormwater treatment ponds (572, 567-2**, and 567-3)
- Upgrade pond 556 for the City of Minnetonka Surface Water Management Plan (to meet Minnesota Pollution Control/Nationwide Urban Runoff Program criteria for a regional runoff detention pond)

Biological Management Techniques—

• Aquatic plant management (see left)



*Implementation of remedial measures may change based on municipal petitions.

**The final design did not include construction of 567-2.

Mirror Lake Use Attainability Analysis

A Use Attainability Analysis (UAA) is a scientific assessment of a water body's physical, chemical, and biological conditions. This assessment provides the foundation for a lake-specific best management practices (BMPs) plan that is used to maintain or attain the existing and potential beneficial uses of a lake, such as swimming, fishing, or aesthetic viewing.

Goals for Mirror Lake


Nine Mile Creek Watershed District Water Quality Goal:

Level IV Classification—intended for runoff management and aesthetic viewing; a Secchi disc reading ≤ 0.5 m.


Investigative Techniques

The Mirror Lake UAA includes both a water quality analysis and prescription of protective measures for Mirror Lake and its watershed. This analysis and prescription is based on:


- Historical water quality data
- Aquatic plant surveys
- Intensive lakewater quality study
- P8 computer simulation modeling of runoff water quality
- Lake hydrologic and phosphorus budget analyses (see below)
- Best management practices (BMPs) analysis



This graph illustrates Mirror Lake's historic and predicted future summer-average water clarity (transparency). Transparency is measured as the depth at which a black-and-white patterned disc (a Secchi disc) disappears from view as it is lowered into the water.



Internal phosphorus loading from the dieback of curlyleaf pondweed and the release of sediment-bound phosphorus contributes nearly 50 percent of Mirror Lake's annual phosphorus load.



The land use on a lake's watershed directly impacts the water quality in the lake. Therefore, the Mirror Lake UAA assessed existing and ultimate watershed land-use conditions.



Curlyleaf pondweed is an invasive aquatic plant that releases nutrients into the water when it dies back in early summer.



Purple loosestrife is an exotic species that invades wetlands and lake shorelines. It outcompetes native species and, if left unchecked, will eventually become the dominant plant wherever it appears.



Purple loosestrife can be managed by releasing root-boring weevils onto the plants.

· Recreational Issues

Problem: Summer algal blooms (caused by high phosphorus levels)

Cause: Urban stormwater runoff conveying large amounts of phosphorus to the lake

• Biological Issues

Problem: Exotic lake weed species (see left)

Cause: Curlyleaf pondweed and purple loosestrife

Recommended Remedial Measures*

Conventional Runoff BMPs


- Add water quality treatment volume to existing pond ML-3
- Construct a new water quality treatment pond in subwatershed ML-16

In-Lake BMPs

- Alum application to the entire surface area of Mirror Lake to reduce the annual phosphorus load by roughly 34 percent
- Manage curlyleaf pondweed with whole-lake endothal treatments to reduce the lakeweed's impact on water quality

Biological Management Techniques

• Manage purple loosestrife by releasing specific beetle species



^{*}Implementation of remedial measures may change based on municipal petitions.



A-16 5-19

Normandale Lake Use Attainability Analysis

A Use Attainability Analysis (UAA) is a scientific assessment of a water body's physical, chemical, and biological conditions. This assessment provides the foundation for a lake-specific best management practices (BMPs) plan that is used to maintain or attain the existing and potential beneficial uses of a lake, such as swimming, fishing, or aesthetic viewing.

Goals for Normandale Lake

Nine Mile Creek Watershed District Water Quality Goal:

Level II Classification—full support of swimmable use, but threatened; Secchi disc reading ≥ 1.0 m. (3.2 ft.) and total phosphorus concentrations ≤ 75 micrograms per liter


Minnesota Pollution Control Agency Swimmable Use Goal:

Full support of swimming with a total phosphorus concentration < 40 micrograms/liter and a Secchi disc reading > 1.2 m.


Investigative Techniques

The Normandale Lake UAA includes both a water quality analysis and prescription of protective measures for Normandale Lake and its watershed. This analysis and prescription is based on:


- · Historical water quality data
- Aquatic plant surveys
- Intensive lakewater quality study
- P8 computer simulation modeling of runoff water quality
- Lake hydrologic and phosphorus budget analyses (see below)
- Best management practices (BMPs) analysis



This graph illustrates Normandale Lake's historic and predicted future summer-average water clarity (transparency). Transparency is measured as the depth at which a black-and-white patterned disc (a Secchi disc) disappears from view as it is lowered into the water.



Surface runoff conveyed to Normandale Lake via Nine Mile Creek contributes roughly 87 percent of the lake's annual phosphorus load.



The land use on a lake's watershed directly impacts the water quality in the lake. Therefore, the Normandale Lake UAA assessed existing and ultimate watershed land-use conditions.





Curlyleaf pondweed is an invasive aquatic plant that releases nutrients into the water when it dies back in early summer.



Purple loosestrife is an exotic species that invades wetlands and lake shorelines. It outcompetes native species and, if left unchecked, will eventually become the dominant plant wherever it appears.

Recreational Issues

Problem: Summer algal blooms (caused by high phosphorus levels)

Cause: Urban stormwater runoff conveying large amounts of phosphorus to the lake

· Biological Issues

Problem: Exotic lake weed species (see left)


Cause: Curlyleaf pondweed and purple loosestrife

Recommended Remedial Measures*

No additional BMPs are required to meet the district's or the MPCA's water clarity goal for Normandale Lake. However, additional BMPs are required to meet the district's total phosphorus goal of less than 75 micrograms per liter. The BMPs necessary are:

- Improve Bryant and Smetana lakes' water quality
- Add two water quality treatment ponds—one pond would be located along the north fork of Nine Mile Creek in Hopkins while the other would be located along the south fork of Nine Mile Creek just upstream of East Bush Lake Road

To meet the MPCA's swimmable-use goal for total phosphorus, an alum treatment facility, located at the confluence of the north and south forks of Nine Mile Creek, with the capacity to treat 15 cubic feet per second of stream flow is necessary.



STMILE CREEK
WATERSHEDDISTRICT
Water Management Plan—2006

A-18 5-21

 $[^]st$ Implementation of remedial measures may change based on municipal petitions.

Penn Lake Use Attainability Analysis

A Use Attainability Analysis (UAA) is a scientific assessment of a water body's physical, chemical, and biological conditions. This assessment provides the foundation for a lake-specific best management practices (BMPs) plan that is used to maintain or attain the existing and potential beneficial uses of a lake, such as swimming, fishing, or aesthetic viewing.

Goals for Penn Lake


Nine Mile Creek Watershed District Water Quality Goal:

Level IV Classification—intended for runoff management and aesthetic viewing; Secchi disc reading ≤ 0.5 m.


Investigative Techniques

The Penn Lake UAA includes both a water quality analysis and prescription of protective measures for Penn Lake and its watershed. This analysis and prescription is based on:


- · Historical water quality data
- Aquatic plant surveys
- Intensive lakewater quality study
- P8 computer simulation modeling of runoff water quality
- Lake hydrologic and phosphorus budget analyses (see below)
- Best management practices (BMPs) analysis



The annual phosphorus budget indicates watershed runoff contributes the largest amount of phosphorus to Penn Lake (~83 percent), while geese contribute roughly 4 percent of the annual phosphorus load.



This graph illustrates Penn Lake's historic and predicted future summer-average water clarity (transparency). Transparency is measured as the depth at which a blackand-white patterned disc (a Secchi disc) disappears from view as it is lowered into the water.




The land use on a lake's watershed directly impacts the water quality in the lake. Therefore, the Penn Lake UAA assessed existing and ultimate watershed land-use conditions.



Purple loosestrife is an exotic species that invades wetlands and lake shorelines. It outcompetes native species and, if left unchecked, will eventually become the dominant plant wherever it appears.



Purple loosestrife can be managed by releasing rootboring weevils onto the plants.



Digging loosestrife by hand is another possible management method.

· Recreational Issues

Problem: Summer algal blooms (caused by high phosphorus levels)

Cause: Urban stormwater runoff conveying large amounts of phosphorus to the lake

Biological Issues

Problem: Exotic lake weed species (see left)

Cause: Purple loosestrife

Recommended Remedial Measures*

Conventional Runoff BMPs

• Pretreatment of runoff from future 35W expansion

Biological Management Techniques

- Manage purple loosestrife by releasing specific beetle species
- Continue annual goose removal program



The annual goose removal program continues to help reduce this source of phosphorus to Penn Lake.



Geese are herded into a pen where the Department of Natural Resources assesses the birds, relocating some to distant locations and slaughtering others for donation to local food shelves.

5-23



 $^{^{}ullet}$ Implementation of remedial measures may change based on municipal petitions.

Water Management Plan—2006 A-20

Shady Oak Lake Use Attainability Analysis

A Use Attainability Analysis (UAA) is a scientific assessment of a water body's physical, chemical, and biological conditions. This assessment provides the foundation for a lake-specific best management practices (BMPs) plan that is used to maintain or attain the existing and potential beneficial uses of a lake, such as swimming, fishing, or aesthetic viewing.

Goals for Shady Oak Lake


Nine Mile Creek Watershed District Water Quality Goal:

Level I Classification—full support of swimmable use and a Secchi disc reading ≥ 2.0 m.


Investigative Techniques

The Shady Oak Lake UAA includes both a water quality analysis and prescription of protective measures for Shady Oak Lake and its watershed. This analysis and prescription is based on:


- · Historical water quality data
- Intensive lakewater quality study
- P8 computer simulation modeling of runoff water quality
- Lake hydrologic and phosphorus budget analyses (see below)
- Best management practices (BMPs) analysis



Stormwater conveyance accounts for more than 50 percent of Shady Oak Lake's annual phosphorus load.



This graph illustrates Shady Oak Lake's historic and predicted future summer-average water clarity (transparency). Transparency is measured as the depth at which a black-and-white patterned disc (a Secchi disc) disappears from view as it is lowered into the water.



The land use on a lake's watershed directly impacts the water quality in the lake. Therefore, the Shady Oak Lake UAA assessed existing and ultimate watershed land-use conditions.





An invasive aquatic plant, Eurasian watermilfoil adversely impacts aquatic ecosystems by forming dense canopies that often shade out native vegetation. It can "travel" from lake to lake via boat trailers.



Purple loosestrife is an exotic species that invades wetlands and lake shorelines. It outcompetes native species and, if left unchecked, will eventually become the dominant plant wherever it appears.



Purple loosestrife can be managed by releasing rootboring weevils onto the plants.

Swimming Issues

Problem: Summer algal blooms (caused by high phosphorus levels)

Cause: Urban stormwater runoff conveying large amounts of phosphorus to the lake

Biological Issues

Problem: Exotic lake weed species (see left)

Cause: Eurasian watermilfoil and purple loosestrife

Recommended Remedial Measures*


Conventional Runoff BMPs—No further BMPs, besides those prescribed by the Minnetonka Water Resources Management Plan, are required to meet the district's water quality goals. However, elevating the outlet from pond 531 could improve the water quality in the lake.



Harvesting Eurasian watermilfoil is a biological management technique used on many area lakes.

Biological Management Techniques—

Aquatic plant management



 $^{^{}ullet}$ Implementation of remedial measures may change based on municipal petitions.

Smetana Lake Use Attainability Analysis

A Use Attainability Analysis (UAA) is a scientific assessment of a water body's physical, chemical, and biological conditions. This assessment provides the foundation for a lake-specific best management practices (BMPs) plan that is used to maintain or attain the existing and potential beneficial uses of a lake, such as swimming, fishing, or aesthetic viewing.

Goals for Smetana Lake


Nine Mile Creek Watershed District Water Quality Goal:

Level III Classification—partial support of swimmable use and a Secchi disc reading ≥ 0.5 m.


Investigative Techniques

The Smetana Lake UAA includes both a water quality analysis and prescription of protective measures for Smetana Lake and its watershed. This analysis and prescription is based on:


- · Historical water quality data
- Intensive lakewater quality study
- P8 computer simulation modeling of runoff water quality
- Lake hydrologic and phosphorus budget analyses (see below)
- Best management practices (BMPs) analysis



The annual phosphorus budget indicates outflows from Bryant Lake contribute the largest amount of phosphorus to Smetana Lake (~76 percent).



This graph illustrates Smetana Lake's historic and predicted future summer-average water clarity (transparency). Transparency is measured as the depth at which a black-and-white patterned disc (a Secchi disc) disappears from view as it is lowered into the water.



The land use on a lake's watershed directly impacts the water quality in the lake. Therefore, the Smetana Lake UAA assessed existing and ultimate watershed land-use conditions.





Curlyleaf pondweed is an invasive aquatic plant that releases nutrients into the water when it dies back in early summer.



Purple loosestrife is an exotic species that invades wetlands and lake shorelines. It outcompetes native species and, if left unchecked, will eventually become the dominant plant wherever it appears.

• Swimming Issues

Problem: Summer algal blooms (caused by high phosphorus levels)

Cause: Urban stormwater runoff conveying large amounts of phosphorus to the lake

· Biological Issues


Problem: Exotic lake weed species (see left)

Cause: Curlyleaf pondweed and purple loosestrife

Recommended Remedial Measures*

No additional BMPs are required to meet the district's water quality goal for Smetana Lake (a level III classification). However, additional BMPs could be implemented to enhance the lake's water quality during various climatic conditions.

- Implementation of BMPs on the Bryant Lake watershed will also improve Smetana Lake's water quality.
- Implementation of all the illustrated BMPs, combined with improved Bryant Lake water quality (the analysis assumed Bryant Lake water quality meets the district's goal for that lake), would reduce the annual phosphorus load by 90 to 219 pounds/year (8 to 19 percent).
- Summer average Secchi disc transparency is estimated to improve minorly, by up to 0.2 meters



^{*}II

 ullet Implementation of remedial measures may change based on municipal petitions.

5-27

Water Management Plan—2006 A-24

Appendix B

Summary Memo of May 4, 2016 Community Input Forum



Memorandum

To: Nine Mile Creek Watershed District Board of Managers

From: Janna Kieffer

Subject: Summary of May 4, 2016 Community Input Forum

Date: June 14, 2016

Project: Water Management Plan Update

c: Bob Obermeyer, Erica Sniegowski, Kevin Bigalke and Michael Welch

On May 4, 2016 the Nine Mile Creek Watershed District (NMCWD) hosted a community input forum to inform citizens about the NMCWD and the update of its Water Management Plan and solicit feedback regarding citizen issues and concerns. The forum was held at the Centennial Lakes Pavilion in Edina. Attendance included 18 citizens, three Nine Mile Creek staff members, two NMCWD managers, and one NMCWD consultant.

Meeting Agenda

At the onset of the meeting, participants were greeted by NMCWD staff and asked to sign in and prepare a name tag. Participants were given a colored dot and instructed to locate their residence on a large map of the Nine Mile Creek watershed. At the sign-in table, participants were also given 3" x 5" cards with instructions to answer each of three strategic questions which were shown on a large projection screen. The questions were in relation to which NMCWD resources were used, how they were used and what people most valued about the resources within the watershed. During a welcome and overview by the District administrator, staff collected the 3" x 5" cards which were then tabulated and results were presented at the end of the meeting.

The attendees were arranged into small groups of 4-8 people per table in order to facilitate the next part of the meeting, the "brain sprinting" exercise. The "brain sprinting" exercise was a timed effort that focused on gathering responses in a rapid, repeating sequence. The first round of the exercise focused on generating the key issues/concerns in relation to the water resources within the NMCWD, such as invasive species, animal habitats, stormwater and other pollutants, water quality, aquatic vegetation, increased development/impervious surfaces and the need for education and maintenance. The second round of the "brain sprinting" exercise was then to identify potential solutions to the issues identified in the first round. The "brain sprinting" responses were tabulated on pre-printed sheets that were gathered at the end of the meeting. After the exercise, each of the small groups were given a chance to discuss some key issues and solutions from their table, selecting one issue and solution to share with the larger group.

Date: June 14, 2016

Page: 2

Next, NMCWD staff led a brief question and answer session, followed by a summary of next steps in the planning process, and a quick presentation of which resources the group most used, how they used the resources, and a summary of what the group most valued about the water resources within the Nine Mile Creek watershed. The meeting was then adjourned.

Documenting the Results

NMCWD staff gathered a variety of information from the community input forum, including:

- A colored dot on the District watershed map for each person that attended the meeting.
- The three 3" x 5" cards for each participant that included answers to three strategic questions.
- One sheet (two sides) for each participant that summarized the issues and solutions identified in the "brain sprinting" exercise.

At sign-in, attendees were given a colored dot and instructed to locate their residence on a large map of the Nine Mile Creek watershed. A photo of the "dot" map is included as Figure 1. The majority of attendees were from Edina and Bloomington, with one representative from both the cities of Eden Prairie and Hopkins. As seen in Figure 1, a large portion of the forum participants were from a residential neighborhood near Normandale Lake.

Staff compiled the answers to each of the three strategic questions and organized the responses into similar categories. This information was summarized based on the number of responses in each category (in a spreadsheet) and summarized in graphical format at the closing of the forum meeting (see Figures 2 through 4).

All responses collected during the "brain sprinting" exercise were compiled into a spreadsheet as a first step. The responses were then organized into gross categories and then further refined into more specific categories. The compiled results for the key issues of concern and ideas for improvement are presented in Figures 5 and 6, respectively. As noted above, a large portion of the forum participants reside in Bloomington. As such, many comments specific to Normandale Lake were shared during the brain sprinting exercise.

Incorporating the Results into the NMCWD Plan Update

A summary of the May 4, 2016 Community Input Forum was provided to the NMCWD Board of Managers at their May 5, 2016 Board Workshop. This information, along with input gathered from the community input survey, was considered as the Board of Managers conducted issue identification and prioritization for the Water Management Plan update. Feedback from the community input forum is also being used as staff develop goals, policies, and implementation activities for inclusion in their updated Water Management Plan.

Date: June 14, 2016

Page:




Figure 1. Watershed "dot" map, with dots representing where forum attendees live.

Date: June 14, 2016 **Page:** 4




Figure 2. Summary of responses to question "What lakes, creeks, and/or wetlands do you visit in the watershed?"

Date: June 14, 2016 **Page:** 5




Figure 3. Summary of responses to question "How do you use the lakes, creeks, and/or wetlands in the watershed?"




Figure 4. Summary of responses to question "What do you value most about your local lakes, creeks, and wetlands?"

Surface Land Use Ecology/AIS Flooding Normandale Organization Water & **Education** Planning & Lake Groundwater Management and Recreational Quality **Outreach** Use **Too Much** Insufficient **Poor Quality Need Better** Wildlife **Flooding** More of Runoff **Access** Algae [3] **Education** – Coordination **Protection** [6] [10] [10] **Quality &** with Cities [8] and Other Use of the Government Need Resources **General Poor Need More** Contaminated **Increased Entities** [4] **Invasive** Walkway & Influent Water Floodplain [4] **Species** [5] Quality **Bikeway** Management [4] [5] Installation [1] **More Citizen** and Upkeep **Engagement** Need Limited [4] Impacts of **Increased** [3] Recreational **Shallow Pond** Terrestrial **Poor Water BMP & Activities** Levels Invasive **Quality on** Water [5] [1] **Species Impacts Habitat** Quality **Develop** (Buckthorn) **Caused by** [4] **Funding** Incentive [3] Development [3] Inadequate **Program Implementat** [1] Redevelopm **Too Much** ion of Longent Algae **Coyotes** Maintain term [3] [2] **Spending Solutions** More Levels [4] Education -[1] Inadequate **Too Much Buffer** Conservation **Plantings Parking** Fertilizer Use Odor of Habitat Space at [4] [1] [4] [1] Lakes Need [1] Sustainable **Erosion &** Management Concern More Stabilization **Further** [1] **Education** – Limited about [4] Spread of Lawn Recreational **District Invasive Activities Practices Approach Species** Sediment **Not Enough** [1] [1] [3] **Filling Ponds** [1] Communicati [4] on with the Public **Nonresponsi** More Overpopulati [1] ve to Public **Education** -Chlorides in on of Deer **Comments** Runoff [1] [3] **Gardens** [2] [1] **Poor Public** Meeting **Protection of Dumping Too Many Structure** Existing **Aquatic** [1] into Storm Wetlands **Plants** Sewer or [3] Waterbodies [1] [2] **No Clear Too Many** Geese **Definition of Aquatic** [2] **Success Plants** [2] [1] Pet Waste **Disposal** Conservation [2] **Too Many** of Habitat Mosquitoes [1] Insufficient [1] **Buffers/BMPs** [1] Ineffective **Spending** Support [1] **Aquatic Life Low Fish Population** [1] [1] Insufficient **Access** Not Enough [1] **Not Enough** Wetlands Stormwater [1] Reuse **Not Enough** [1] Interaction with Army **Pollution** Corps of **Engineers** Management [1] **Impervious** Visual **Surfaces Aesthetics** [1] [1] Sedimentation Wildlife Protection [1]

Figure 5. Brain Sprinting Exercise: **Key Issues of Concern**

Note: [#] indicates frequency of comment

Ecology/AIS Other Normandale **Land Use** Organization **Surface Education** Lake Water **Planning** and Quality **Outreach** Management Reduce **Promote** Obtain **Build** Remove & Use & **Educate Increased** Commercial Control **Promote Citizens Access** Influent (Lawn **Treatment** Lawn **Invasive** (Canoe **Funding** Energy Fertilizer & **Species** Clippings, Landings, (Grants, **Plant** Conservation Chemical Bike Trails, Issue Bond, [4] Salt, Invasive [7] [2] **Donations) Usage** Signage for Species, [6] Awareness) [7] Chemical Cooperation [1] **Encourage** Use, Pet **Promote** between Groundwater Wildlife Waste) Government **Install Rain** Habitat Conservation [8] Cooperation **Entities** Gardens (Build [2] between (Cities, WDs, [3] **Birdhouses)** Government **Army Corp** Demonstrate **Entities** [2] **Progress to** of Engineers) (Cities, WDs, **Encourage Public** [2] **Implement Army Corp** Recycling [6] Stream of Engineers) [1] Conduct **Stabilization** [6] **Hire Internal** Wildlife and Erosion Organize or External **Counts and Controls Public Specialists Publish Data** [3] Listen to & [2] Cleanup (Boy [1] **Address** Scouts, Citizen Businesses, Listen to & Increased **Concerns** Groups, High **Address** Monitoring [5] **School** Citizen [2] Students) Introduce **Concerns** [4] **Native Plants** [2] Develop a [1] **Promote Strategy Buffers Foster** [2] **Bring Board** Community [2] Members to **Involvement** the Field and Teach Consider [1] More Children **Filter** Changing **Effective** [3] Stormwater **Past Policies** Mosquito [1] Change [1] Control Format of [1] Reduce **Public Commercial** Meetings Fund Long-term Lawn Installation **Planning** [1] Fertilizer & Organize of Rain [1] Chemical **Gardens on Public Usage** Develop a **Private** Cleanup (Boy [3] **Strategy Property** Scouts, [1] [1] Businesses, Groups, High **Exhibit School** Successes of **Increased** Students) Increased **Property Funding Dredging of** [1] [1] **Owners** Ponds & [2] **Creeks Update UAA** [1] Study More [1] Signage (Pet **Install more** Waste, ponds Stormwater [1] Drain Dumping, **Show Access** Introduce Points) **Bottom** [2] **Feeding Fish** [1] Offer **Incentives** Offer for Improved **Incentives** Water for Improved Quality Water [2] Quality [1] Collaborate with Lake

Prioritization

[1]

Associations

[1]

Appendix C

Summary of Online Public Input Survey



Memorandum

To: NMCWD Board of Managers From: Greg Williams and Janna Kieffer

Subject: NMCWD Plan Update - Summary of Online Survey Results (update through May 26,

2016)


Date: June 15, 2016

c: Kevin Bigalke, Bob Obermeyer, Erica Sniegowski, Michael Welch


As part of the plan update process, the Nine Mile Creek Watershed District has collected community input through an online survey. The survey has been active since February 18, 2016 and received 719 responses (as of May 26, 2016). This memorandum presents the responses to the survey, including categorical responses and open-ended comments. This information may be used as the Board of Managers seeks to prioritize issues to be addressed in the plan. Responses to survey question 13 ("What do you think should be the top four priorities for the District over the next 10 years?") may be especially helpful.


Survey Results

Question 1: In what city do you live? (719 responses)



Over 60% of respondents live in Bloomington. A total of 35 respondents identified other cities, including most commonly: Minneapolis (9), Apple Valley (4), and St. Paul (3). Several respondents listing "other" noted that they work in Bloomington.





About two thirds of the survey respondents live less than two blocks from a creek, wetland, or lake. The survey asked those living adjacent to a waterbody to identify the waterbody. A complete list of waterbodies identified in Question 2 is included at the end of this memo. Waterbodies identified by three or more respondents include:

- Nine Mile Creek (65)
- Normandale Lake (27)
- Lake Minnetoga (11)
- Hyland Lake (9)
- Arrowhead Lake (9)
- Bush Lake (8)
- Minnesota River (6)
- Penn Lake (6)
- Shady Oak Lake (6)
- Anderson Lakes (3)
- Mirror Lake (3)
- Dewey Hills Pond (3)

Not Sure, 24.3%

Yes, 60.6%

No, 15.1%

No you live in the Nine Mile Creek Watershed District?

Yes


No Yes

No No Not Sure


Question 3: Do you live in the Nine Mile Creek Watershed? (719 responses)

About 60% of respondents live within the District. About a quarter of respondents are unsure whether they live within the District.

Question 4: How familiar are you with our organization, the Nine Mile Creek Watershed District? (719 responses)



Approximately 60% of the respondents indicated that they are not familiar with the District. Less than 10% of respondents are very familiar with the District.




Question 5: How do you use Nine Mile Creek, local lakes, and/or wetlands? (685 responses)

The most common uses include those that involve simply "being around" the waterbody (e.g., walking, running). Sixty of the 685 respondents identified "other" uses; Most of the other uses identified may generally be included in the pre-selected categories and are not presented individually in this memo. Because respondents may select multiple responses, it is likely that the "other" responses are also counted within the most applicable category. Other uses commonly specified in the other category include:

- Winter activities (ice skating, snowshoeing, and cross-country skiing)
- Exercising dogs (including letting them drink the lake water)


Question 6: How important are the following water resources to the quality of life in your community? (685 responses)




The majority of the 685 respondents considered each of the listed resources as very important. Over 85% of respondents considered each resource either important or very important. Respondents generally considered lakes to be most important, followed by the creek, then wetlands and ponds. Thirty-five respondents provided comments on this question. Most of the comments were related to the following topics:

- Water quality
- Wildlife habitat, health, and diversity
- Green space, aesthetics, and recreation


A complete list of the open-ended responses to question 6 is attached to this memorandum.






Nine Mile Creek was valued by 70% of respondents. Normandale Lake and Bush Lake were the next most highly rated waterbodies. Centennial Lake and Bryant Lake were the only other lakes valued by over 20% of respondents. Of 68 open-ended responses, 22 noted that all waterbodies in the District are valuable. The open ended responses included several other lakes within the District (and some outside the District), including:


- Hyland Lake (9)
- Hawkes Lake (6)
- Minnesota River (3)
- Cardinal Creek (2)
- Canterbury Pond
- Cote Pond
- Dewey Hill Ponds
- Overlook Lake
- Round Lake
- Sandro Pond
- Stauder Lake
- Tierney Woods wetlands
- Timberglade Pond
- Topview Pond





About 85% of respondents indicated a high level of concern over water quality, and nearly all respondents indicated some concern.

Question 9: How would you rate the overall water quality of the lakes, creeks, and wetlands that are located where you live? (683 responses)




Respondents' views on overall water quality were split with about one third rating water quality good or better, one third rating water quality as fair, and one third rating water quality as poor or worse. There were 27 openended responses. Common open-ended responses identified the following water quality concerns:


- Algal blooms (odor and aesthetics)
- Debris/trash
- Weeds
- Normandale Lake water quality
- Nine Mile Creek water quality


A complete list of the open-ended responses to question 9 is attached to this memo.

Question 10: Are there one or more water bodies in your community that you are concerned about? If so, which ones? (662 responses)



Responses to question 10 varied widely. Many responses did not identify any waterbodies as a particular concern, while others cited all waterbodies in the District as a concern. Over 200 responses sited Normandale Lake as a concern, and 101 responses cited Nine Mile Creek as a concern. Other waterbodies receiving a high number of responses included Bush Lake (41 responses) and the Minnesota River (23 responses).






The most commonly identified concerns included pollutants (75%), water clarity (56%), and stormwater runoff impacts (55%). Aquatic invasive species was identified by about 50% of respondents as a concern. Stability of water levels and flooding were identified as a concern by only 24% and 16% of respondents, respectively. Fifty-six respondents specified other concerns via open-ended responses, including:

- Odor issues
- Algal blooms
- Weeds (impacts to aesthetics and recreation)
- Pet waste, fertilizer, road salt and other pollutants


A complete list of the open-ended responses is attached to this memorandum.

Question 12: Thinking beyond lakes and creeks, what are your other top concerns that relate to water in your community? (662 responses)



Of the options included in question 12, groundwater contamination (56%), terrestrial invasive species (51%), and wildlife diversity (46%) were identified as concerns by the most respondents. Improving water access (9%), private property flooding (11%), and street flooding (15%) concerned the fewest respondents. Thirty respondents identified specific concerns in open-ended responses. Most of the open-ended responses may be categorized as one of the available categories in question 11 or question 12. The open-ended responses to question 12 are attached to this memo.

Question 13: What do you think should be the top 4 priorities for the District in the next 10 years? (615 responses)



From the options provided in question 13, the top District priority as identified by respondents should be:

1. Reduce pollutants from stormwater (58%)

After the top priority, there are four concerns rated with similar priority,

- 2. Protect and improve wetland health (47%)
- 3. Manage invasive species (46%)


- 4. Protect groundwater supply and quality (45%)
- 5. Reduce the abundance of algae (42%)

Thirty-six respondents provided open-ended responses. Many of the responses are specific items falling into the provided categories (e.g., reduce buckthorn). Other priorities identified in the open-ended responses not included within the provided categories include:

- Improving waterbody access
- Reduce pollutants (road salt, fertilizer)
- Improving fisheries
- Conservation
- Education


A complete list of the open-ended responses to question 13 is attached to this memo.

Question 14: What is the most effective way for the District to accomplish these priorities in the next 10 years? (615 responses)




Most survey respondents see projects funded and led by the District or in cooperation with District partners as the most effective way to accomplish District priorities. Survey respondents generally consider the permitting program and citizen-led projects funded by District grants as less effective.

Question 15: The services and programs provided by the Nine Mile Creek Watershed District are funded through a tax levy on property located within the District. As an example, the owner of a \$260,000 home pays about \$35 per year to finance Watershed District services and programs, while the owner of a \$360,000 home pays about \$48 per year. Would you be willing to pay an additional amount to support clean water by funding additional water quality services and programs provided by the Nine Mile Creek Watershed District? (615 responses).



Survey results included 64 open-ended responses. Open-ended responses specifying a dollar amount (or no increase) were assigned to the appropriate existing category for reporting purposes (e.g., an open-response of \$100/year was added to the \$15/year category). Many open-ended responses stated that respondents would be willing to pay more only to perform specific projects/benefits (e.g., clean up Normandale Lake), or only if accomplishments could be demonstrated.



Question 16: What actions are you willing to take to protect water quality or conserve water? (615 responses).

The results indicate that many respondents are already taking action or would be willing to take action to conserve water. The most common practices already in place include directing downspouts onto lawns and keeping grass clippings out of the street. Few respondents have installed a raingarden, installed a rain barrel, or participated in watershed volunteer opportunities. Over half the respondents, however, would be willing to take these actions.


Question 17: Do you have any other comments, questions, or concerns? (152 responses)

Ninety-nine survey respondents provided a response (other than "No") to this question. Responses varied widely, but some common themes were present, including:

- Thanking for the District's efforts and opportunity to provide input
- Requesting action to address Normandale Lake water quality issues
- Continuing/increasing public awareness and education
- Reducing focus/efforts on trails

A complete list of the responses to question 17 is attached to this memo.


Question 18: What is the single best way for the Nine Mile Creek Watershed District to provide information to you about water quality projects, events, and other news involving the work of the District? (610 responses)



About 60% of respondents preferred electronic communication methods (e-newsletters, social media, website), while about 30% preferred printed media. Whether printed or electronic, over half of the respondents identified newsletters as the single best way to provide information. Only 5% of respondents preferred in-person communications. Sixteen respondents provided an open-ended response. Most open ended responses noted the need to use multiple media. The open-ended responses also cited:

- Telephone
- District inspectors
- Local television and Minnesota Public Radio

Question 19: For a chance to win a prize for completing the survey, check the corresponding box below. Don't forget to enter your email address. Thank you for completing the survey!



Over 70% of survey respondents (328) wanted to be subscribed to the District's e-newsletter, while 105 respondents wished to be contacted about District volunteer opportunities. The 106 survey respondents willing to be contacted about volunteer opportunities is less than the 383 respondents who identified themselves as willing to participate in watershed volunteer opportunities in question 16.

Nine Mile Creek Watershed District Community Survey

Question 2 Open Ended Responses

Number	Response	Comments
1	Date 5/8/2016	Xerxes Pond
2	5/6/2016	Timberglade
3	5/5/2016	Lake Normandale
4		lake minnetoga
	5/3/2016	Bryant park
5	5/1/2016	lake minnetoga
6	4/30/2016	
7	4/29/2016	Eagle Lake & Eagle Creek Minnesota River
8	4/28/2016	Minnehaha Creek
9	4/27/2016	
10	4/27/2016	McGinty Pond 9 mile creek
11	4/27/2016	Nine Mile Creek
12	4/27/2016	
13	4/27/2016	Hyland Lake Park Res.
14	4/27/2016	Nine Mile Creek
15	4/27/2016	Nine Mile Creek
16	4/26/2016	9 Mile Creek
17	4/26/2016	9 mile creek
18	4/26/2016	Nine Mile Creek
19	4/26/2016	Nine Mile
20	4/26/2016	Hyland
21	4/26/2016	hyland lake
22	4/26/2016	Bush Lake and Hylands preserve
23	4/26/2016	Normandale Lake
24	4/26/2016	Across street from 9 mi creek
25	4/26/2016	Nine Mile Creek
26	4/26/2016	Minnesota River
27	4/26/2016	Hyland Lake Park Preserve
28	4/26/2016	Hyland Park Preserve
29	4/26/2016	the wetland/creek east of France Avenue
30	4/26/2016	Lake minnetoga
31	4/26/2016	Normandale lake
32	4/26/2016	on Nine Mile Creek at 98th street
33	4/26/2016	Long Meadow Lake
34	4/26/2016	Long Meadow Lake
35	4/26/2016	Lake 1, 2 or 3???
36	4/25/2016	Bush Lake, Hyland Lake
37	4/25/2016	South of 84th between oxborgh & Morris
38	4/25/2016	Minnesota River Valley and Lake Normandale
39	4/25/2016	Just east of Poplar Bridge
40	4/25/2016	bush lake and runoff pond on our property
41	4/25/2016	Canterbury Pond, SE corner of 102nd and France
42	4/25/2016	Ponds near Olson Elementary/Olson Middle School
43	4/25/2016	Bush
44	4/25/2016	Hyland Lake
45	4/25/2016	9 Mile Creek / Nord Myr Park
	4/25/2016	Nine Mile Creek
46		Lake Minnetoga
47	4/25/2016	
48 49	4/25/2016 4/25/2016	Morris Road/Heritage Hills pond Anderson Lakes

50	4/25/2016	Normandale LAke
51	4/25/2016	MN River Valley
<u> </u>	0,_0 . 0	98th and Dakota~ Hyland Lake, Ponds at 99th and Dakota, Ponds behind St Ed's Church,
52	4/25/2016	Normandale Lake, Nine Mile Creek
53	4/25/2016	Lake Girard
54	4/25/2016	9 mile
55	4/25/2016	Nine Mile Creek
56	4/25/2016	Marce bog between Yukon and Bush Lake
57	4/25/2016	Normandale Lake District
58	4/25/2016	Minnesota River
59	4/25/2016	We're on Auto Club by the River
60	4/25/2016	Minnesota
61	4/25/2016	Hawkes Lake
62	4/22/2016	Highland park lake
63	4/22/2016	Nine Mile Creek
64	4/22/2016	Bush Lake
65		Arrowhead lake Edina
66	4/22/2016	Normandale Lake
67	4/21/2016	Nine Mile Creek
68	4/20/2016	Normandale Lake
69	4/20/2016	Bush Lake, Pond in Bill Warren Park Lake Locklear
70 71	4/11/2016 4/11/2016	creek near 70th and Lake Cornelia - Edina Lk
72	4/11/2016	MN Valley National Wildlife Refuge
73	4/7/2016	Directly across from Creek Valley Elementary
74	4/5/2016	Glen Lake
75	4/4/2016	Glen Lake
76	3/31/2016	Prior Lake
77	3/29/2016	Lake Minnetoga
78	3/29/2016	Lake Minnetoga
	0.20.20.0	live in Lake Forest Development which is surrounded by several wetlands and abuts 9
79	3/28/2016	Mile Creek
80	3/27/2016	Nine Mile Creek
81	3/25/2016	Nine mike
82	3/25/2016	Nine Mile Creek area
83	3/25/2016	Wetland adjacent to Butternut Circle, Minnetonka
84	3/25/2016	wetlands Forest Lake Townhomes
85	3/25/2016	Nine Mike Creek
86	3/25/2016	south branch of nine mile creek
87	3/24/2016	Lake Rose
88	3/22/2016	Lower Penn Lake arrowhead lake
89 90	3/22/2016 3/22/2016	Nine Mile Creek on Westbrooke Way in Hopkins by the Community Garden
91	3/22/2016	Mirror Lake
92	3/21/2016	arrowhead lake
93	3/21/2016	Arrowhead Lake
94	3/21/2016	Arrowhead Lake
95	3/20/2016	Arrowhead Lake
96	3/20/2016	9 mile creek
97	3/19/2016	No name
98	3/19/2016	Lower Penn
99	3/18/2016	Lower Penn
100	3/18/2016	Dewey Hill condo ponds
101	3/18/2016	Dewey Hill South Condo. Private pond/marsh
102	3/18/2016	between 102nd st and Old Shakopee Rd

103	3/18/2016	Sandro Pond and Normadale Lake
104	3/17/2016	Normandale Lake
105	3/17/2016	Normandale Lake
106	3/17/2016	Edenbrook Preservation Area
107	3/17/2016	Normandale lake
108	3/17/2016	Normandale lake
109	3/17/2016	Penn Lake
110		Red Rock Lake
111		Nine Mile Ceeek
112	3/17/2016	Purgatory Creek
113	3/17/2016	Shady Oak Lake
114	3/17/2016	lower penn lake
115	3/17/2016	Red rock lake (marshy part)
116	3/17/2016	Creek and lake
117	3/16/2016	9 Mile Creek.
118		Nine Mile Creek
119		Nine Mile Creek
120	3/16/2016	Arrowhead Lake
121	3/16/2016	Nine Mile Creek
122	3/16/2016	Nine mile creek
123	3/16/2016	Nine Mile Creek
123	3/16/2016	Knoll Lake
125	3/16/2016	Carmel Pond at Fallbrook Rd & Thornhill Rd
126	3/16/2016	Swamp next to Nine Mile Creek
127	3/16/2016	Oak Pond
128	3/15/2016	Nine Mile Creek
129	3/15/2016	Nine Mile Creek
130	3/15/2016	Skriebakken Lake
131	3/15/2016	Nine Mile Creek
132	3/15/2016	I'm not certain actually Opus area off Bren Road.
133	3/15/2016	Bush Laje
134	3/15/2016	Live adjacent to drainage tunnel that feeds (eventually) into 9 mile creek
135	3/15/2016	bush lake
136	3/15/2016	North Branch of Nine Mile Creek
137	3/15/2016	9 mile creek, north fork
138		nine mile creek runs along my backyard
139	3/15/2016	nine mile creek
140	3/15/2016	Nine Mile Creek
141	3/15/2016	bass ponds across the street from me
142	3/15/2016	Mirror Lake
143		Nine Mile Creek
144		Nine Mile Creek
145	3/15/2016	Lewis Park Pond
146		Nine mile creek
147		Nine mile creek is just behind our house(by the train tracks, on Abercrombie dr)
148	3/14/2016	unknown
149	3/14/2016	Nine Mile Creek
150	3/14/2016	Walnut ridge park wetland area
151		Normandale Lake
152	3/14/2016	nine mile creek
153	3/14/2016	Nine Mile Creek at Lincoln Drive and Dovre Drive
154	3/14/2016	Nine Mile Creek
155	3/14/2016	Nine Mile Greek
156	3/14/2016	Arrowhead Lake
157	3/14/2016	Mirror lakes
107	O/ 17/2010	

158	3/14/2016	Nice Mile Creek and Marsh Lake
159	3/14/2016	Skriebakken Lake
160	3/14/2016	Normandale Lake
161	3/14/2016	shady oak lake
162	3/14/2016	Shady Oak Lake
163	3/13/2016	Shady Oak Lake
164	3/13/2016	Minnetoga lake (mud lake)
165	3/13/2016	Hawkes Lake
166	3/13/2016	Dewey Hills III Townhouse Association Pond
167	3/12/2016	Shady Oak Lake
168	3/12/2016	Normandale Lake
169	3/12/2016	Lake Normandale
170	3/12/2016	nine mile creek
171	3/11/2016	Arrowhead Lake
172	3/11/2016	Nine mile creek
173	3/9/2016	Minnetoga
174	3/9/2016	Lake Minnetoga
175	3/8/2016	Anderson Lakes
176	3/8/2016	Credit River
177	3/8/2016	Anderson Lake
178	3/8/2016	Normandale Lake
179	3/8/2016	Lake Normandale
180	3/7/2016	Normandale Lake
181	3/7/2016	Normandale Lake
182	3/7/2016	Parker's Lake
183	3/7/2016	2 miles from the creek, but walk with a friend within two blocks of creek
184	3/7/2016	Normandale Lake
185	3/7/2016	Nord Myr Park/Nine Mile Creek/Mt Normandale Lake
186	3/7/2016	Diamond Lake
187	3/7/2016	Sandro Pond
188	3/7/2016	Normandale Lake
189	3/7/2016	Nine mile creek
190	3/7/2016	Credit River
191	3/7/2016	Nine Mile creek and Normandale Lake
192	3/7/2016	Normandale Lake, wet land across Normandale Blvd
193	3/7/2016	Normandale Lake
194	3/7/2016	Normandale Lake
195	3/7/2016	Normandale Lake, Nine Mile Creek
196	3/7/2016	Creek, wetland that goes into Normandale Lake
197	3/7/2016	Pond behind long brake trail and Delaney boulevard
198	3/6/2016	Edenvale
199	3/6/2016	Nine mile creek
200	3/6/2016	Nine Mile Creek
201	3/6/2016	Nine Mile Creek
202	3/6/2016	Hyland Park
203	3/6/2016	Normandale Lake
204	3/6/2016	Normandale Lake
205	3/6/2016	Nine Mile Creek
206	3/6/2016	Nine Mile Creek
207	3/6/2016	Nine Mile Creek, Normandale Lake
208	3/6/2016	Normandale Lake
209	3/6/2016	Nord Myr Marsh
210	3/5/2016	Lake Minnetoga
211	3/5/2016	Unnamed
212	3/5/2016	Nine Mile Creek

213	3/5/2016	Outlet water pond?
214	3/4/2016	Lake Phalen
215	3/3/2016	Nine Mile Creek
216	3/2/2016	Minnetoga Lake
217	2/26/2016	Nine Mile Creek
218	2/20/2016	9 mile Creek
219	2/20/2016	Minnesota River
220	2/20/2016	Heritage lake plus storm water pond
221	2/20/2016	Penn lake
222	2/20/2016	9 mile creek
223	2/18/2016	Manor Homes of Edina

Nine Mile Creek Watershed District Community Survey Question 6 Open Ended Responses

	Question 6 Open Ended Responses			
		following water resources to the quality of life in your community?		
Number	Response	Comments		
	Date	The creek, river, lakes and ponds are all important. I hope others agree so we can begin		
1	5/6/2016	to take care of them finally!		
2	4/27/2016	Appreciate wild life habitat preservation		
		We live near Terrace Oaks Park in Burnsville and appreciate the ponds and wetlands		
3	4/27/2016	within it.		
		Since 9 mile creek empties into normandale lake is it very important due to what it brings		
4	4/26/2016	into the lake		
5	4/26/2016	Ponds and wetlands add greatly to the beauty of Bloomington.		
6	4/26/2016	afrail cattails and lily pads will completely enclose our lake		
7	4/26/2016	Water = Life		
8	4/26/2016	open space is important		
		Even though I do not use these resources regularly, my husband and I are very aware of		
		how critical they are to our environment. they add greatly to the quality of life in Bloomington, even as we drive by. Necessary for wildlife, to regulate run off, and for other		
9	4/25/2016	environmental reasons.		
10	4/25/2016	all are important to wildlife diversity		
10	4/23/2010	Green space is diminishing due to over-building, so 9-mile creek is even more precious to		
11	4/21/2016	mental health		
12	4/9/2016	I live in apartment complex with no storm water mitigation		
		With continual reduction of water quality and increasing hard cover of land, all water		
13	3/31/2016	bodies are extremely important		
		The sight of bald eagles, egrets, herons, geese and ducks, as well as the migratory		
14	3/22/2016	wildfowl that fly through in the spring enhance our standard of living.		
15	3/22/2016	Aren't they necessary to survive? Don't we need water?		
16	3/17/2016	I am very concerned about pollution from properties along 9 mile creek.		
17	3/17/2016	I think all these water resources are important for waterfowl reproduction		
10	2/17/2016	Water quality is an issue in Edina; unfortunately Edina's development policies have done little to protect our water assets and, in fact, have harmed them.		
18 19	3/17/2016 3/16/2016	Nine Mile Creek is (was) a unique ribbon of wilderness in the middle of our city.		
20	3/16/2016	I live on a pond		
21	3/15/2016	Water is vital to life, ours and that of other species.		
22	3/15/2016	I really can't think of anything more important to me and my family than the water.		
	3/13/2010	We're kidding ourselves to think any waterway isn't important in our lives, whether we		
23	3/15/2016	have direct interaction or not.		
		Nine mile creek feels very unclean around my house. It's not the kind of water I'd like to		
24	3/14/2016	Swim in, and it's cluttered with litter		
		Water sources are extremely important for both mind and body. It is also attractive to the		
25	3/14/2016	city to have clean water sources for both play and visual interest.		
26	3/14/2016	Nature is very important to me and my family		
27	3/13/2016	These are the reasons we moved here and stay here		
28	3/12/2016	R		
29	3/9/2016	Something is causing the water quality to get progressive worse each year		
30	3/8/2016	Water quality plus wildlife habitat		
31	3/7/2016	I work in Bloomington but live in Apple Valley.		
32	3/6/2016	Normandale Lake needs attention.		
33	3/6/2016	The entire world of water is extremely important		
34	3/5/2016	Too much fertilization in our neighborhood!		
35	2/18/2016	Water resources are hugely important across the board!		

Nine Mile Creek Watershed District Community Survey Question 9 Open Ended Responses

	How would you rate the overall water quality of the lakes, creeks, and wetlands that are located where you live?			
Number	Response Date	Comments		
	Date	Nine Mile Creek to the west of Hwy 169 between Lincoln/5th St. & Londonderry exits		
1	4/26/2016	appears to be very polluted		
2	4/26/2016	Normandale Lake gets very green and smelly during the warm months.		
3	4/25/2016	Ponds not to good		
4	4/25/2016	I really don't know, but I hope the water quality is somewhere between fair and good.		
5	4/25/2016	Am always concerned when I read about ecoli in Bush Lake, etc.		
6	4/25/2016	Lots of pond scum on Normandale Lake		
		too much rubbish, trees and plants are cut down so animals don't have shelter, tires and		
		junk are thrown in the water, not enough barrier (native/prairie grass) to protect wildlife		
7	4/21/2016	habitat		
8	4/11/2016	too many cattails		
9	3/21/2016	In Arrowhead, I wish there was maybe more movement - not sure it's that fresh		
10	3/17/2016	Normandale lake is an unsightly, smelly, green marsh in the summer		
11	3/16/2016	Concerned about the weeds/algae blooms as it relates water quality.		
12	3/16/2016	I am watching the creek fill in and get shallower		
		It is a travesty that Nine Mile Creek Watershed District supports rather than challenges the pollution of NMC from runoff from yards and salt from local highways. The salt contains the terrible - parts of the creek don't freeze over because of the salt runoff.		
13	3/16/2016	WHERE IS 9MC Watershed District?		
14	3/15/2016	I'm concerned because we've just taken it for granted for too many years.		
4=	0/45/0040	I'm right on the creek and I'd love to help clean it up. We try to fish out debris, but we can		
15	3/15/2016	see how polluted it is and can't do much else to help ourselves. We clean up trash all the time. Nine Mile is just a highway for all the trash starting in		
		Hopkins and into the Minnesota River. Yes there is wildlife am constantly surprised its still		
16	3/14/2016	there based on the excessive water intake after rains and drought in summer.		
		Most are good, except Normandale Lake, which looks like it's in terrible shape. Completely		
17	3/14/2016	covered in weekds.		
		Very poor since the road construction on Shady Oak rd was completed. You can see the		
		different algae around the drains coming into the lake. I have seen what looks like oil in the		
40	0/14/0010	water near the drain on the south side of the big part of Shady Oak lake. Also having been		
18	3/14/2016	on the lake for 15+ years the weeds are thicker.		
19	3/9/2016	It was originally called mud lake- I believe this was done for a reason Normandale Lake is no longer a jewel in the neighborhood. It is unsightly and the smell is		
20	3/7/2016	offensive.		
20	3///2010	While they look great in the spring, they quickly clog up with algae and other growth that		
21	3/7/2016	chokes the life of the water		
		We have a tremendous amount of algae in Lake Normandale, the primary lake in		
22	3/7/2016	Bloomington		
23	3/7/2016	Lake Normandale is disgusting		
24	3/6/2016	FAIR overall, some POOR like Normandale Lake especially		
25	3/6/2016	Normandale and Hyland lakes are very concerning however!		
		I WILL HAVE TO RESEARCH THIS I CAN ONLY HOPE THE ANSWER IS		
		EXCELLENT WITH ALL THE SALT RUN OFF I QUESTION THE QUALITY. OUR		
26	3/5/2016	STREET DRAINS RUN INTO THE CREEK.		
27	2/20/2016	Algee		

Nine Mile Creek Watershed District Community Survey Question 11 Open Ended Responses

vviiat con	-	have about lakes, creeks and wetlands in your community?
Number	Response Date	Comments
1	5/6/2016	Temperature of water. Nine mile used to be trout stream.
	4/00/0040	No longer can fish or canoe on the lake. Just looking at it is disgusting - discourages using
2	4/26/2016	it as the primary walking area.
3	4/26/2016	Concerned about cattails and lily pads filling in lake
_ ,	4/26/2016	state government draining to lower water levels which encourage invasive cat tails to explode and make havens for mosquitoes
4	4/26/2016	Got smelly last year
5	4/26/2016	Trees that are dying and falling in.
6	4/26/2016	Odor from algae, appearance of algae, invasive fish
7	4/25/2016	
8	4/25/2016	Growing weeds around the edge, no fertilizer is used in the area of water
9	4/25/2016	E. coli at beaches
10	4/25/2016	Dead trees surrounding Normandale Lake. I am concerned at the gas leakage from the pumps at the Cut Rate station on Old
		Shakopee and Xerxes in Bloomington. I think that gas is running directly into Nine Mile
11	4/25/2016	Creek. the station should be closed and the Brown Field cleaned up.
12	4/23/2016	neighbors raking leaves into the creek
	4/21/2016	toxic waste (pet excrement) people don't pick up (they think it's "organic"
13		
14	4/20/2016	algae level every summer is terrible and becomes smelly
15	4/7/2016	Lake Normandale is terrible!
16	4/5/2016	pet waste
	0.05.004.0	Addition of large apartment building on a small 3 acre plot surrounded by wetlands (on
17	3/25/2016	Rowland)
18	3/25/2016	concern on flood insurance and preserving nature
40	2/24/2016	Normandale lake is choked with weeds in the summer and literally stinks so bad sometimes its uncomfortable to be near
19	3/24/2016	
20	3/21/2016	Wish there were less reeds so that we could canoe, etc.
21	3/19/2016	Round lake
22	3/18/2016	The "rape" of 9 mile Creek in Heights Park for an unnecessary bike trail
23	3/18/2016	It doesn't even look like a lake by mid summer - it's all just green sludge.
24	3/18/2016	The Smell is terrible in the summer
25	3/17/2016	Mercury and phosphorus from ferlilizer runoff on 9 mile creek
26	3/17/2016	algae on waterbodies
		Over development, allowing developers to clear cut lots (no enforcement of tree preservation ordinance), use of chemicals all contribute to degradation of the water assets
27	3/17/2016	in our community
28		Smell and algae
	3/16/2016	You can see the impact of the Watershed District's failure to focus on pollution.
29	3/16/2016	·
30	3/15/2016	Thank you for doing something about water quality. We care!!!
31	3/15/2016	mosquito control
32	3/15/2016	mosquitos the city clear cut all the trees along nine mile creek to make way for a stupid bike trail and
22	3/15/2016	walking path
33	3/15/2016	All checked
34	3/15/2016	invasive cat tails have taken over areas surrounding nine mile. beautiful wetlands have
35	3/14/2016	turned into grasslands.
36	3/14/2016	Normandale Lake turns green from alge - too ugly and often too smelly to walk around
50	J/ 17/2010	Draining of Storm water from salted streets into our ponds and the change (deterioration
37	3/13/2016	of water and shoreline) that is producing
-,		Portions of the lake are being overtaken by seaweed and muck, making those portions of
38	3/12/2016	the lake unusable to swimmers/boaters in the summer
39	3/12/2016	Smelly

Nine Mile Creek Watershed District Community Survey Question 11 Open Ended Responses

	Ruestion 11 Open Ended Responses			
What con	What concerns do you have about lakes, creeks and wetlands in your community?			
Number	Response Date	Comments		
41	3/12/2016	Smelly plant growth		
42	3/8/2016	Algae bad smell		
43	3/7/2016	Summer algae bloom covers most of the lake. Can't we keep phosphates out of the lake? Mountain bike recreation damage to the trails which ultimately impact the lakes, creeks		
44	3/7/2016	and wetlands.		
45	3/7/2016	Odor coming off of the water due to sediment, storm runoff, etc.		
46	3/7/2016	Smell		
47	3/7/2016	the green gunk on the water and the smell		
48	3/7/2016	Algae		
49	3/6/2016	pollution from insecticides, herbicides		
50	3/6/2016	Algae problem - the lake is covered 90% of the time		
51	3/6/2016	excessive algae		
52	3/6/2016	Odor from algae, appearance of algae, invasive fish		
53	3/5/2016	Chlorinated water?		
54	3/5/2016	Smells bad in summer		
55	3/5/2016	Runoff		
56	2/20/2016	Odor from water body		
57	2/20/2016	Walking trail is flooded		

Nine Mile Creek Watershed District Community Survey Question 12 Open Ended Responses

Thinking beyond lakes and creeks, what are your other top concerns that relate to water in your community?			
Number	Response Date	Comments	
1	5/1/2016	Want water quality buy-in from public?Enable Access!	
2	4/28/2016	Now you've got me worried about all of these!	
		MN Big Agriculture factory farms that pollute the ecosystem of MN. Am also concerned	
3	4/28/2016	about water quality for the animals that are confined and mistreated in these facilities	
4	4/28/2016	generally concerned with many of these but none are "top" concerns	
5	4/27/2016	Impermeable ground cover(buildings, garages,driveways, etc.) Rapid runoff after storms reducing groundwater recharge.	
6	4/26/2016	cattail plants in lake	
		When helping to pick up litter with my son's Scout Troop I chose to focus on the many tiny	
_		mint wrappers blown into & around the lake from TGIF's across the Hwy. to Normandake	
7	4/26/2016	Lake	
	4/06/0016	incompetence of state government wrecking lake after lake throughout state by intentionally lowering water levels to help ducks and hurt everything else	
8	4/26/2016	Should encourage traditional native plantings, non-fertilizers, native grasses	
9	4/25/2016	Pollutants from fertilizer and road salt.	
10	4/25/2016	Non point source water pollution is a major concern for this urban watershed. Catch	
		basins such as the one on Upper Penn Lake and rain gardens throughout the watershed	
11	4/25/2016	should lessen the effect of contaminants getting into the watershed.	
		Of course, the Flint crisis makes us aware of the critical importance of allocating public	
12	4/25/2016	tax funds to to upgrading pipes, treatment plants etc.	
13	4/21/2016	LACK of abundance and diversity of wildlife, litter, erosion	
14	3/24/2016	Normandale Lake is a Weed choked lake. It is filled with sediment and should be dredged	
15	3/22/2016	If there is a lot of rain, there is flooding on the east side of the corner of Smetana and 11th Street.	
16	3/20/2016	Sediment collection from run-off; pollutants from run-off	
		I was in the hospital last week and was getting an IV that I thought had a painkiller added	
		to the liquid. When they removed the IV they emptied the rest down the sink. As I was	
		drowsy and anxious to get out of the hospital, I didn't say anything. Later I was wondering	
17	3/20/2016	where that went? I will be asking the Dr. when I go in for my follow-up.	
18	3/17/2016	Poor and illegal farming practices damaging watersheds	
		Increased: density, size of homes, allowing tree removal, increase of impervious surfaces	
		all contribute to degradation of the watershed in our community. Lack of policy and	
19	3/17/2016	enforcement of policy contributes to the degradation of the watershed in our community.	
	5,17,2010	I am concerned that curb and gutters are a major contributor to pollutants and low ground	
20	3/17/2016	water levels.	
		The Watershed District chose to support the 3 Rivers Park District "trail" that will replace	
21	3/16/2016	39+ acres of wetland and wildlife habitat with pavement and gravel	
22	3/15/2016	Thank you for caring. How can we all help?	
23	3/15/2016	Not enough rain garden type filtering systems.	
24	3/15/2016	Hhhshs	
25	3/14/2016	The buckthorn in the Marsh Lake area is so thick that nothing else can grow.	
26	3/13/2016	contamination from salting our roads and streets	
27	3/8/2016	The number of coyotes has grown in our community; affecting the safety of our pets	
28	3/7/2016	See above comment regarding mountain bike usage.	
29	3/7/2016	Buckthorn and garlic mustard are destroying my neighborhood	
30	3/5/2016	Yard-stuff going into storm sewers	

Nine Mile Creek Watershed District Community Survey Question 13 Open Ended Responses

	Question 13 Open Ended Responses			
What do y	What do you think should be the top 4 priorities for the District in the next 10 years?			
Number	Response Date	Comments		
1	5/12/2016	Increase game fishing in Normandale lake		
		Education of residents still necessary. They need to be bombarded with education and		
2	5/6/2016	training!		
3	5/3/2016	not sure?		
4	5/1/2016	more access		
5	4/27/2016	Reduce variability of stormwater runoff with rain gardens and other retention devices		
6	4/27/2016	I don't feel adequately informed to enough select 4 main areas.		
		Eliminating coyotes in the watershed district. They limit the enjoyment and use and are		
7	4/27/2016	serious safety concerns.		
8	4/26/2016	Underground water suppky		
•	4/00/0040	Difficult to judge because I really don't know the "big picture" so can only respond to my area		
9	4/26/2016	of concern.		
		stop encouraging invasive species by artificially reducing water levels. This has been a		
10	4/26/2016	disaster on many lakes. The science you're using is flawed!		
11	4/26/2016	Buckthorn		
12	4/25/2016	reduce odor		
		Clean up the edges of creeks (9 mile-Minnehaha)as in general there are no fertilizers used on		
	4.05.004.0	them. It used to be really nice to actually walk along a creek and actually see it and maybe sit		
13	4/25/2016	on the bank and watch the water go by.		
14	4/25/2016	make people (county and city) stop using chemicals on property		
45	4/2F/2016	Continue efforts to deepen and widen the areas of the creek especially through Edina. There will continue to be challenges with peak flow times and runoff, however I am of the opinion that continued stream stabilization to the Creek and putting in storm water retention ponds in areas could help. I recommend the board address any and all open spaces be utilized or sought after in order to control storm water. The next step would be to offer cost sharing for parking let retrefits, are that would allow for rain gordens.		
15	4/25/2016	parking lot retrofits, etc that would allow for rain gardens.		
		Stop use of road salt unless absolutely necessary. Only the steepest road grades should see		
16	4/25/2016	it. Extra salt should be mechanically collected within 24 hours of application.		
17	4/11/2016	have incomplete knowledge of needs from studies		
18	4/7/2016	A war on Buckthorn		
19	3/22/2016	Iwould think there could be a multi-focused effort to assure clean water and reduce invasive species.		
19	3/22/2010	Reduce weeds - Huge Lily Pads/weeds that take over the Summer Months at Normandale		
20	3/18/2016	Lake		
21	3/17/2016	Force residents along 9 mile creek to not fertilize their yards within 50 feet of 9 mile creek. Investigate all possible pollution sources along 9 mile creek.		
22	3/17/2016	Improve fisheries		
		I really have no idea - the water clarity on Shady Oak Lake is excellent and I want to stay that		
23	3/17/2016	way		
24	3/17/2016	Turn the pump on at lower penn lake!!!		
25	2/17/2016	All of the above could be achieved through stronger protection policies and enforcement of those policies especially with respect to development. The onus to protect the environment should be on the developers. That is not happening in our community. We have allowed examples such as getting rid of 30 year conservation easements so that individuals can build a house with a bigger footprint. That is ecologically irresponsible.		
25 26	3/17/2016	I'm not an expert. You should prioritize :)		
∠0	3/16/2016	The Watershed District's conservation mandate has been ignored in favor of development of		
		"amenities" for bikers. Preserving wildlife habitat and wetland from contamination and		
27	3/16/2016	development is the meaning of conservation.		
28	3/15/2016	2,3,4 - street flooding is the only concern i have		
29	3/15/2016	Really, everything is important.		
30	3/15/2016	mosquito control		
30	3/13/2010	mosquito control		

Nine Mile Creek Watershed District Community Survey Question 13 Open Ended Responses

What do y	What do you think should be the top 4 priorities for the District in the next 10 years?			
Number	Response Date	Comments		
31	3/15/2016	get rid of buckthorn		
32	3/15/2016	keep government out and let private enterprise manage		
33	3/15/2016	Getting businesses to chip in funds to help clean it up!		
34	3/7/2016	Fixing Normandale Lake.		
35	3/5/2016	Restrict fertilization		
36	2/18/2016	Salt control on roads		

Nine Mile Creek Watershed District Community Survey

Question 17 Open Ended Responses

Number	Response Date	nments, questions, or concerns? Comments
	•	Comments
		I have no "lawn". I compost all of my yard waste. I use NO chemicals, even hose water. I have
1		multiple rain barrels around the house for watering. It works and it's easy once you get started.
2		Pollution, fertilizers, crap that effect wildlife
3		Access, please.
4		I have no idea how to answer #14.
5	4/28/2016	Thank you for your efforts at keeping this conversation alive. LOOKING TOWARD TO BE A GREEN BY THE CONTROL OF
6		log). The new trail will attract more people and build interest in the Creek, which is largely invisible to most folks. I would like to see a more level bicycle route across the Creek and 35W south of Old Shakopee Rd. 106th Street is quite dangerous and difficult for bicycles. Best wishes to the District.
7	4/27/2016	Don't let climate change fanatics hijack our environmental programs.
8	4/27/2016	important work! thank you for asking!!
9	4/27/2016	My #1 concern is the expanding population of coyotes in the district. Need to control them.
10		Would like to see an initiative to conduct yearly trash pick up around lakes and streams
11	4/26/2016	I appreciate all the hard work that already goes into the preservation of our natural resources
		while this lake was a manmade lake therefore not "natural" it serves the same purpose and is
12	4/26/2016	very important to bloomington and the surrounding area. The investment required to build the bandshell was intended to bring the community together and the lake is part of that.
40		The rain sheets off our driveway to the curb & into the storm drain. I looked into it but it just
13		costs too much for us to install a permeable driveway like \$15,000. for pavers. Willing to do more and pay more as long as the money and efforts go directly to the issues at
14		hand
15	4/26/2016	Glad you have programs during the week.
15	4/20/2010	Thank you! It was difficult to only pick 4 too priorities. I wish to add any climate change related
		planning.
16		I would also love help or information concerning installing a rain garden.
17	4/26/2016	fallen trees in creek blocking proper creek flow
		Reduce codes that say you must cut lawn at certain length, encourage natural native plants
18		and yards instead of water sucking and fertilizing extensive lawns.
19	4/25/2016	The proposed paved trail along the river in Bloomington must be blocked!
20		people that live in managed developments do not have choices on what is put on the lawns or how runoff is handled. Education of townhome and apt. owners is needed.
21		traveled quite a bit and the watershed is much much better than quite a bit of the older US cities. Much of our storm water is being diverted to infiltration areas as compared to other developed areas of the country. Continued work needs to be done in Edina and the Hopkins areas to stabilize and widen the stream, which will be hard but can be done with the cooperation of those Cities. One or two large storm water retension pond / wildlife areas could do wonders for those down stream.
22	4/25/2016	More education and awareness of contractors dumping in street drains as I hve witnessed this twice in the last 12 months
23	4/25/2016	The challenge is great and we all need to be involved to protect our natural resources. They make our lives and community great.
24	4/25/2016	I wonder about the management of the drainage ponds around our lake. Also, as many of our neighbors hire lawn services, I wonder if those companies are monitored for what they are putting on the lawns.
25		I appreciate the opportunity to participate in this survey. Good luck managing the results!
		managers. A great example is the MN River Valley in Bloomington. Their is an existing natural
26	4/25/2016	trail that is used by tens of thousands of people that coexists with the flood plain. The DNR/Bloomington want to allow a polluting paved trail that will harm the natural area and send
27		Would love to see regulations against chemical lawn care. No need for perfection especially at the risk of health to all of us, human, animals and plants!

Nine Mile Creek Watershed District Community Survey Question 17 Open Ended Responses

	Question 17 Open Ended Responses					
Do you have any other comments, questions, or concerns?						
Number	Response Date					
28	4/25/2016	A cleaner Normandale Lake would mean more aquatic activities there				
29	4/25/2016	See previous comments.				
30	4/22/2016	Thanks for your work.				
31	4/22/2016	I have no lawn & only weed wack a couple times per year.				
		I wish our district offered design help for rain gardens or shoreline erosion prevention. We're				
	410410040	willing to do so much, but can't afford the cost of design work. We'll do our own labor and buy				
32	4/21/2016	the plants! Unfortunately I live in a condo and the association is not willing to do ANYTHING! That would				
33	4/21/2016	be a great place to start educating.				
34	4/11/2016	ques 14 was difficult to answer.				
	171172010	Apartment dweller. Cannot have rain barrel. Called city about regulation, none. As resident we				
35	4/9/2016	pay % water.				
36	4/1/2016	Hope for community involvement				
37	3/31/2016	Water quality is rapidly approaching a crisis; delayed action will be very costly and difficult				
		Concerned about new apt. building changing the water level behind my property. Lived here				
	0.10=100.10	26 years and have never experienced these high levels. Was told would not see any changes.				
38	3/25/2016	We do. Very concerning. I think many Minnetonka residents do not realize they live in the Nine Mile creek district.				
39	3/25/2016	Perhaps we should do signage at the borders as Minnehaha creek district does.				
- 00	3/23/2010	I am pleased you are asking these questions. If you have a newsletter or website, please let				
40	3/22/2016	me know.				
		We need to educate. Especially the school system. Edina Schools are located on Nine Mile				
41	3/22/2016	Creek and will harm the environment with the referendum.				
		It is a crime that the district permitted the destruction of the wooded area for the Three Rivers bike trail. It is a travesty and 9 mile district failed to protect the pristine area just for a few				
		bicyclists. People who live around the new bike freeway you are building were ignored and				
		marginalized by bureaucrats. This was jammed down the throats of the neighborhoods and				
42	3/20/2016	all buttoned up behind closed doors. No transparency at all. Shameful.				
		Rain barrels/rain gardens will not reverse the irreparable damage that the District's bike trail				
43	3/18/2016	along and even over 9 Mile Creek will inflict on this water course				
44	3/18/2016	I live in a condo building.				
AF	2/19/2016	Please address Normandale Lake Community - its a beautiful area and I believe the Lake would benefit from serious TLC.				
45	3/18/2016	Please do something about Normandale Lake. The watershed board should be embarrassed				
46	3/17/2016	by the quality of water and the algae bloom.				
47		No more regulation.				
48	3/17/2016	Raise the drain at the end of penn lake or turn on pump when it gets low!!!				
		I would like more information on how the current funding is being allocated and what programs				
49	3/17/2016	are executed today and at what cost to the district taxpayers?				
50	3/17/2016	I appreciate the good work of 9 mile Creek and the grant programs that they offer!				
	0/4=/00/40	I am concerned that this survey does not ask any questions about the impact of development				
51	3/17/2016	policies and enforcement on the watershed; I wonder why not. The District appears to move very slowly, and I a like to see it do more projects and less				
		studies and education/outreach. I would like to see more outreach communication about				
		projects; I am not one to look for information and visit the website; I like to see stories in the				
		newspaper and holding open house meetings at libraries, having a booth at city forums, etc.				
		Overall, I understand you are a very small District (not like Minihaha), so you are doing what				
52	3/16/2016	you can.				
		The participation of the watershed district in the bike path that is destroying wetlands and wildlife habitat along the creek makes a travesty of of this survey's emphasis on water quality				
53	3/16/2016	and conservation.				
55	3/10/2010	I am hopeful that our church would be willing to put in a rain garden between the parking lot				
54	3/16/2016	and the Hawke Lakes to reduce pollutant run off.				
		•				

Nine Mile Creek Watershed District Community Survey Question 17 Open Ended Responses

Do you have any other comments, questions, or concerns?				
Number	Response Date	Comments		
		environment and clean water instead of surrendering to local development pressures and		
		demands of the Bike Edina Task Force to put pavement ahead of wetlands and wildlife		
55	3/16/2016	habitat.		
		The cost of some of these is not feasible at this time for me. Such as downspouts. I have a		
56	3/16/2016	significant amount of water that lands on my driveway.		
57	3/16/2016	I hope 9 mile CWSD will do more outreach and education.		
		More emphasis on educating public; less money and effort on providing recreational		
58	3/15/2016	opportunities (leave that to park authorities)		
		T get the impression that this was simply a sort of push poll to raise the taxes. We pay enough		
		taxes in aggregate. Gov't needs to be better figure out how to allocate and be more		
		efficient/resourceful with the current tax levels. Many residents are still hurting from the		
59	3/15/2016	recession and haven't had a raise in a while. Gov't should do the same.		
		Do NOT tax me more to pay for trails. Managing erosion or ground water contamination - OK.		
60	3/15/2016	Trails or beatification - NO!!!		
61	3/15/2016	quit spending our taxpayers money to benefit the government employees		
62	3/15/2016	NMC water district needs to more visably make its value know to the community.		
	5 5. 25 . 5	Grassroots media advertising to get the youth to help. If you need help on this please contact		
63	3/15/2016	me. I already do this for a living. Sarah@softbums.com		
64	3/15/2016	In an apartment. Don't want landlords giving this as a reason to raise rents		
<u> </u>	3/13/2010	Tierneys woods Curve was resurfaced a few years ago, this fall a crew came through and cut		
		open the cracks then covered the cracks with a tar type thing. It is peeling off and there are		
		pieces and strips of that tar stuff all over the streets. It's really disgusting to think that is		
		flowing into the watershed as it rains today. Street cleaning can't happen soon enough, and		
65		the fix it method for the street should be looked at from an environmental perspective.		
- 03	3/13/2010	I wish we had access to FREE planning of helpful landscapes. We'll do the work. We'll pay for		
		the plants and trees, but to just have some assistance in how to plant and where to plant		
66	3/15/2016	without the additional cost of \$5K for ONLY an idea would be helpful.		
- 00	3/13/2010	without the additional cost of \$510 for ONE1 arridea would be helpful.		
67	3/15/2016	There is significant erosion of the banks of nine mile creek in Edina (i.e. Walnut Ridge Park).		
68	3/15/2016	Is it possible to intern for this Board?		
00	3/13/2010	Thank you for allowing us to give our input on this issue. Having grown up on nine mile creek,		
69	3/14/2016	it's a shame to see the condition that it's in now		
09	3/14/2010	Also putting the trail in the middle of a wetland doesn't curb water quality. There will be more		
		trash, noise and wildlife disturbance. Why not clean up our water sources before we run/bike		
		thru them. There's currently nothing to look at. Money would be better spent on water quality		
		than on bikers who aren't paying the additional money to support enhancements and		
70	3/14/2016	maintenance of our natural environments.		
70		Keep the bike path area off of the creek!		
71	3/14/2016			
72	3/14/2016	We have no lawn and use fertilizer sparingly for flowers.		
		I can't wash my car on the grass because I hardly have any grass. I can't install a rain barrel		
70	2/44/2040	because my roof drain lines already go into rain gardens. Same thing for directing the drain		
73	3/14/2016	lines on to the lawn.		
74	0/44/0040	Beside projects related to water quality, I think it is important to prevent/fight back invasive		
74	3/14/2016	plants like buckthorn.		
	0/40/0040	I would see the role of the Watershed District to publicize the volunteer projects they support		
75	3/13/2016	to allow us willing workers (retirees) to actually plant, shovel, weed, etc.		
76	3/11/2016	Living in a townhouse limits some of things that I can control.		
77	3/9/2016	I don't have a good understanding of question 14 and my response isn't necessarily rigid.		
		we have tried to work with the City of Edina to try to clean the ponds adjacent to our home but		
78	3/9/2016	have been told since they run into nine mile creek there is nothing that can be done.		
		We are now living in a large senior housing complex so the last questions didn't apply to us in		
79	3/8/2016	most cases.		

Nine Mile Creek Watershed District Community Survey Question 17 Open Ended Responses

	Question 17 Open Ended Responses On you have any other comments, questions, or concerns?					
Number	Response Date					
80	3/8/2016	I am also very concerned about the chemicals that lawn care companies use on neighborhood lawns, that they spray on windy days and the smell goes everywhere. I have to take my toddler indoors some days, it is SO bad. There are laws for second hand smokewhy not laws against herbicides being breathed into our lungs?				
81	3/8/2016	Need to be informed as to what concerns you have and what is happening				
82	3/7/2016	Strongly encourage people to pick up trash in the streets that could get into the sewers. I can't believe the amount of junk I pick up while walking my dog.				
92	2/7/2016	Your district is fully covered by MS4s. From a regulation standpoint, the NPDES general permits should largely have you covered. The best place to fill in is with TMDLs: take the lead on them, organize best practices training in relation to them, take on internal loading projects for waterbodies with intercommunity subwatersheds, partner with communities to put projects in, oversee subwatershed analysis to find the most cost effective projects. Try not to focus on the method of pollutant reduction (how a BMP functions) when making your choices for projects, but rather, what is most cost effective from a pounds reduction standpoint (sometimes big regional projects are better if not sexier). Get the word out about your organization better. Despite being within 2 blocks (ok, 2.5) of the creek itself, I can't think of one sign I have seen for your organization. They must be there, but I can't think of any. I also can't think of any organizations around me has have some sign or other indication that they have put in a project with your cost share funds. Your newsletter seems to indicate you have a lot of cool things going on, but how would I know that but for the fact that I am a water geek				
83	3/7/2016	that sought out my watershed's website to sign up for their newsletter.				
84	3/7/2016	Difficult to do the above things when you live in an apartment.				
85	3/7/2016	Normandale Lake is covered with algae in the summer. It is very unsightly and smells when it gets hot/dry. We utilize the lake all year round with our small children and would like to see this improved. Thank you.				
86	3/7/2016	Normandale Lake is a jewel of the Bloomington community and it looks horrible almost all of the ice-out days of the year				
87	3/7/2016	Offer more aquatic activities at Normandale Lake (swimming, kayaking, etc.)				
88	3/6/2016	Thanks for all you do for the district				
89	3/6/2016	Bloomington recently approved the MN River Valley Strategic Plan. Identify opportunities once the natural resources review has been completed (2017) where the WD can fund structural and vegetative restorations that can impact the area near the outlet of NMC.				
90	3/5/2016	HOW DOES THE SALT USED ON THE ROADS IN THE WINTER EFFECT THE WATER SHED?				
91	3/5/2016	Yes, the aforementioned swimming pool water. We'd like to install a rain garden but think it may not work.				
92	3/5/2016	People obsessed with 'perfect' grass!				
93	3/3/2016	We live in a good watershed district.				
94	2/26/2016	Keep up the good work!				
95	2/20/2016	Thank you for all you do.				
96	2/20/2016	I work in Bloomington				
97	2/18/2016	From #18- ways to provide information: website information, printed newsletters mailed to your home, electronic newsletters, newspaper articles, provide materials to local cities and other public agencies, presentations to community and neighborhood groups From #1: Works in Bloomington				
98	2/18/2016	From #18-ways to provide information: website information				
99	2/18/2016	Other ways to provide information: Website information, Social media, printed newsletters mailed to your home				

Appendix D

Relationship between topic categories from issue identification and prioritization and the goal/policy topic categories (Section 5)

Relationship between topic categories from issue identification and prioritization (Section 4) and the goal/policy topic categories (Section 5).

